
Index

.., directory, 126
..., directory, 126
/, directory, 68, 82, 238
~, directory, 127
~/, directory, 425
10 Base 2, 287
10B5, 287
10BaseT, 287
386/BSD, 9
5.0-RELEASE, 87
802.11 DSSS, 292
802.11 FHSS, 292
802.11a, 292
802.11b DSSS, 292
802.11g, 292
86/DOS, 7
/A, directory, 257–258

A

A: drive, 86
A record, DNS, 363, 369
Abrahams, Paul W., 16, 111, 628
Accelerated Graphics Port, 28
accept, PPP negotiation, 341, 351
access point, 292
acd0, device, 246
acd0c, device, 250
acknowledgment number, TCP, 282
ACPI, 642
acoread, command, 92
active partition, 210
ACU, 333
ad-hoc mode, 292
ad0, 63

ad0 (*continued*)
 device, 63
ad0a, device, 37
ad0s1a, device, 37, 81
adding hard disk, 199
adding passwords, 147
adding routes, automatically, 309
 manually, 309
adding users, 145
Address, Ethernet, 287
 MAC, 287
address class, 290
address family, 312
Address Resolution Protocol, 289, 344
addressing, dynamic, 345
adduser, command, 145, 568, 576
adjkerntz, command, 605
ADSL, 316
Advanced Configuration and Power Interface,
 642
Advanced Power Management, 553
AGP, 28
Albitz, Paul, 628
alias file, email, 481, 500
aliasing, IP, 322, 385, 393
Alpha, architecture, 42, 634
 installing on, 78
amanda, command, 253
amd, daemon, 539
Anderson, Annelise, xxxi, 627
anonymous, user name, 433
anonymous ftp, 433, 450
any, key, xxx
a.out, object format, 162, 634–635, 638, 642
apache, configuration file, 456

apache (*continued*)
 configuring, 455
 daemon, 455, 459, 462
 running, 462
 apachectl, command, 462
 APIC_IO, kernel option, 613
 APM, 553, 642
 application layer, problems, 414
 apropos, command, 14
 ARC, console firmware, 42
 archive, 167, 251, 253
 argument, shell, 123
 Arnold, Jonathan, xxxi
 A.ROOT-SERVERS.NET., 373
 ARP, 289, 344, 412
 ARPANET, 277
 Asente, Paul, 629
 ast0, device, 252
 asynchronous communication, 326
 Asynchronous Digital Subscriber Line, 316
 AT Attachment, 32
 AT command set, 333
 ATA, 32
 ATTRIB, MS-DOS program, 260
 AUI, 287
 authentication, challenge-response, 420
 PPP, 339
 authentication agent, 422
 auth.log, file, 157
 authoritative name server, 365
 Auto-Call Unit, 333
 AUTOEXEC.BAT, file, 56–57
 AXP, processor, 42, 634

B

backing up your data, 251
 backslash, 571
 backup file, DNS, 376
 backup software, 253
 bad144, command, 639
 Barton, Doug, xxxi
 base, directory, 87–89
 base station, 292
 base.inf, file, 43, 90
 base.mtree, file, 43
 bash, command, xxix, 92, 94, 113, 129,
 132–134, 137, 254, 423
 .bash_profile, file, 94
 .bashrc, file, 93–94, 136, 254, 423

Basic Input/Output System, 528
 Basic Networking Utilities, 277
 Basic Service Set, 292
 bat book, 491
 baton, twirling, 530, 532
 baud, definition, 330
 becoming super user, 147
 beijing.china.example.org, 365, 377
 Bellovin, Steven M., 628
 Berkeley daemon, 20
 Berkeley Internet Name Domain, 363
 Berkeley Packet Filter, 411
 Berkeley Software Design, 8
 Berkeley Software Distribution, 4, 8
 Berkeley UNIX, 7
 biguser.com, 310–311, 457
 /bin, directory, 69, 94, 137
 BIND, 363
 BIOS, 528
 Birrell, John, xxxi
 Bishop, Bob, xxxi
 bit rate, definition, 331
 Blake, Sue, xxxi
 blind dialing, modem, 333
 block device, 36, 640
 BNC, 287
 BNU, 277
 /boot, directory, 530, 548, 598
 boot disk, 85
 boot floppy, preparing, 85
 boot manager, 52
 boot selector, 64–65
 boot sequence, 60
 boot0cfg, command, 81
 /boot/defaults/loader.conf, file, 530, 532–533
 /boot/device.hints, file, 82, 203, 530, 574, 598,
 608–609
 booteasy, 66, 81
 boot.flp, file, 88
 booting, from floppy, 86
 /boot/kernel, directory, 532, 635
 /boot/kernel/if_ppp.ko, file, 355
 /boot/kernel/ipfw.ko, file, 386
 /boot/kernel/kernel, file, 528, 533, 545
 /boot/kernel/modules, directory, 619
 /boot/kernel/modules/ibcs2.ko, file, 619
 /boot/kernel.old, directory, 617, 635
 /boot/kernel.old/kernel, file, 533, 635
 /boot/loader.conf, file, 83, 226, 238, 530,
 532–533, 563, 613

BootMgr, 66
bootparamd, daemon, 559
bootpd, daemon, 543
bootstrap, 528
Bostic, Keith, 629
bounds, file, 622
Bozza, Jaime, 487
bpf0, device, 195
Branagan, Linda, 20
branch, CVS, 581
brandelf, command, 164
branding ELF binaries, 164
BREAK_TO_DEBUGGER, kernel option, 614
Bresler, Jonathan M., xxxi
broadcast interface, 300
broadcast packet, 307
browser, web, 418
BSD compression, 343
BSD License, xxx
BSDCon, 19
BSDI, 8
BSS mode, 292
BTX, 528, 530
buffer cache, 36, 640
bugs, reporting, 19
building ports, 169, 174
Bulley, William, xxxi
bumble.example.org, 294–295, 309, 402
burncd, command, 246–247
bus mouse, 41

C

C:, directory, 81
cable, control, 31
 data, 31
cable modem, 316
cable networking, 286
caching, web, 462
caching-only name server, 366
call failure reason code, modem, 337
CAM driver, 634
Cambria, Mike, xxxi
camcontrol, command, 160, 201, 203, 219, 248, 634
capability, terminal, 578
CardBus, 28, 30
carriage return, character, 139

carriage return (*continued*)
 key, xxix
carrier sense, 288
Carrier Sense Multiple Access/Collision Detect, 288
CCITT, 277
CD, MS-DOS program, 260
CD-R, coaster, 248
 model data, 247
CD-ROM, CVS Repository, 46
 Installation, 43
 Live File System, 43, 46, 84
 mounting, 192
cd0, device, 195
cd1c, device, 250
cd9660, file system, 190, 567
cdrecord, command, 92, 246, 248–249
/cdrom, directory, 13, 85, 87–88, 169, 173, 192
/cdrom/floppies/boot.flp, file, 48
/cdrom/ports/distfiles, directory, 173
/cdrom/tools/fips.doc, file, 53
cdrtools, command, 243, 248
ch0, device, 195
challenge-response authentication, 420
changing passwords, 147
CHAP, 342–344, 351, 356, 359
character, carriage return, 139
 control, 138
 escape, 138
 line feed, 139
 new line, 139
 slash, 138
 SYN, 327
 tab, 138
character device, 35, 640
characters, globbing, 126
chat, command, 357–358
 expect string, 357
 send string, 357
chat script, 349, 357
Cheapernet, 287
Cheswick, William R., 628
chflags, command, 603
chgrp, command, 183
china.example.org, 365, 377
CHKDSK, MS-DOS program, 56–57
chmod, command, 14, 184
chown, command, 183–184
chpass, command, 577

- CHS, 33
- chsh, command, 137
- CIFS, 278, 464
- Clapper, Brian, xxxi
- Class C network, 291
- Clayton, Nik, 627
- Clear to Send, RS-232 signal, 329–330
- client, NFS, 442
- clocks, RS-232, 329
- CNAME record, DNS, 364
- COFF, object format, 164, 635
- collection, CVSup, 586
- Collier-Brown, David, 465, 628
- collision, 288
- COM1:, 536
- command, acroread, 92
 - adduser, 145, 568, 576
 - adjkerntz, 605
 - amanda, 253
 - apachectl, 462
 - apropos, 14
 - bad144, 639
 - bash, xxix, 92, 94, 113, 129, 132–134, 137, 254, 423
 - boot0cfg, 81
 - brandelf, 164
 - burncd, 246–247
 - camcontrol, 160, 201, 203, 219, 248, 634
 - cdrecord, 92, 246, 248–249
 - cdrtools, 243, 248
 - chat, 357–358
 - chflags, 603
 - chgrp, 183
 - chmod, 14, 184
 - chown, 183–184
 - chpass, 577
 - chsh, 137
 - COMMAND.COM, 113
 - config, 598, 616–618
 - cp, 432
 - cpio, 253, 256
 - csh, xxix, 92, 113–114, 129, 133, 136–137, 173, 254, 396, 569
 - cvs, 588–591
 - cvsup, 170, 585–587
 - dbmmanage, 461
 - dd, 85, 210, 250
 - df, 129, 258
 - dhclient, 302, 306, 555
 - command (*continued*)
 - diff, 604
 - dig, 381
 - disklabel, 215–216, 237–238, 258, 569, 640
 - disktab, 257
 - dmesg, 158, 200, 204, 211, 246, 248, 533–534, 612, 619
 - dump, 253, 567
 - ec, 62
 - echo, 131
 - elm, 93, 178–179, 473, 497
 - emacs, xxxii, 15–16, 134, 168, 170, 261, 438, 524
 - emacsclient, 477, 482
 - etherboot, 546
 - ethereal, 414
 - eval, 423
 - exmh, 473
 - fdformat, 257
 - FDIMAGE.EXE, 86
 - fdisk, 39, 64, 210–215
 - fetchmail, 93, 504–505
 - fg, 132
 - fortune, 114, 626
 - fsck, 75, 187, 238–239, 538, 540–541, 554, 567
 - fsdb, 187
 - ftp, 3, 13, 167, 170–171, 185, 399, 405, 410, 418, 432–437, 450–452, 569, 577
 - ftpd, 577
 - fvwm2, 93, 108, 118–121
 - galeon, 93, 120, 399, 418
 - gcc, 15, 70
 - gdb, 84, 623–624, 626
 - getty, 114, 188, 195, 197, 336, 338, 356, 539, 574, 576
 - ghostscript, 13, 93, 273–276
 - gpg, 93, 479
 - grep, 124, 128
 - growfs, 232, 642
 - gunzip, 167
 - gv, 93, 272
 - gzip, 167, 253, 255
 - halt, 141
 - host, 381
 - hostname, 302
 - httpd, 459
 - ifconfig, 99, 195, 299–302, 304–308, 311, 340, 345, 355, 358, 404–405

command (*continued*)

info, 15, 175
inn, 169
ipfw, 386, 393
ispell, 93
Kate, 117
kde, 93, 116, 118
kenv, 575
kermit, 357
kill, 154
killall, 154
kldload, 619, 635
kldstat, 163, 619
kldunload, 619
Kmail, 117
konqueror, 117, 419
konsole, 117, 121
Kpresenter, 117
ksh, xxix, 133
Kspread, 117
ktrace, 615
KWord, 117
ldconfig, 539, 564, 636
less, 128, 172
loader, 530, 532
log, 589
login, 114
lpq, 270
lpr, 263, 265, 270
lprm, 271
lptest, 268
ls, 13, 182–183, 244
lynx, 13, 419
mail, 472–473
majordomo, 497, 505–506
make, 138, 167, 172, 174, 245, 593
man, 13–14, 129, 465, 576
mcopy, 260–261
mdconfig, 193, 246
mergemaster, 599–600, 602–604
mformat, 259
mh, 473
mkfontdir, 518
mkisofs, 93, 243–244
more, 128, 261
mosaic, 419
mount, 190–192, 258, 441–442, 566–568,
640
mountall, 445

command (*continued*)

mount_nfs, 442
mount_ufs, 442
mozilla, 13, 418
mtools, 259–260
mutt, 93, 129, 471, 473–478, 480–484,
486–487, 496
.muttrc, 483
ndc, 374
netscape, 418
netstat, 284–285, 311–312, 406
newalias, 497
newaliases, 497, 505
newfs, 215, 217, 258, 640
newfs_msdos, 259
newsyslog, 158, 572
nslookup, 381
ntpdate, 100, 156–157, 305, 539, 560
Opera, 419
PartitionMagic, 53
passwd, 146–148
pax, 253
pdf2ps, 276
pdksh, xxix
perl, 5
pgp, 479
pine, 93, 473
ping, 402, 405–407, 410
pkg_add, 178, 585
pkgdb, 176–177
pkg_delete, 179
pkg_info, 178
pkg_version, 178–179
portupgrade, 176, 178
postmap, 500, 505–506
ppp, 350, 353–354
printenv, 131
procmail, 501
ps, 122, 128, 148–149, 154, 163, 182, 186,
267, 539
ps2pdf, 276
pstat, 71, 83
pwd_mkdb, 576, 601
pxeboot, 544, 546
python, 5
rcp, 418, 432
resetconfig, 241
resolv.conf, 366
rlog, 589

command (*continued*)

rlogin, 197, 386, 417–418, 426
 rm, 122, 585
 rndc, 374
 route, 302, 309, 407
 rsh, 570
 rsync, 3, 418, 437–440, 449, 454
 ruby, 5
 ruptime, 100
 rwho, 100, 412
 savecore, 622
 /sbin/nologin, 601
 sco, 164
 scp, 418, 432–433, 437–438
 send-pr, 19
 setgid, 186
 sftp, 437, 449
 sh, xxix, 113–114, 133, 136, 254
 shutdown, 95, 141, 541–542
 skipstone, 418
 sleep, 424
 smbclient, 465, 469–470
 smbpasswd, 465, 469
 smbstatus, 465, 470
 spamassassin, 487, 501
 ssh, 3, 100, 157, 278, 293, 346, 412,
 418–432, 437, 440, 453, 559, 570, 638
 ssh-add, 422–423
 ssh-agent, 422–423, 428–429, 437
 ssh-askpass, 423
 ssh-keygen, 421
 startx, 108–109, 115, 523–524, 574
 stty, 133, 327, 336, 338
 su, 95, 137, 147–148, 157, 185
 sudo, 147
 swapon, 547
 swat, 466
 sylpheed, 473
 sysctl, 313
 sysinstall, 13, 39, 44, 49–50, 60–61, 63, 68,
 74–78, 80–81, 87–88, 91, 95, 97–99,
 109, 145, 169, 199, 204, 209, 236–237,
 297, 299, 552, 594
 syslog, 375
 tar, 122, 127, 167, 251, 253–256, 259–260
 tcl, 174
 tcpdump, 410–412, 414
 tcsh, xxix, 92, 113, 129, 134, 137, 173, 254,
 396

command (*continued*)

tee, 599
 telnet, 197, 278, 386, 414, 417–418, 424,
 430–431, 502
 testparm, 469
 , 465
 tk, 174
 tkdesk, 174
 top, 152–153
 traceroute, 407–409, 414
 troff, 15
 tty, 419, 423, 430
 tunefs, 191, 258
 twm, 118
 tzsetup, 155
 umask, 184–185, 571
 umount, 194
 UserConfig, 82
 vi, 62, 93, 133, 139–140, 219, 446, 477
 vim, 93
 vinum, 158, 225–227, 241, 619
 vipw, 137, 145, 568, 576
 wine, 165
 X, 516
 xf86cfg, 102–106, 516
 xfmmail, 473
 xhost, 524
 xinit, 522–523
 xset, 519
 xterm, 93, 114, 117, 119, 121, 129, 140,
 153, 197, 419–420, 423, 425, 430–431,
 474, 524
 xtset, 93
 xv, 93
 xvidtune, 107
 zsh, xxix, 113, 133
 command history, 133
 command line editing, 131
 COMMAND.COM, command, 113
 commands, modem, 333
 common Access Method, 634
 Common Internet File System, 278, 464
 Common Object File Format, 164
 communication, asynchronous, 326
 start-stop, 327
 synchronous, 326–327
 community, FreeBSD, 17
 compatibility slice name, 37
 composite video, 511
 compression, BSD, 343

- compression (*continued*)
 - data, 343
 - deflate, 343, 356
 - header, 343
 - Predictor 1, 343
 - concatenation, vinum, 222
 - Concurrent Versions System, 581
 - conf, directory, 530
 - config, command, 598, 616–618
 - config keyword, machine, 611
 - config option, APIC_IO, 613
 - BREAK_TO_DEBUGGER, 614
 - DDB, 614
 - DDB_UNATTENDED, 614
 - DIAGNOSTIC, 614
 - GDB_REMOTE_CHAT, 614
 - INVARIANTS, 614
 - INVARIANT_SUPPORT, 614
 - KTRACE, 614
 - SMP, 613
 - config1, file, 226
 - CONFIG.SYS, file, 56–57
 - configuration database, vinum, 226
 - configuration file, apache, 456
 - kernel, 610
 - network, 302
 - samba, 466
 - configuration summary, network, 313
 - configuration variables, network, 302
 - conflicts, CVS, 591
 - connection oriented protocol, 281
 - console, device, 195
 - console firmware, ARC, 42
 - SRM, 42
 - control cable, 31
 - control characters, 138
 - controlling terminal, 149
 - COPY, MS-DOS program, 260
 - Coyne, Paul, xxxi
 - cp, command, 432
 - cpio, command, 253, 256
 - cpu cpu_type, 612
 - CR-R, coaster, 247
 - create, vinum command, 238
 - creating a partition table, 210
 - creating a tar archive, 254
 - creating file systems, 217
 - creating the source tree, 588
 - Crites, Lee, xxxi
 - cron, 151
 - cron (*continued*)
 - daemon, 150–152, 154, 158, 472, 539, 563, 569, 572, 578, 585, 604
 - file, 158
 - crontab, 151
 - file, 151–152, 569
 - cryptography, public key, 420
 - csh, command, xxix, 92, 113–114, 129, 133, 136–137, 173, 254, 396, 569
 - CSMA/CD, 288
 - CSRG, 7
 - Ctrl-Alt-Keypad +, keystroke, 120
 - Ctrl-Alt-Keypad -, keystroke, 120
 - CTS, 41
 - RS-232 signal, 329–330
 - cuaa0, device, 195, 336, 341, 347
 - cuaa1, device, 336, 341, 348–349, 358
 - cuaa2, device, 341
 - cuaia0, device, 195
 - cuala0, device, 195
 - custom installation, 61
 - CVS, 581
 - branch, 581
 - cvs, command, 588–591
 - CVS, conflict, 591
 - directory, 582, 589
 - file, Entries, 590
 - Repository, 590
 - Root, 590
 - Tag, 590
 - repository, 581
 - symbolic names, 582
 - tag, 582, 588
 - trunk, 581
 - cvsup, collection, 586
 - command, 170, 585–587
 - running, 587
 - which server?, 587
 - cvsupfile, 585
 - file, 587
 - cylinder, 33
- ## D
- da0, device, 35, 195, 639
 - da0a, device, 640
 - da0s1a, device, 38
 - da0s1b, device, 38
 - da0s1e, device, 38
 - da1, device, 204

da1s2h, device, 214, 217
 da2s1b, device, 84
 daemon, 150
 amd, 539
 apache, 455, 459, 462
 Berkeley, 20
 bootparamd, 559
 bootpd, 543
 cron, 150–152, 154, 158, 472, 539, 563,
 569, 572, 578, 585, 604
 devd, 159–161, 305–306, 553
 dhcpcd, 303–304, 545
 ftpd, 447–453
 gated, 309
 httpd, 449, 456–459, 462
 inetd, 99, 150, 154, 386, 448–450, 456,
 466, 469, 504, 539, 545, 558, 570
 init, 109, 151, 188, 197, 338, 528–529,
 539–541, 564, 573
 IPXrouted, 464, 561
 kerberos, 539
 keyser, 539
 lpd, 101, 263, 265–268, 271, 563, 570
 lukemftpd, 449
 mountd, 463–464, 539
 moused, 102, 195, 519, 562
 mrouted, 561
 named, 101, 363–367, 369, 374–375,
 379–381, 383, 539, 558, 568, 570, 579,
 639
 natd, 394–396, 462, 556
 nfsd, 463, 539
 nfsiod, 442, 539
 nmbd, 465–466
 nntpd, 449
 ntpd, 100, 156–157, 305, 539, 560, 638
 pccardd, 553, 572
 popper, 504–505
 portmap, 463, 539, 559
 postfix, 93, 486, 491–503, 505–506, 602,
 606
 pppd, 355–356, 358
 pppoed, 559
 printer, 539
 rarpd, 559
 rexecd, 450
 rlogind, 447, 450
 routed, 309, 561
 rpcbind, 463, 559

daemon (*continued*)
 rpc.lockd, 463, 539
 rpc.statd, 463, 539
 rpc.yppasswdd, 539
 rpc.yppupdated, 539
 rpc.ypxfrd, 539
 rshd, 447, 450
 rsyncd, 440, 449, 454–455
 rwhod, 100, 283, 305, 539, 558
 sendmail, 138, 149–150, 154, 431, 487,
 491–497, 502, 539, 563, 568, 606
 sftp-server, 437, 449, 454
 smbd, 465–466
 squid, 386, 397–399
 sshd, 100, 157, 420, 426, 428, 437, 449,
 453–454, 559
 status monitoring, 463
 swapper, 528
 syslogd, 138, 157, 452, 538, 557, 573
 telnetd, 447, 450
 tftpd, 545
 timed, 539, 560
 usbd, 101, 539, 563
 x11/x2x, 525
 xdm, 108–109, 111, 113, 115, 119, 141,
 525, 574
 xntpd, 157, 638
 ypbind, 539
 ypserv, 539
 ypset, 539
 daisy chaining, 201
 DARPA, 277
 data cable, 31
 Data Carrier Detect, RS-232 signal, 329, 340
 Data Communication Equipment, 326
 data compression, 331, 343
 modem, 331
 Data Set Ready, RS-232 signal, 329
 Data Terminal Equipment, 326
 Data Terminal Ready, RS-232 signal, 329
 dataset, 326
 dbmmanage, command, 461
 DCD, RS-232 signal, 329, 336, 338, 340, 356
 DCE, 326
 dd, command, 85, 210, 250
 ddb, 614
 DDB, kernel option, 614
 DDB_UNATTENDED, kernel option, 614
 debug kernel, 84
 debugging, network layer, 406

- default route, 347
- Defense Advanced Research Projects Agency, 277
- deflate compression, 343, 356
- deflection, frame, 508
 - horizontal, 508
 - line, 508
 - vertical, 508
- deflection unit, 508
- degraded mode, vinum, 223
- DEL, MS-DOS program, 260
- delegation, DNS, 377–378
- delegation record, DNS, 378
- demo ad-hoc mode, 292
- deny, PPP negotiation, 341, 351
- deppert.floppy, 183
- desktop, 40–41
 - Gnome, 93
 - kde, 93
- /dev, directory, 195, 338, 594, 642
- devctl, device, 159–160
- devd, daemon, 159–161, 305–306, 553
- devfs, 36, 642
- device, acd0, 246
 - acd0c, 250
 - ad0, 63
 - ad0a, 37
 - ad0s1a, 37, 81
 - ast0, 252
 - block, 36
 - bpf0, 195
 - cd0a, 195
 - cd1c, 250
 - ch0, 195
 - character, 35
 - console, 195
 - cuaa0, 195, 341, 347
 - cuaa1, 336, 341, 348–349, 358
 - cuaa2, 341
 - cuaia0, 195
 - cuala0, 195
 - da0, 35, 195, 639
 - da0a, 640
 - da0s1a, 38
 - da0s1b, 38
 - da0s1e, 38
 - da1, 204
 - da1s2h, 214, 217
 - da2s1b, 84
- device (*continued*)
 - devctl, 159–160
 - esa0, 195
 - fd, 195
 - fd/0, 195
 - fd0, 85, 196, 257
 - fd0a, 195
 - fd0c, 85, 195
 - kmem, 196, 564
 - lpt, 264
 - lpt0, 196, 269, 274
 - md0, 194
 - mem, 186, 196, 564
 - nast0, 252
 - nrsa0, 252
 - nsa0, 196, 252
 - null, 196, 451
 - nwst0, 252
 - overview, 195
 - ppp0, 341
 - psm0, 196
 - ptyp0, 196–197
 - random, 196, 565
 - ray, 292
 - rda0a, 640
 - rsa0, 252
 - sa0, 196, 252
 - sd0, 639
 - sio0, 336, 536, 574
 - sysmouse, 196, 519
 - tty, 196
 - ttyd0, 196, 336, 338
 - ttyd1, 336
 - ttyd3, 574
 - ttyid0, 196
 - ttyld0, 196
 - ttyp0, 149, 196–197
 - ttyp1, 149
 - ttyv0, 115, 195–197, 573
 - ttyv1, 78
 - ttyv15, 197
 - ttyv2, 197
 - ttyv3, 78
 - ttyv4, 197
 - ttyv8, 109
 - tun0, 341, 345
 - tun1, 341
 - urandom, 565
 - vinum/root, 239

device (*continued*)

- wst0, 252
- xl0, 298, 347–348
- zero, 197, 216

device daemon, 553

device driver, 27

device file system, 36, 642

device node, 36, 445, 642

- making, 619

Devices.htm, file, 275

/dev/MAKEDEV, file, 640

df, command, 129, 258

dhclient, command, 302, 306, 555

DHCP, 302, 543

dhcpd, daemon, 303–304, 545

DIAGNOSTIC, kernel option, 614–615

dialing, 340

diff, command, 604

dig, command, 381

Digital Subscriber Line, 316

DIR, MS-DOS program, 260

direct access device, 634

Direct Memory Access, 30

directories, 181

directory, .., 126

- ..., 126
- /, 68, 82, 187–188, 238
- ~, 127
- ~/, 425
- /A, 257–258
- base, 87–89
- /bin, 69, 94, 137, 188, 594
- /boot, 188, 530, 548, 594, 598
- /boot/kernel, 532, 635
- /boot/kernel/modules, 619
- /boot/kernel.old, 617, 635
- C:, 81
- /cdrom, 13, 85, 87–88, 169, 173, 188, 192
- /cdrom/ports/distfiles, 173
- /compat, 188
- conf, 530
- CVS, 582, 589
- /dev, 188, 195, 338, 594, 642
- docco, 135
- /etc, 188, 299, 548, 551, 566, 594, 599
- /etc/mail, 493, 568
- /etc/namedb, 368
- /etc/periodic, 578
- /etc/ppp, 349

directory (*continued*)

- /etc/ssh, 638
- floppies, 88
- /freebie, 441
- freebie:/, 446
- /freebie/home, 441
- /freebie/usr, 441, 444, 446
- freebie:/usr, 444, 446
- ftp, 451
- ~ftp/bin, 451
- ~ftp/incoming, 451
- ~ftp/pub, 451
- ~grog/public_html, 438
- /home, 70, 72–74, 126, 188, 218
- home, 113–114
- /home/fred, 126
- /home/grog/Mail, 439
- /home/grog/Mail/Mail, 439
- /home/grog/public_html, 455
- /home/ncvs, 590
- /home/release, 245
- incoming, 451
- /lib, 164, 188–189
- ~/Mail, 480
- ~/mail, 480
- manpages, 89
- /mnt, 188, 194, 246
- /mnt2, 84
- /modules, 635
- net/etherboot, 546
- /newhome, 209, 217–218
- /nonexistent, 601
- /ports/distfiles, 169
- /proc, 188
- process, 188
- pub, 451
- /pub/FreeBSD/ports/ports/editors/, 170
- RCS, 582
- /root, 188
- /sbin, 69, 188, 594
- /src, 609
- ~/ssh, 421, 428
- /sys, 609
- /sys/i386/conf, 610
- /tftpboot, 545
- /tmp, 68, 82, 564
- tools, 86
- /usr, 68–70, 72, 82, 137, 148, 187–188, 218, 237–238, 544, 594

directory (*continued*)

- /usr/bin, 14, 148, 189, 594, 638
- /usr/compat, 188–189, 594
- /usr/compat/linux, 164
- /usr/compat/linux/lib, 164
- /usr/doc, 587
- /usr/games, 189, 594
- /usr/home, 218
- /usr/include, 189, 594
- /usr/lib, 137, 164, 189, 594, 597, 636
- /usr/lib/compat, 637
- /usr/libdata, 189, 594
- /usr/libexec, 189, 594
- /usr/local, 189, 594, 597
- /usr/local/bin, 94, 137, 465, 638
- /usr/local/etc, 548, 638
- /usr/local/etc/apache, 455
- /usr/local/etc/postfix, 493, 500
- /usr/local/etc/rc.d, 304
- /usr/local/man, 129, 174, 465
- /usr/local/sbin, 465
- /usr/local/www/cgi-bin, 456
- /usr/local/www/data, 455, 458
- /usr/local/www/icons, 456
- /usr/local/www/proxy, 462
- /usr/obj, 122, 189, 548, 585, 594, 617
- /usr/ports, 169, 172, 189, 585, 587, 589, 594
- /usr/ports/distfiles, 173
- /usr/ports/editors/openoffice, 165
- /usr/ports/emulators, 162
- /usr/ports/emulators/linux_base, 163
- /usr/ports/graphics/hpscan, 169
- /usr/ports/mail/majordomo, 505
- /usr/ports/net/samba, 465
- /usr/ports/security/sudo, 147
- /usr/sbin, 189, 594
- /usr/share, 189, 594
- /usr/share/doc, 12
- /usr/share/doc/en/articles, 12
- /usr/share/doc/en/books, 12
- /usr/share/examples/ppp, 355
- /usr/share/locale, 129
- /usr/share/man, 129
- /usr/share/syscons/fonts, 562
- /usr/share/syscons/keymaps, 562
- /usr/share/zoneinfo, 96, 129, 155–156
- /usr/share/zoneinfo/Asia, 97

directory (*continued*)

- /usr/src, 189, 548, 585, 588–589, 591, 595, 617
- /usr/src/release/picobsd, 549
- /usr/src/sys, 188, 585, 594, 609
- /usr/src/sys/alpha/compile, 609
- /usr/src/sys/alpha/conf, 609
- /usr/src/sys/conf, 161
- /usr/src/sys/i386/compile, 609
- /usr/src/sys/i386/conf, 530, 609
- /usr/src/sys/kern, 582
- /usr/src/sys/sparc64/compile, 609
- /usr/src/sys/sparc64/conf, 609
- /usr/var, 69
- /usr/X11R6, 188, 594
- /usr/X11R6/bin, 189
- /usr/X11R6/include, 189
- /usr/X11R6/lib, 189
- /usr/X11R6/man, 174, 189
- /var, 68–70, 72, 82, 188–189, 191, 237–238, 455, 547
- /var/crash, 84, 538–539, 622
- /var/db/pkg, 175–176
- /var/empty, 601, 603
- /var/log, 157, 189, 572
- /var/mail, 189, 480, 493
- /var/run, 538
- /var/spool, 189
- /var/spool/clientmqueue, 493
- /var/spool/ftp, 87, 451
- /var/spool/mqueue, 493
- /var/spool/output/colour, 274
- /var/spool/output/freebie, 266, 269
- /var/spool/postfix, 493
- /var/tivo, 455
- /var/tmp, 188, 190
- /var/tmp/temproot, 599, 603
- /var/www, 458
- /var/www/data, 455
- disable, PPP negotiation, 341, 351
- Discrete Sequence Spread Spectrum, 292
- disk, adding, 199
 - recovering from data errors, 218
- disk label, specifying, 67
- disk slice, 214
- disklabel, command, 215–216, 237–238, 258, 569, 640
- disks, creating file systems, 63
 - creating space, 63

disks (*continued*)

- formatting, 203
- installing hardware, 200
- labelling, 214

disktab, command, 257

display manager, 109

distributions, selecting, 75

divert socket, 388

DMA, 30

- Acknowledge, 30
- Channel, 30
- Request, 30

dmesg, command, 158, 200, 204, 211, 246, 248, 533–534, 612, 619

dmesg.today, file, 158

dmesg.yesterday, file, 158

DNS, 363

- A record, 363, 369
- backup file, 376
- CNAME record, 364
- delegating zones, 377
- delegation, 377–378
- delegation record, 378
- expire, 369
- glue record, 378
- HINFO record, 364, 371
- lame delegation, 380
- MX record, 364, 370
- negative cache entry, 380
- negative caching, 369
- nickname, 370
- NS record, 364, 370
- origin, 368
- PTR record, 364
- refresh, 369
- Resource Record, 363
- retry, 369
- reverse lookup, 364, 372
- serial number, 368
- SOA record, 364
- Start of Authority record, 368
- zone, 364

DNS tools, 381

DNS usage, passive, 366

docco, directory, 135

documentation, online, 16

domain, 364

domain name, 364

- fully qualified, 364

domain name (*continued*)

- registering, 317
- relative, 364

Domain Name System, 363

dot clock, 511

double-click, mouse, 41

downloading mail, 503

drive, vinum, 222

driver, 27

- CAM, 634
- ghostscript, 273
- md, 245
- tunnel, 340, 355
- vn, 246
- vnode, 245

drives.bat, file, 261

DSA encryption, 421

DSL, 286, 316

DSR, RS-232 signal, 329

DTE, 326

DTR, RS-232 signal, 329

dump, command, 253, 567

dumpconfig, vinum command, 235

dumping the system, 83

Dunham, Jerry, xxxi, 317

dynamic addressing, 345

Dynamic Host Configuration Protocol, 302

dynamic IP addresses, 346

E

E-mail, 471

E1 line, 316

EBSS, 292

ec, command, 62

echo, command, 131

Eckstein, Robert, 465, 628

EIA-232, 328

EIDE, 32

EISA, 28

Eisler, Mike, 628

electronic mail, 471

ELF, object format, 162, 634–635

Elischer, Julian, xxxi

Ellis, Margaret A., 629

elm, command, 93, 178–179, 473, 497

emacs, 93

- command, xxxii, 15–16, 134, 168, 170, 261, 438, 524

emacsclient, command, 477, 482

- Email, 471
- email, alias file, 481, 500
 - folder, 472
 - group reply, 479
 - header, 476
 - threads, 475
- emulation, 162
- enable, PPP negotiation, 341, 351
- encryption, 421
- Endsley, Michael A., xxxi
- enhanced IDE, 32
- Enhanced Small Device Interface, 32
- Enter, key, xxx
- environment variables, 128
- epoch, 155
- esa0, device, 195
- escape, character, 138
- escape character, modem, 333
- escape sequences, printer, 272
- ESDI, 32
- Esser, Stefan, xxxi
- /etc, directory, 188, 299, 548, 551, 566, 599
- /etc/aliases, file, 497
- /etc/amd.map, file, 566
- /etc/crontab, file, 151, 500, 569, 604–605
- /etc/csh.cshrc, file, 136
- /etc/csh.login, file, 136
- /etc/csh.logout, file, 136
- /etc/daily, file, 151, 578
- /etc/default/rc.conf, file, 389
- /etc/defaults/pccardd.conf, file, 572
- /etc/defaults/periodic.conf, file, 572
- /etc/defaults/rc.conf, file, 83, 305, 348, 353, 529, 538, 552, 554–556, 558, 560, 563
- /etc/devd.conf, file, 159–160
- /etc/dhclient.conf, file, 569
- /etc/disktab, file, 216–217, 257, 569
- /etc/dm.conf, file, 566
- /etc/exports, file, 62, 99, 463–464, 566
- /etc/fstab, file, 158, 160, 164, 192, 203, 217–218, 239, 442, 445, 538, 547, 553, 566, 568, 575, 593, 605, 639
- /etc/ftputers, file, 569
- /etc/gettytab, file, 338, 576
- /etc/group, file, 113, 147, 451, 568, 602
- /etc/host.conf, file, 572, 579
- /etc/hosts, file, 363–364, 372, 569, 572
- /etc/hosts.equiv, file, 570
- /etc/hosts.lpd, file, 266, 570
- /etc/inetd.conf, file, 386, 448–450, 466, 504, 545, 570, 605
- /etc/local/etc, file, 465
- /etc/localtime, file, 155
- /etc/login.access, file, 570
- /etc/login.conf, file, 570
- /etc/mail, directory, 493, 568
- /etc/mail/aliases, file, 496, 505
- /etc/mail/mailler.conf, file, 606
- /etc/mail/sendmail.cf, file, 638
- /etc/make.conf, file, 638
- /etc/manpath.config, file, 576
- /etc/master.passwd, file, 144–146, 568, 600–602
- /etc/monthly, file, 578
- /etc/motd, file, 114, 572, 605
- /etc/namedb, directory, 368
- /etc/namedb/china-reverse, file, 377
- /etc/namedb/db.china.example.org, file, 377
- /etc/namedb/db.example.org, file, 368, 371–372, 375, 379
- /etc/namedb/example-reverse, file, 372
- /etc/namedb/localhost.rev, file, 367
- /etc/namedb/make-localhost, file, 367
- /etc/namedb/named.conf, file, 367, 373, 376, 378, 579
- /etc/namedb/named.root, file, 373
- /etc/named.boot, file, 380, 568, 579
- /etc/named/named.boot, file, 380
- /etc/named/named.conf, file, 568
- /etc/named/named.root, file, 373
- /etc/netconfig, file, 576
- /etc/netstart, file, 579
- /etc/network, file, 577
- /etc/networks, file, 576
- /etc/newsyslog.conf, file, 158, 572
- /etc/nsswitch.conf, file, 572, 579
- /etc/ntp.conf, file, 156–157
- /etc/ntp.drift, file, 156
- /etc/pam.conf, file, 639
- /etc/pap-secrets, file, 360
- /etc/passwd, file, 144, 146, 576–577, 601
- /etc/pccardd.conf, file, 572
- /etc/pccard_ether, file, 305–306
- /etc/periodic, directory, 578
- /etc/periodic.conf, file, 572
- /etc/periodic/daily, file, 151, 578
- /etc/periodic/monthly, file, 151
- /etc/periodic/weekly, file, 151
- /etc/ppp, directory, 349
- /etc/ppp/auth-down, file, 360

/etc/ppp/auth-up, file, 360
 /etc/ppp/chap-secrets, file, 356, 360
 /etc/ppp/conf, file, 358
 /etc/ppp/dial.chat, file, 357, 360
 /etc/ppp/options, file, 356, 358–360
 /etc/ppp/pap-secrets, file, 356
 /etc/ppp/ppp.conf, file, 336, 348–351, 355
 /etc/ppp/ppp.linkdown, file, 355
 /etc/ppp/ppp.linkup, file, 355
 /etc/ppp/ppp.secret, file, 351
 /etc/printcap, 265
 file, 265–266, 273, 468, 573
 /etc/profile, file, 136, 573
 /etc/protocols, file, 577
 /etc/pwd.db, file, 144, 577, 601
 /etc/rc, file, 192, 566, 577, 579
 /etc/rc.conf, file, 83, 156–157, 161, 163–164,
 226, 268, 299, 302, 305–307, 310–311,
 313, 348–349, 366, 389, 393, 395, 442,
 449, 453, 494, 502, 529, 538, 543, 548,
 551–556, 558–560, 562–563, 565–566,
 572, 577, 579, 593, 636–639
 /etc/rc.conf.local, file, 554
 /etc/rc.diskless1, file, 547
 /etc/rc.diskless2, file, 547
 /etc/rc.firewall, file, 389, 393, 395–396, 573
 /etc/rc.i386, file, 577
 /etc/rc.local, file, 450, 539
 /etc/rc.nat, file, 395
 /etc/rc.network, file, 310, 577, 579
 /etc/rc.network6, file, 577
 /etc/rc.pccard, file, 577
 /etc/rc.serial, file, 577
 /etc/resolv.conf, file, 302, 366, 573
 /etc/sendmail.cf, file, 638
 /etc/services, file, 283, 387, 431, 448, 577
 /etc/shells, file, 137, 452, 577
 /etc/spwd.db, file, 144, 578, 601
 /etc/ssh, directory, 638
 /etc/ssh/ssh_config, file, 425–426
 /etc/ssh/sshd_config, file, 453–454
 /etc/start_if.x10, file, 305
 /etc/stop_if.x10, file, 306
 /etc/sysconfig, file, 552, 579
 /etc/sysctl.conf, file, 442, 606
 /etc/syslog.conf, file, 157, 452, 557, 573, 605
 /etc/termcap, file, 578
 /etc/ttys, file, 109, 195, 197, 338, 431, 529,
 539, 541, 573–574
 /etc/weekly, file, 578

/etc/X11/XF86Config, file, 102, 516
 /etc/XF86Config, file, 103
 etherboot, command, 546
 ethereal, command, 414
 Ethernet, 279, 285–287
 address, 287
 interface, 300
 eval, command, 423
 examining routing table, 311
 example.net, 294, 297, 308
 example.org, 294–295, 297, 310–311, 365,
 368–369, 457
 exmh, command, 473
 expect string, chat, 357
 express installation, 61
 Extended Basic Service Set, 292
 extended partition, 35

F

FAQ, 12
 FAQ/Text, 60
 Fast File System, 7, 190
 fat, 65
 fd, device, 195
 fd/0, device, 195
 fd0, device, 85, 196, 257
 fd0a, device, 195
 fd0c, device, 85, 195
 FDDI, 285, 295
 fdformat, command, 257
 FDIMAGE.EXE, command, 86
 fdisk, command, 39, 64, 210–215
 FDISK, MS-DOS program, 39
 Ferentz, Mel, 22
 fetchmail, command, 93, 504–505
 ffs, 190
 fg, command, 132
 Fieber, John, xxxi
 file, auth.log, 157
 AUTOEXEC.BAT, 56–57
 base.inf, 43, 90
 base.mtree, 43
 .bash_profile, 94
 .bashrc, 93–94, 136, 254, 423
 /boot/defaults/loader.conf, 530, 532–533
 /boot/device.hints, 82, 203, 530, 574, 598,
 608–609
 boot.flp, 88

file (*continued*)

/boot/kernel/if_ppp.ko, 355
 /boot/kernel/ipfw.ko, 386
 /boot/kernel/kernel, 528, 533, 545
 /boot/kernel/modules/ibcs2.ko, 619
 /boot/kernel.old/kernel, 533, 635
 /boot/loader.conf, 83, 226, 238, 530,
 532–533, 563, 613
 bounds, 622
 /cdrom/floppies/boot.flp, 48
 /cdrom/tools/fips.doc, 53
 config1, 226
 CONFIG.SYS, 56–57
 cron, 158
 crontab, 151–152, 569
 cvsupfile, 587
 Devices.htm, 275
 /dev/MAKEDEV, 640
 dmesg.today, 158
 dmesg.yesterday, 158
 drives.bat, 261
 /etc/aliases, 497
 /etc/amd.map, 566
 /etc/crontab, 151, 500, 569, 604–605
 /etc/csh.cshrc, 136
 /etc/csh.login, 136
 /etc/csh.logout, 136
 /etc/daily, 151, 578
 /etc/default/rc.conf, 389
 /etc/defaults/pccardd.conf, 572
 /etc/defaults/periodic.conf, 572
 /etc/defaults/rc.conf, 83, 305, 348, 353,
 529, 538, 552, 554–556, 558, 560, 563
 /etc/devd.conf, 159–160
 /etc/dhclient.conf, 569
 /etc/disktab, 216–217, 257, 569
 /etc/dm.conf, 566
 /etc/exports, 62, 99, 463–464, 566
 /etc/fstab, 158, 160, 164, 192, 203,
 217–218, 239, 442, 445, 538, 547, 553,
 566, 568, 575, 593, 605, 639
 /etc/ftusers, 569
 /etc/gettytab, 338, 576
 /etc/group, 113, 147, 451, 568, 602
 /etc/host.conf, 572, 579
 /etc/hosts, 363–364, 372, 569, 572
 /etc/hosts.equiv, 570
 /etc/hosts.lpd, 266, 570

file (*continued*)

/etc/inetd.conf, 386, 448–450, 466, 504,
 545, 570, 605
 /etc/local/etc, 465
 /etc/localtime, 155
 /etc/login.access, 570
 /etc/login.conf, 570
 /etc/mail/aliases, 496, 505
 /etc/mail/mailler.conf, 606
 /etc/mail/sendmail.cf, 638
 /etc/make.conf, 638
 /etc/manpath.config, 576
 /etc/master.passwd, 144–146, 568, 600–602
 /etc/monthly, 578
 /etc/motd, 114, 572, 605
 /etc/namedb/china-reverse, 377
 /etc/namedb/db.china.example.org, 377
 /etc/namedb/db.example.org, 368, 371–372,
 375, 379
 /etc/namedb/example-reverse, 372
 /etc/namedb/localhost.rev, 367
 /etc/namedb/make-localhost, 367
 /etc/namedb/named.conf, 367, 373, 376,
 378, 579
 /etc/namedb/named.root, 373
 /etc/named.boot, 380, 568, 579
 /etc/named/named.boot, 380
 /etc/named/named.conf, 568
 /etc/named/named.root, 373
 /etc/netconfig, 576
 /etc/netstart, 579
 /etc/network, 577
 /etc/networks, 576
 /etc/newsyslog.conf, 158, 572
 /etc/nsswitch.conf, 572, 579
 /etc/ntp.conf, 156–157
 /etc/ntp.drift, 156
 /etc/pam.conf, 639
 /etc/pap-secrets, 360
 /etc/passwd, 144, 146, 576–577, 601
 /etc/pccardd.conf, 572
 /etc/pccard_ether, 305–306
 /etc/periodic.conf, 572
 /etc/periodic/daily, 151, 578
 /etc/periodic/monthly, 151
 /etc/periodic/weekly, 151
 /etc/ppp/auth-down, 360
 /etc/ppp/auth-up, 360
 /etc/ppp/chap-secrets, 356, 360

file (*continued*)

- /etc/ppp/conf, 358
- /etc/ppp/dial.chat, 357, 360
- /etc/ppp/options, 356, 358–360
- /etc/ppp/pap-secrets, 356
- /etc/ppp/ppp.conf, 336, 348–351, 355
- /etc/ppp/ppp.linkdown, 355
- /etc/ppp/ppp.linkup, 355
- /etc/ppp/ppp.secret, 351
- /etc/printcap, 265–266, 273, 468, 573
- /etc/profile, 136, 573
- /etc/protocols, 577
- /etc/pwd.db, 144, 577, 601
- /etc/rc, 192, 566, 577, 579
- /etc/rc.conf, 83, 156–157, 161, 163–164, 226, 268, 299, 302, 305–307, 310–311, 313, 348–349, 366, 389, 393, 395, 442, 449, 453, 494, 502, 529, 538, 543, 548, 551–556, 558–560, 562–563, 565–566, 572, 577, 579, 593, 636–639
- /etc/rc.conf.local, 554
- /etc/rc.diskless1, 547
- /etc/rc.diskless2, 547
- /etc/rc.firewall, 389, 393, 395–396, 573
- /etc/rc.i386, 577
- /etc/rc.local, 450, 539
- /etc/rc.nat, 395
- /etc/rc.network, 310, 577, 579
- /etc/rc.network6, 577
- /etc/rc.pccard, 577
- /etc/rc.serial, 577
- /etc/resolv.conf, 302, 366, 573
- /etc/sendmail.cf, 638
- /etc/services, 283, 387, 431, 448, 577
- /etc/shells, 137, 452, 577
- /etc/spwd.db, 144, 578, 601
- /etc/ssh/ssh_config, 425–426
- /etc/ssh/sshd_config, 453–454
- /etc/start_if.xl0, 305
- /etc/stop_if.xl0, 306
- /etc/sysconfig, 552, 579
- /etc/sysctl.conf, 442, 606
- /etc/syslog.conf, 157, 452, 557, 573, 605
- /etc/termcap, 578
- /etc/ttys, 109, 195, 197, 338, 431, 529, 539, 541, 573–574
- /etc/weekly, 578
- /etc/X11/XF86Config, 102, 516
- /etc/XF86Config, 103

file (*continued*)

- floppies/boot.flp, 85, 244
- floppies/drivers.flp, 85
- floppies/fixit.flp, 84
- floppies/kern.flp, 78, 85
- floppies/mfsroot.flp, 78, 85
- GENERIC, 530, 612
- GENERIC.hints, 530
- HARDWARE.TXT, 612
- /home, 49–50
- /home/grog/Scripts/rotate-log, 569
- .htaccess, 458, 460–461
- httpd.conf, 456
- index.html, 457
- INSTALL.TXT, 80
- isc-dhcpd.sh, 304
- kern_clock.c, 582
- kernel.debug, 585
- kern.flp, 48, 78, 86
- known_hosts, 428
- lastlog, 158
- LAYOUT.TXT, 89
- /lib, 164
- libc.a, 636
- LINT, 610–611
- .login, 254
- ~/mail_aliases, 481
- maillog, 158
- main.cf, 495–497, 500–501
- Makefile, 167–168, 245, 617
- master.passwd, 94
- messages, 158
- mfsroot.flp, 48, 78
- minfree, 622
- mount.today, 158
- mount.yesterday, 158
- .muttrc, 477, 481
- ~/muttrc, 481, 484
- named.conf, 373, 380
- named.root, 374, 381
- .netrc, 436
- newkey, 422
- NOTES, 161, 610
- ntp.conf, 638
- packages/Latest/emacs.tgz, 168
- ppp.log, 158
- ~/ppprc, 355
- .profile, 130, 254, 399, 423
- random_seed, 428

file (*continued*)

RCS, 438
 README.TXT, 45
 Repository, 589
 RESTORRB.000, 54
 ~/.rhosts, 182
 Root, 589
 ROOTBOOT, 54
 /root/crontab, 587
 /root/extract-updates, 587
 sample-xmtpd.cf, 499
 setuid.today, 158
 setuid.yesterday, 158
 ~/.signature, 489
 smb.conf, 465
 ~/.ssh/authorized_keys, 422
 ~/.ssh/authorized_keys2, 422
 ssh_config, 426
 ~/.ssh/config, 425–427, 429
 ~/.ssh/environment, 425
 ~/.ssh/id_dsa, 421
 ~/.ssh/id_dsa.pub, 421
 ~/.ssh/identity, 421
 ~/.ssh/identity_pub, 421
 ~/.ssh/id_rsa, 421
 ~/.ssh/id_rsa.pub, 421
 ~/.ssh/known_hosts, 420, 427
 ~/.ssh/known_hosts2, 427, 429
 TRANS.TBL, 244
 /usr/bin/gcc, 188
 /usr/include/sys/signal.h, 154
 /usr/local/etc/apache/access.conf, 456, 459
 /usr/local/etc/apache/group, 461
 /usr/local/etc/apache/httpd.conf, 456–457, 460, 462
 /usr/local/etc/apache/srm.conf, 456
 /usr/local/etc/dhcpd.conf, 545
 /usr/local/etc/isc-dhcpd.conf, 303–304
 /usr/local/etc/Mutttrc, 481, 484
 /usr/local/etc/postfix/access, 498, 500
 /usr/local/etc/postfix/access.db, 500–501
 /usr/local/etc/postfix/main.cf, 494, 499–500, 505
 /usr/local/etc/postfix/sample-smtpd.cf, 499
 /usr/local/etc/rc.d/apache.sh, 462
 /usr/local/etc/rc.d/samba.sh, 466
 /usr/local/etc/rc.d/samba.sh.sample, 466
 /usr/local/etc/rc.d/squid.sh, 398
 /usr/local/etc/rsyncd.conf, 454

file (*continued*)

/usr/local/etc/smb.conf, 465–466
 /usr/local/etc/squid/squid.conf, 397
 /usr/local/libexec/lpfilter, 268
 /usr/local/libexec/psfilter, 274
 /usr/local/majordomo/aliases.majordomo, 505
 /usr/local/majordomo/majordomo.cf, 505
 /usr/local/private/secrets.tdb, 469
 /usr/local/squid/cache, 398
 /usr/local/squid/log, 398
 /usr/ports/INDEX, 168, 172
 /usr/ports/print/hpijs, 275
 /usr/sbin/named-bootconf, 380
 /usr/share/doc/en/books/faq/index.html, 12
 /usr/share/doc/en/books/fdp-primer/index.html, 12
 /usr/share/doc/en/books/handbook/index.html, 12
 /usr/share/doc/en/books/porters-handbook/index.html, 12
 /usr/share/doc/en/books/ppp-primer/index.html, 12
 /usr/share/doc/en/porters-handbook/index.html, 180
 /usr/share/skel/dot.bashrc, 94
 /usr/src/Makefile, 583
 /usr/src/sys/conf/NOTES, 386, 574, 610
 /usr/src/sys/i386/compile/FREEBIE/kernel.debug, 614
 /usr/src/sys/i386/conf/FREEBIE/kernel, 622
 /usr/src/sys/i386/conf/FREEBIE/kernel.debug, 622
 /usr/src/sys/i386/conf/GENERIC, 159
 /usr/src/sys/i386/conf/GENERIC.hints, 598
 /usr/src/sys/i386/conf/NOTES, 534
 /usr/src/UPDATING, 596, 638
 /usr/X11R6/etc/system.fvwm2rc, 120
 /usr/X11R6/lib/X11/XF86Config, 103, 516
 /var/cron/log, 639
 /var/log/cron, 639
 /var/log/ftpd, 452
 /var/log/lpd-errs, 274
 /var/log/maillog, 124
 /var/log/messages, 375, 398, 432, 438, 618
 /var/log/ppp.log, 353
 /var/log/rsyncd.log, 454
 /var/mail/grog, 475, 480

file (*continued*)

- /var/run/dmesg.boot, 248, 533, 565, 619
- /var/snapshot/snap1, 191
- vinum_history, 158
- wtmp, 158
- .Xauthority, 425
- XF86Config, 120, 507, 513, 516–518, 523
- XF86Config.1024x768, 523
- XFree86.0.log, 157
- .xinitrc, 109, 119, 423, 523
- .xinitrc-gnome, 523
- .xinitrc-kde, 523
- .xsession, 109, 119
- file allocation table, 65
- file group, 181
- file name completion, 135
- file name extension, 125
- file names, 125
- file owner, 181
- file permissions, 181
- file system, 35, 181
 - creating, 217
 - floppy, 257
 - Joliet, 244
 - mounting, 217
 - mounting remote, 442
 - process, 188
 - root, 187, 192
- files, 181
- Files, menu, 141
- filter, print, 266–267
- FIPS, MS-DOS program, 48–49, 52–54, 56, 63, 66
- firewall, Internet, 385
 - ipf, 386
 - ipfilter, 386, 556
 - ipfw, 386–388, 391, 393, 555, 573
 - packet filtering, 386
 - proxy, 386
- fixit floppy, 84
- flash memory, 549
- floppies, directory, 88
- floppies/boot.flp, file, 85, 244
- floppies/drivers.flp, file, 85
- floppies/fixit.flp, file, 84
- floppies/kern.flp, file, 78, 85
- floppies/mfsroot.flp, file, 78, 85
- floppy disk, 256
 - formatting, 256
- floppy image, 183
- flow control, 330
- flyback, horizontal, 508
 - vertical, 508
- Foglio, Phil, 22
- folder, email, 472
- format, high-level, 256
 - low-level, 203, 256
- FORMAT, MS-DOS program, 256, 260
- formatting, disks, 203
 - floppy disk, 256
- fortune, command, 114, 626
- Foster, Glen, xxxi
- FQDN, 364
- free-gw.example.net, 294, 310, 313
- /freebie, directory, 441
- freebie:/, directory, 446
- freebie.example.org, 294–295, 309, 311, 364–365, 368, 376, 412–413, 470, 566
- freebie.example.org.example.org, 364
- /freebie/home, directory, 441
- /freebie/usr, directory, 441, 444, 446
- freebie:/usr, directory, 444, 446
- FreeBSD, community, 17
 - releases, 581
- FreeBSD-CURRENT, 583
 - living with, 621
 - solving problems in, 621
- FreeBSD-RELEASE, 582
- FreeBSD-STABLE, 583
- FreeBSD.org, 381
- freefall.FreeBSD.org, 373
- Frequency Hopping Spread Spectrum, 292
- Frequently Asked Questions, 12
- frisbee, 259
- Frisch, Æleen, 628
- fsck, command, 75, 187, 238–239, 538, 540–541, 554, 567
- fsdb, command, 187
- ftp, anonymous, 433, 450
 - ASCII transfer, 433
 - binary transfer, 433
 - command, 3, 13, 167, 170–171, 185, 399, 405, 410, 418, 432–437, 450–452, 569, 577
 - directory, 451
 - passive, 86
 - user name, 433
- ~ftp/bin, directory, 451
- ftpd, command, 577

ftpd (*continued*)

 daemon, 447–453
 ftp.example.org, 370
 ~ftp/incoming, directory, 451
 ~ftp/pub, directory, 451
 full-duplex network, 288
 fully qualified domain name, 364
 fvwm2, command, 93, 108, 118–121

G

galeon, command, 93, 120, 399, 418
 Gardella, Patrick, xxxi
 gated, daemon, 309
 gateway, 309, 311, 313
 Gay, Warren W., 627
 gcc, command, 15, 70
 gdb, command, 84, 623–624, 626
 GDB_REMOTE_CHAT, kernel option, 614
 gecocos, 146
 Geddes, Matt, xxxi
 GENERIC, file, 530, 612
 Generic Tunnel Interface, 557
 GENERIC.hints, file, 530
 GEOM, 535, 642
 getty, command, 114, 188, 195, 197, 336, 338, 356, 539, 574, 576
 ghostscript, command, 13, 93, 273–276
 driver, 273
 printing with, 273
 Giovannelli, Gianmarco, xxxi
 glass tty, 325
 globbing characters, 126
 glue record, DNS, 378
 Gnome, desktop, 93
 Gowdy, Jeremiah, xxxi
 gpg, command, 93, 479
 GPL, 144
 grep, command, 124, 128
 ~grog/public_html, directory, 438
 group, 113
 group reply, email, 479
 growfs, command, 232, 642
 gunzip, command, 167
 guru, 542
 gv, command, 93, 272
 viewing with, 272
 gw.example.org, 294, 300, 302, 308
 gzip, command, 167, 253, 255

H

hacker, 542
 half-duplex network, 288
 half-duplex transmission, 330
 halt, command, 141
 handbook, online, 12
 handshaking, hardware, 330
 software, 330
 Hansteen, Peter N. M., xxxi
 Harbison, Samuel P., 629
 hard link, 186
 hardware for X, 41
 hardware handshaking, 330
 HARDWARE.TXT, file, 612
 Hayes command set, 333
 HDSL, 316
 head, read/write, 33
 header, email, 476
 header compression, 343
 Heath, Justin, xxxi
 Hein, Trent R., 16, 111, 628
 Hemmerich, Daniel B., xxxi
 high-level format, 256
 High-speed Digital Subscriber Line, 316
 HINFO record, DNS, 364, 371
 hints file, 636
 Hoadley, Paul A., xxxi
 /home, directory, 70, 72–74, 126, 218
 file, 49–50
 home directory, 113–114
 /home/fred, directory, 126
 /home/grog/Mail, directory, 439
 /home/grog/Mail/Mail, directory, 439
 /home/grog/public_html, directory, 455
 /home/grog/Scripts/rotate-log, file, 569
 /home/ncvs, directory, 590
 /home/release, directory, 245
 horizontal tab, key, xxx
 Horspool, R. Nigel, 627
 host, command, 381
 host adapter, 32
 hostname, command, 302
 .htaccess, file, 458, 460–461
 HTTP, 417
 httpd, command, 459
 daemon, 449, 456–459, 462
 httpd.conf, file, 456
 http://www.mail-abuse.org/, 501
 http://www.sendmail.org/, 492
 hub, 287, 413

Hubbard, Jordan, xxxi
 hub.FreeBSD.org, 382, 412–413
 Hunt, Craig, 628
 Hypertext Transfer Protocol, 417

I

ibcs2, kld, 164
 IBM, 28
 IBSS mode, 292
 ICMP, 402
 ICMP echo packet, 402
 IDE, 31–32
 ident machine_name, 612
 idle timeout, 346, 354
 ifconfig, command, 99, 195, 299–302,
 304–308, 311, 340, 345, 355, 358, 404–405
 igw.example.net, 294–295
 iijppp, 340
 image, floppy, 183
 ISO, 243
 IMAGE, MS-DOS program, 54, 56
 incoming, directory, 451
 Independent Basic Service Set, 292
 index, mutt, 475
 index.html, file, 457
 Industry Standard Architecture, 28
 inetd, daemon, 99, 150, 154, 386, 448–450,
 456, 466, 469, 504, 539, 545, 558, 570
 info, command, 15, 175
 infrastructure mode, 292
 init, daemon, 109, 151, 188, 197, 338,
 528–529, 539–541, 564, 573
 S command, 540
 inn, command, 169
 installation, custom, 61
 express, 61
 standard, 61
 installation CD-ROM, 43
 installation medium, selecting, 76
 installation support, 17
 installing, disk hardware, 200
 external SCSI device, 201
 from Internet, 86
 internal SCSI device, 202
 package, 168
 installing on Alpha, 78
 INSTALL.TXT, file, 80
 Integrated Device Electronics, 32
 Integrated Services Digital Network, 286, 316

Intel Binary Compatibility System 2, 164
 interface, address, 290
 checking configuration, 301
 Ethernet, 300
 loopback, 301, 308
 name, 295
 point-to-point, 300
 interlacing, 509
 Internet, 277, 279
 satellite connection to, 316
 Internet Control Message Protocol, 402
 internet daemon, 448
 internet explorer, Microsoft, 419
 Internet firewall, 385
 Internet Institute of Japan, 340
 Internet Protocol, 7, 277–278
 Internet Service Provider, 286
 choosing, 319
 interrupt requests, available, 29
 INVARIANTS, kernel option, 614
 INVARIANT_SUPPORT, kernel option, 614
 I/O memory, 30
 IOAPIC, 535
 IOMem, 30
 IP, 278
 IP addresses, dynamic, 346
 getting, 318
 IP aliasing, 3, 322, 385, 393
 ipf, firewall, 386
 ipfilter, firewall, 386, 556
 ipfs, 556
 ipfw, command, 386, 393
 firewall, 386–388, 391, 393, 555, 573
 ipfw packet types, 387
 ipmon, 556
 ipnat, 556
 IPv6, 280, 346
 IPX, 288, 464
 IPXrouted, daemon, 464, 561
 IRQ, 29
 Irvine, Ed, xxxi
 ISA, 28
 isc-dhcpd.sh, file, 304
 ISDN, 286, 316
 isdn4bsd, 557
 ISO, 279
 ISO 9660, 243
 ISO image, 243
 ISP, 286, 319

ISP (*continued*)

questions to ask, 319
ispell, command, 93

J

Jacobson, Van, 343
JBOD, 222
job, spooler, 270
Joliet file system, 244
Jolitz, William F., 629

K

Kamp, Poul-Henning, xxxi
Karels, Michael J., 629
Kate, command, 117
kde, command, 93, 116, 118
desktop, 93
Kelly, David, xxxi
kenv, command, 575
kerberos, daemon, 539
kermit, command, 357
kern_clock.c, file, 582
kernel, 27
build directory, 609
building, 616
configuration file, 608, 610
debugging, 621
FREEBIE, 609, 612
GENERIC, 609–610, 612, 617
LINT, 610
naming, 611
options, 612, 614
kernel loadable module, 27, 607, 619,
634–635
Kernel PPP, 339
Kernel-Scheduled Entity, 641
kernel.debug, file, 585
kern.flp, file, 48, 78, 86
key, any, xxx
carriage return, xxix
Enter, xxx
horizontal tab, xxx
new line, xxx
Return, xxx
keyserv, daemon, 539
keystroke, Ctrl-Alt-Keypad +, 120
Ctrl-Alt-Keypad -, 120
kill, command, 154

killall, command, 154
kld, 27, 162, 225, 607, 619, 634–635
ibcs2, 164
linux, 163
kldload, command, 619, 635
kldstat, command, 163, 619
kldunload, command, 619
Klemm, Andreas, xxxi
Kmail, command, 117
kmem, device, 196, 564
known_hosts, file, 428
Kolstad, Rob, 20
konqueror, command, 117, 419
konsole, command, 117, 121
Kpresenter, command, 117
kqueue, 641
KSE, 641
ksh, command, xxix, 133
Kspread, command, 117
ktrace, command, 615
KTRACE, kernel option, 614
KWord, command, 117

L

LABEL, MS-DOS program, 260
labelling disks, 214
Labiaga, Ricardo, 628
lame delegation, DNS, 380
LanManager, 464
laptop, 25
Larson, Bruce R., 16, 111, 628
lastlog, file, 158
latency, modem, 331
LAYOUT.TXT, file, 89
LBA, 33
ldconfig, command, 539, 564, 636
leased line, 316
Lehey, Greg, 629, 679
Norman, 145
Yana, 145
Yvonne, 146
less, command, 128, 172
/lib, directory, 164, 188
file, 164
libc.a, file, 636
library files, 636
License, BSD, xxx
Lincke, Roland, 183
Lind, John, xxxi

line, E1, 316
 leased, 316
 Receive Data, 328
 Signal Ground, 328
 T1, 316
 Transmit Data, 328

line feed, xxix
 character, 139

line quality monitoring, PPP, 339

line transformer, 510

link, count, 183
 hard, 186
 soft, 187
 symbolic, 187

link layer, problems, 401

Link Quality Request, 342

LINT, file, 610–611

Linux, 10, 53, 162

linux, kld, 163

listing a *tar* archive, 255

Liu, Cricket, 628

Live File System CD-ROM, 43, 46

Live Filesystem, 12

living with FreeBSD-CURRENT, 621

LKM, 635

lo0, 301

loadable kernel module, 162, 634–635

loader, bootstrap, 528
 command, 530, 532

local area network, 285

local bus, 28

locale, 129

Lochmann, Johannes, xxxi

log, command, 589

logging in, 144

Logical Block Addressing, 33

logical partition, 34

logical unit, SCSI, 201

login, command, 114

.login, file, 254

login class, 570

loop mount, 193

loopback interface, 301, 308

Losh, Warner, xxxi

Loukides, Mike, 16, 111, 628

low-level format, 203, 256

lp0, network interface, 301

lpd, daemon, 101, 263, 265–268, 271, 563,
 570

lpq, command, 270

lpr, command, 263, 265, 270

lprm, command, 271

lpt, device, 264

lpt0, device, 196, 269, 274

lpptest, command, 268

LQR, 342

ls, command, 13, 182–183, 244

Lucas, Michael, 627

lukemftpd, daemon, 449

LUN, 201, 575

lynx, command, 12–13, 419

M

MAC address, 287

Mac OS X, 10

machine, config keyword, 611

MacIntyre, Andrew, xxxi

mail, command, 472–473

~/Mail, directory, 480

~/mail, directory, 480

mail, downloading, 503

mail exchanger, 493

mail relay, 491

Mail Transfer Agent, 471, 491

Mail User Agent, 471–472

~/mail_aliases, file, 481

mail.example.net, 370

mailing lists, 17

maillog, file, 158

main.cf, file, 495–497, 500–501

maintaining ports, 176

majordomo, command, 497, 505–506

make, command, 138, 167, 172, 174, 245, 593

make clean, 598

make world, 593

Makefile, file, 167–168, 245, 617

making device nodes, 619

man, command, 13–14, 129, 465, 576

man page, 13

managed mode, 292

manpages, directory, 89

Mar, Yin Cheung Yogesh', xxxi

masquerading, MTA, 493

master boot record, 35, 64, 528

master device, 197

master name server, 374

master.passwd, file, 94

maxusers number, 613

MBR, 35, 64–65

- MCA, 28
- McKusick, Kirk, xxv, 20, 629
- mcop, command, 260–261
- md, driver, 245
- MD, MS-DOS program, 260
- md0, device, 194
- mdconfig, command, 193, 246
- mem, device, 186, 196, 564
- memory, I/O, 30
- menu, media, 76
- mergemaster, command, 599–600, 602–604
- message of the day, 114, 572
- messages, file, 158
- Metcalf, Bob, 286
- mformat, command, 259
- mfsroot.flp, file, 48, 78
- mh, command, 473
- Michaels, Jonathan, xxxi
- Micheel, Jörg, xxxi
- Microchannel Architecture, 28
- Microsoft, internet explorer, 419
 - Windows, 163
- Microsoft file systems, 259
- microsoft.edu, 318
- MIME, 472–473
- minfree, file, 622
- MIRROR, MS-DOS program, 54, 56
- mirror site, 585
- mirroring, vinum, 223
- Mittelstaedt, Ted, 627
- mkfontdir, command, 518
- mkisofs, command, 93, 243–244
- Möllers, Josef, xxxi
- MNP-5, protocol, 331
- MNP2-4, protocol, 331
- /mnt, directory, 194, 246
- /mnt2, directory, 84
- mode1 data, 247
- modem, 330
 - blind dialing, 333
 - cable, 316
 - call failure reason code, 337
 - commands, 333
 - data compression, 331
 - escape character, 333
 - latency, 331
 - protocol, 331
 - speeds, 331
 - steam dialing, 334
 - modem (*continued*)
 - terminology, 326
- /modules, directory, 635
- Molteni, Marco, xxxi
- more, command, 128, 261
- mosaic, command, 419
- Mott, Charles, xxxi
- mount, command, 190–192, 258, 441–442, 566–568, 640
 - loop, 193
- mountall, command, 445
- mountd, daemon, 463–464, 539
- mounting, 192
 - file systems, 217
 - NFS file system, 444
 - remote file system, 442
- mount_nfs, command, 442
- mount.today, file, 158
- mount_ufs, command, 442
- mount.yesterday, file, 158
- mouse, double-click, 41
- moused, daemon, 102, 195, 519, 562
- mozilla, command, 13, 418
- mrouted, daemon, 561
- MS-DOS program, ATTRIB, 260
 - CD, 260
 - COPY, 260
 - DEL, 260
 - DIR, 260
 - FDISK, 39
 - FIPS, 48–49, 52–54, 56, 63, 66
 - FORMAT, 256, 260
 - LABEL, 260
 - MD, 260
 - RD, 260
 - READ, 260
 - REN, 260
- MSCDEX, Microsoft driver, 53
- MTA, 471, 491
 - masquerading, 493
- mttools, command, 259–260
- MTRR, 535
- MUA, 471
- multicast, 307
- mutt, command, 93, 129, 471, 473–478, 480–484, 486–487, 496
 - index, 475
- .muttrc, command, 483
 - file, 477, 481
- ~/muttrc, file, 481, 484

MX, preference, 371
 MX record, DNS, 364, 370

N

name daemon, 363, 365
 name server, authoritative, 365
 caching-only, 366
 master, 374
 primary, 374
 secondary, 374
 setting up, 365
 slave, 374, 376
 named, daemon, 101, 363–367, 369, 374–375, 379–381, 383, 539, 558, 568, 570, 579, 639
 messages, 379
 named.conf, file, 373, 380
 named.root, 374
 file, 374, 381
 nast0, device, 252
 NAT, 285
 natd, daemon, 394–396, 462, 556
 ndc, command, 374
 negative cache entry, DNS, 380
 negative caching, DNS, 369
 negotiation, PPP, 339, 341
 Nelson, Jay D., xxxi
 Nemeth, Evi, 16, 111, 628
 net mask, 290, 308
 NetBIOS, 288, 464
 NetBSD, 9
 net/etherboot, directory, 546
 .netrc, file, 436
 netscape, command, 418
 netstat, command, 284–285, 311–312, 406
 network, 277
 application layer, 279
 Class C, 291
 client, 278, 417
 configuration, manual, 299
 configuration files, 302
 configuration summary, 313
 configuration variables, 302
 datagram, 280
 destination address, 281
 interface, 300
 broadcast, 300
 lp0, 301
 ppp0, 310

 network, interface (*continued*)
 setting up, 98, 297
 sl0, 301
 tun0, 301
 layer, 279
 leased line, 286
 link layer, 279–280
 packet, 280
 packet header, 280
 port, 281, 283
 well-known, 283
 protocol, 281
 routing, 281
 satellite link, 286
 server, 278, 417
 services, 97
 source address, 281
 token ring, 285
 transport layer, 279, 281
 wide-area, 286
 network address translation, 278, 285
 Network File System, 190, 418, 441
 network layer, debugging, 406
 problems, 406
 network mask, 290, 300
 Network News Transfer Protocol, 449
 new line, character, 139
 key, xxx
 newalias, command, 497
 newaliases, command, 497, 505
 NEWCARD, 161
 newfs, command, 215, 217, 258, 640
 newfs_msdos, command, 259
 /newhome, directory, 209, 217–218
 newkey, file, 422
 newsyslog, command, 158, 572
 NFS, 418, 433
 nfs, 3, 190
 NFS, client, 442
 daemon, 463
 file system, mounting, 444
 lock daemon, 463
 server, 463
 setting up, 441
 strangenesses, 445
 nfsd, daemon, 463, 539
 nfsiod, daemon, 442, 539
 NIC handle, 318
 nickname, DNS, 370
 nmbd, daemon, 465–466

NNTP, 449
 nntpd, daemon, 449
 node, device, 445
 /nonexistent, directory, 601
 NOTES, file, 161, 610
 nrsa0, device, 252
 NS record, DNS, 364, 370
 nsa0, device, 196, 252
 ns.example.net, 294
 ns.example.org, 370
 nslookup, command, 381
 ntp, 156, 412
 ntp.conf, file, 638
 ntpd, daemon, 100, 156–157, 305, 539, 560, 638
 ntpdate, command, 100, 156–157, 305, 539, 560
 null, device, 196, 451
 nwst0, device, 252

O

object format, a.out, 162, 635
 COFF, 164, 635
 ELF, 162, 635
 O'Brien, Mike, 22
 O'Connor, Daniel J., xxxi
 OFDM, 292
 OLDCARD, 161
 Olsen, Ove Ruben R., xxxi
 online handbook, 12
 Open Firmware, 528
 open relay, 498
 Open Systems Interconnect, 279
 OpenBSD, 10, 419
 OpenOffice, 419
 OpenSSH, 419, 638
 Opera, command, 419
 options, kernel, 612, 614
 Oram, Andy, xxxi
 O'Reilly, Tim, 16, 111, 628
 origin, DNS, 368
 Orthogonal Frequency Division Multiplexing, 292
 OSI, 279
 OSI reference model, 279

P

Pacific Daylight Time, 155
 Pacific Standard Time, 155
 package, installing, 168
 packages, directory, 168
 packages/All, 44
 packages/Latest/emacs.tgz, file, 168
 packet filtering firewall, 386
 packet forwarding, 313
 packet types, ipfw, 387
 Page Description Language, 271
 Palmer, Gary, xxxi
 PAM, 639
 Pandya, Hiten, xxxi
 panic, 83
 PAP, 342–344, 351, 356, 360
 parallel port, 264
 parameters, shell, 123
 PARC, 286
 parity bit, 327
 parsing, 123
 partition, 34, 63
 active, 34, 210
 disk, 75
 logical, 34
 type, 210
 UNIX, 35
 partition table, 34
 creating, 63, 210
 PartitionMagic, command, 53
 passive DNS usage, 366
 passphrase, ssh, 421
 passwd, command, 146–148
 password, 112
 adding, 147
 changing, 147
 Paterson, Tim, 7
 pax, command, 253
 PC Card, 28, 30
 pccardd, daemon, 553, 572
 PCI, 28
 PCMCIA, 28, 30
 pdf2ps, command, 276
 pdksh, command, xxix
 PDT, 155
 Peek, Jerry, 16, 111, 628
 peer-to-peer mode, 292
 Peripheral Component Interconnect, 28
 perl, command, 5
 permission, setgid, 182

- permission (*continued*)
 - setuid, 182
- permissions, file, 181
- Perry, Andrew, xxxi
- Peters, Kai, xxxi
 - Wes, xxxi
- pgp, command, 479
- Pham, Linh, xxxi
- Phillips, Daniel, xxxi
- PicoBSD, 549
- PID, 148
- pine, command, 93, 473
- ping, command, 402, 405–407, 410
- PIO, 32
- pity, 197, 419, 430
- pkg_add, command, 178, 585
- pkgdb, command, 176–177
- pkg_delete, command, 179
- pkg_info, command, 178
- pkg_version, command, 178–179
- Plauger, P. J., 629
- plex, vinum, 221
- PLIP, 301
- Pluggable Authentication Modules, 639
- point to point, protocol, 286, 339
- point-to-point interface, 300
- POP, 417, 503
- popper, daemon, 504–505
- porch, back, 509
 - front, 509
- port, building, 169
 - FreeBSD definition, 169
 - serial, 328
- port address, 29
- porting, 167
- portmap, daemon, 463, 539, 559
- ports, building, 174
 - controlling, 178
 - dependencies, 174
 - getting new versions, 170
 - installing, 169
 - maintaining, 176
 - submitting, 180
- Ports Collection, 46, 168
- ports tree, 169
- /ports/distfiles, directory, 169
- portupgrade, command, 176, 178
- POST, 528
- Post Office Protocol, 417, 503
- postfix, daemon, 93, 486, 491–503, 505–506, 602, 606
- postmap, command, 500, 505–506
- PostScript, 271
 - prologue, 272
- POTS, 316
- Power On Self Test, 528
- PPP, 286, 297, 310, 339
 - authentication, 339
- ppp, command, 350, 353–354
- PPP, Kernel, 339
 - line quality monitoring, 339
 - negotiation, 339, 341
 - accept, 341, 351
 - deny, 341, 351
 - disable, 341, 351
 - enable, 341, 351
 - over Ethernet, 339, 559
 - User, 340
- ppp0, device, 341
 - network interface, 310
- pppd, daemon, 355–356, 358
- ppp.log, file, 158
- PPPoE, 339–341, 347–350
- pppoed, daemon, 559
- ~/ppprc, file, 355
- Predictor 1, compression, 343
- preference, MX, 371
- presto, 464
- presto.example.org, 294–295, 309, 365
- primary name server, 374
- primary partition, 35
- print filter, 266–267
- printenv, command, 131
- printer, daemon, 539
 - testing, 265
- printer configuration, 264
- printing with ghostscript, 273
- Prior, Mark, xxxi
- probing, 29, 528, 534
- problems, application layer, 414
 - link layer, 401
 - network layer, 406
 - transport layer, 414
- proc, 567
- process, defined, 148
 - directory, 188
 - file system, 188
 - ID, 148
 - status, 148

process (*continued*)
 stopping, 154
 processor, Alpha, 42
 Processor, AXP, 42
 procfs, 164
 procmail, command, 501
 profile, 350
 .profile, file, 130, 254, 399, 423
 programmed I/O, 32
 prologue, PostScript, 272
 protocol, MNP-5, 331
 MNP2-4, 331
 modem, 331
 point to point, 286
 serial line internet, 286
 V.25, 333
 V.42, 331
 V.42bis, 331
 proxy ARP, 343
 proxy firewall, 386
 proxy server, 3, 278
 proxy web server, 462
 ps, command, 122, 128, 148–149, 154, 163,
 182, 186, 267, 539
 PS/2 mouse, 41
 ps2pdf, command, 276
 pseudo-terminal, 197
 pseudo-tty, 419, 430
 psm0, device, 196
 PST, 155
 pstat, command, 71, 83
 PTR record, DNS, 364
 pty, 197, 419, 430
 ptyp0, device, 196–197
 pub, directory, 451
 /pub/FreeBSD/ports/ports/editors/, directory,
 170
 public key cryptography, 420
 pwd_mkdb, command, 576, 601
 pxeboot, command, 544, 546
 python, command, 5

Q

QDOS, 7
 Quarterman, John S., 629
 Quick and Dirty Operating System, 7
 quoting, 138

R

RAID, 222
 RAID-1, 223
 RAID-4, 224
 RAID-5, 223
 random, device, 196, 565
 random_seed, file, 428
 rarpd, daemon, 559
 raw disk, 640
 RAWRITE.EXE, MS-DOS command, 89
 ray, device, 292
 RBL, 501
 rcp, command, 418, 432
 RCS, 581
 directory, 582
 file, 438
 RD, MS-DOS program, 260
 rda0a, device, 640
 READ, MS-DOS program, 260
 README.TXT, file, 45
 read/write head, 33
 real user ID, 150
 Realtime Blackhole List, 501
 Receive Data line, 328
 recovering from disk data errors, 218
 Redundant Array of Inexpensive Disks, 222
 refresh, DNS, 369
 registers, video card, 512
 relative domain name, 364
 relay, mail, 491
 reliable protocol, 281
 remote procedure call, 463
 removing FreeBSD from disk, 79
 removing print jobs, 271
 REN, MS-DOS program, 260
 reporting bugs, 19
 repository, CVS, 581
 Repository, file, 589
 Request to Send, RS-232 signal, 329–330
 Research UNIX, 8
 resetconfig, command, 241
 resolv.conf, 364
 command, 366
 Resource Record, DNS, 363
 RESTORRB, MS-DOS program, 54
 RESTORRB.000, file, 54
 retry, DNS, 369
 Return, key, xxx
 reverse lookup, DNS, 364, 372
 reverse tunnel, 424

Revision Control System, 581
 reviving, `vinum`, 228
`rexecd`, daemon, 450
 RG58, 287
`~/.rhosts`, 182, 524
 file, 182
 RI, RS-232 signal, 329
 Ritchie, Dennis, 22
 Ritter, Andreas, xxxi
`rlog`, command, 589
`rlogin`, command, 197, 386, 417–418, 426
`rlogind`, daemon, 447, 450
`rm`, command, 122, 585
`rncd`, command, 374
 Rock Ridge Extensions, 190, 244
 Rooij, Guido van, xxxi
 root, 148
 directory, 138
 Root, file, 589
 root file system, 187, 192
 root name server, 373
 ROOTBOOT, file, 54
`/root/crontab`, file, 587
`/root/extract-updates`, file, 587
 route, 309
 command, 302, 309, 407
 default, 347
 routed, daemon, 309, 561
 routing, 279, 307–308, 345
 software, 309
 table, 308
 examining, 311
 Roznowski, Stephen J., xxxi
 RPC, 463
`rpcbind`, daemon, 463, 559
`rpc.lockd`, daemon, 463, 539
`rpc.statd`, daemon, 463, 539
`rpc.yppasswdd`, daemon, 539
`rpc.yppupdated`, daemon, 539
`rpc.ypxfrd`, daemon, 539
 RR, 363
 RS-232, 328
 RS-232 signal, Clear to Send, 329
 CTS, 329
 Data Carrier Detect, 329
 data carrier detect, 340
 Data Set Ready, 329
 Data Terminal Ready, 329
 DCD, 329, 336, 338, 340, 356

RS-232 signal (*continued*)
 DSR, 329
 DTR, 329
 Request to Send, 329
 RI, 329
 RTS, 329
 RxD, 329
 SG, 329
 TxD, 329
 RSA encryption, 421
`rsa0`, device, 252
`rsh`, command, 570
`rshd`, daemon, 447, 450
`rsync`, command, 3, 418, 437–440, 449, 454
`rsyncd`, daemon, 440, 449, 454–455
 RTFM, 48
 RTS, RS-232 signal, 329–330
 ruby, command, 5
 run levels, 540
`ruptime`, command, 100
 Rutherford, Andrew, xxxi
`rwho`, command, 100, 412
`rwhod`, daemon, 100, 283, 305, 539, 558
 RxD, 328
 RS-232 signal, 329

S

S registers, modem, 333
`sa0`, device, 196, 252
 Salus, Peter, 22
 samba, 278, 464–465
 configuration file, 466
 displaying status, 470
 installing, 465
 testing, 469
`sample-xmtpd.cf`, file, 499
 Santa Cruz Operation, 8
 satellite, connection to Internet, 316
`saveconfig`, `vinum` command, 231
`savecore`, command, 622
`/sbin`, directory, 69, 188
`/sbin/nologin`, command, 601
 Schneider, Wolfram, 145
`sco`, command, 164
 SCO, OpenDesktop, 164
 UNIX, 164
`scp`, command, 418, 432–433, 437–438
 screen resolution, changing under X, 120
 script, chat, 349, 357

- SCSI, 32
 - direct access device, 634
 - installing external device, 201
 - installing internal device, 202
 - logical unit, 201
 - serial access, 634
 - target, 201
 - target names, 575
 - terminator, 201
 - wiring down devices, 575
- scuzzy, 32
- sd0, device, 639
- SDSL, 316
- secondary name server, 374
- sectors, 33
- secure shell, 418–419
- Seebass, Scott, 16, 111, 628
- selfFile, gv window, 272
- send string, chat, 357
- send-pr, command, 19
- sendmail, daemon, 138, 149–150, 154, 431, 487, 491–497, 502, 539, 563, 568, 606
- sequence number, TCP, 282
- serial access, 634
- Serial Line Internet Protocol, 286, 339
- serial number, DNS, 368
- serial port, 328
- Server Message Block, 464
- Service Set Identifier, 293
- set group, 182
- set user ID, 182
- setgid, 182
 - command, 186
- setstate, vinum command, 231
- setuid, 182, 186
- setuid.today, file, 158
- setuid.yesterday, file, 158
- Seyer, Marty, 329, 629
- sftp, command, 437, 449
- sftp-server, daemon, 437, 449, 454
- SG, RS-232 signal, 329
- sh, command, xxix, 113–114, 133, 136, 254
- Shearer, Dan, xxxi
- shell, 113
 - account, 317
 - parameters, 123
 - startup files, 135
- shutdown, command, 95, 141, 541–542
- signal, 132
 - signal (*continued*)
 - SIGHUP, 338
 - Signal Ground line, 328
 - ~/signature, file, 489
 - Simple Mail Transfer Protocol, 417, 471, 502
 - single-user mode, 540
 - sio0, device, 336, 536, 574
 - skipstone, command, 418
 - sl0, network interface, 301
 - slash, character, 138
 - slave device, 197
 - slave name server, 374, 376
 - sleep, command, 424
 - slice, defined, 34
 - disk, 75, 214
 - slice name, compatibility, 37
 - strict, 37
 - SLIP, 286, 297, 301, 339
 - Small Computer Systems Interface, 32
 - SMB, 464
 - smbclient, command, 465, 469–470
 - smb.conf, file, 465
 - smbd, daemon, 465–466
 - smbpasswd, command, 465, 469
 - smbstatus, command, 465, 470
 - Smith, Michael, xxxi
 - SMP, kernel option, 613
 - SMTP, 417, 471, 502
 - smurf, 561
 - SNA, 277
 - snapshot, 584
 - Snyder, Garth, 16, 111, 628
 - SOA, DNS record, 368
 - SOA record, DNS, 364
 - socket, divert, 388
 - soft link, 187
 - software handshaking, 330
 - solving problems in FreeBSD-CURRENT, 621
 - source tree, 167
 - creating, 588
 - updating an existing, 591
 - space, white, 123
 - spam, 498
 - spamassassin, command, 487, 501
 - spoofing, 392
 - spooler, 263
 - job, 270
 - testing, 268

- spooler (*continued*)
 - troubleshooting, 269
- spooler filter, 267
- sppp, 557
- squid, daemon, 386, 397–399
- /src, directory, 609
- SRM, 528
 - console firmware, 42
- ssh, command, 3, 100, 157, 278, 293, 346, 412, 418–432, 437, 440, 453, 559, 570, 638
 - ~/ssh, directory, 421, 428
- ssh, passphrase, 421
- ssh-add, command, 422–423
- ssh-agent, command, 422–423, 428–429, 437
- ssh-askpass, command, 423
- ssh-keygen, command, 421
 - ~/ssh/authorized_keys, file, 422
 - ~/ssh/authorized_keys2, file, 422
- ssh_config, file, 426
 - ~/ssh/config, file, 425–427, 429
- sshd, daemon, 100, 157, 420, 426, 428, 437, 449, 453–454, 559
 - ~/ssh/environment, file, 425
 - ~/ssh/id_dsa, file, 421
 - ~/ssh/id_dsa.pub, file, 421
 - ~/ssh/identity, file, 421
 - ~/ssh/identity_pub, file, 421
 - ~/ssh/id_rsa, file, 421
 - ~/ssh/id_rsa.pub, file, 421
 - ~/ssh/known_hosts, file, 420, 427
 - ~/ssh/known_hosts2, file, 427, 429
- SSID, 293
- ST-506, 31
- staircase effect, 269
- standard installation, 61
- Stanley, Tom, 629
- StarOffice, 419
 - package, 164
- start bit, 327
- Start of Authority, DNS record, 368
- start-stop communication, 327
- starting the system, 528
- startx, command, 108–109, 115, 523–524, 574
- status monitoring daemon, 463
- steam dialing, modem, 334
- Steele, Guy L., 629
- Stern, Hal, 628
- Stettner, Armando, 23
- Stevens, W. Richard, 629
- Stokely, Murray, xxxi, 627
- stop bit, 327
- stopping processes, 154
- Strang, John, 628
- strangenesses, NFS, 445
- strict slice name, 37
- string, yellow, 287
- striping, vinum, 222
- Stroustrup, Bjarne, 629
- stty, command, 133, 327, 336, 338
- su, command, 95, 137, 147–148, 157, 185
- subdisk, vinum, 222
- subdomain, 365
- submitting a port, 180
- sudo, command, 147
- super user, 146
 - becoming, 147
- support, 17
- swap, partition, 35
 - space, 70
- swapon, command, 547
- swapper, 528
 - daemon, 528
- swat, command, 466
- sylpheed, command, 473
- symbolic link, 187
- symbolic names, CVS, 582
- SYN character, 327
- synchronous communication, 326–327
- Synchronous Digital Subscriber Line, 316
- /sys, directory, 609
- sysctl, command, 313
 - /sys/i386/conf, directory, 610
- sysinstall, command, 13, 39, 44, 49–50, 60–61, 63, 68, 74–78, 80–81, 87–88, 91, 95, 97–99, 109, 145, 169, 199, 204, 209, 236–237, 297, 299, 552, 594
 - using, 60
- syslog, command, 375
- syslogd, daemon, 138, 157, 452, 538, 557, 573
- sysmouse, device, 196, 519
- System V, 8
- Systems Network Architecture, 277

T

- T1 line, 316
- Tab characters, 138
- tag, CVS, 582, 588
- tagged queueing, 32
- tape, archiver, 253
 - device, 252
- tar, command, 122, 127, 167, 251, 253–256, 259–260
 - compressed archives, 255
 - creating an archive, 254
 - extracting files, 255
 - listing an archive, 255
- tarball, 173, 251
- target, SCSI, 201
- target names, SCSI, 575
- tcl, command, 174
- TCP, 281
 - acknowledgment number, 282
 - header, 281
 - sequence number, 282
 - window size, 282
- tcpdump, command, 410–412, 414
- TCP/IP, 278
- tcsh, command, xxix, 92, 113, 129, 134, 137, 173, 254, 396
- tee, command, 599
- teletype, 149, 326
- telnet, command, 197, 278, 386, 414, 417–418, 424, 430–431, 502
- telnetd, daemon, 447, 450
- terminal, virtual, 197
- terminal capability, 578
- terminator, Ethernet, 295
 - SCSI, 201
- terminology, modem, 326
- testing, printer, 265
 - spooler, 268
- testparm., command, 465
 - command, 469
- TFTP, 543
 - /tftpboot, directory, 545
- tftpd, daemon, 545
- Thompson, Ken, 22
- threads, email, 475
- Tiemann, Brian, 628
- time to live, 280
- time zone, 155
- time-to-live, UDP field, 407
- timed, daemon, 539, 560
- timekeeping, 155
- timeout, idle, 346, 354
- titty, 326
- tk, command, 174
- tkdesk, command, 174
- /tmp, directory, 68, 82, 564
- Todino-Gonguet, Grace, 628
- tools, directory, 86
 - DNS, 381
- top, 152
 - command, 152–153
- Torvalds, Linus, 163
- traceroute, command, 407–409, 414
- track, 33
- transmission, half-duplex, 330
- Transmission Control Protocol, 278, 281
- Transmit Data line, 328
- transport layer, problems, 414
- TRANS.TBL, file, 244
- Trivial File Transfer Protocol, 543
- troff, command, 15
- troubleshooting, spooler, 269
- trunk, CVS, 581
- Ts, Jay, 465, 628
- tty, 326, 419
 - command, 419, 423, 430
 - device, 196
 - glass, 325
 - ttyd0, device, 196, 336, 338
 - ttyd1, device, 336
 - ttyd3, device, 574
 - ttyid0, device, 196
 - ttyld0, device, 196
 - ttyp0, device, 149, 196–197
 - ttyp1, device, 149
 - ttyv0, device, 115, 195–197, 573
 - ttyv1, device, 78
 - ttyv15, device, 197
 - ttyv2, device, 197
 - ttyv3, device, 78
 - ttyv4, device, 197
 - ttyv8, device, 109
 - tun0, device, 341, 345
 - network interface, 301
 - tun1, device, 341
 - tuna fish, 258
 - tunefs, command, 191, 258
 - tunnel, reverse, 424
 - tunnel driver, 340, 355
 - tunneling, 285, 424

twirling baton, 530, 532
 twisted pair, unshielded, 287
 twm, command, 118
 TxD, 328
 RS-232 signal, 329
 tzsetup, command, 155

U

UDMA, 32
 UDP, 283
 UDP field, time-to-live, 407
 UFS, 190, 243, 257–258, 567
 UFS1, 72
 UFS2, 642
 Ultra DMA, 32
 umask, 571
 command, 184–185, 571
 umount, command, 194
 uninstall, 79
 Universal Coordinated Time, 155
 Universal Serial Bus, 28, 31, 563
 UNIX File System, 7, 72, 190, 243
 UNIX partitions, 35
 UNIX Systems Laboratories, 8
 UNIX to UNIX Copy, 277
 unreliable protocol, 283
 unshielded twisted pair, 287
 updating an existing source tree, 591
 urandom, device, 565
 Urban, Michael, 628
 USB, 28, 31, 563
 mouse, 41
 usbd, daemon, 101, 539, 563
 user, 112
 adding, 145
 groups, 19, 112
 ID, 112
 mask, 184
 name, 112
 anonymous, 433
 ftp, 433
 User Datagram Protocol, 283
 User PPP, 340
 UserConfig, command, 82
 Using the spooler, 270
 USL, 8
 /usr, directory, 68–70, 72, 82, 137, 148,
 187–188, 218, 237–238, 544, 594
 /usr/bin, directory, 14, 148, 638

/usr/bin/gcc, file, 188
 /usr/compat, directory, 188
 /usr/compat/linux, directory, 164
 /usr/compat/linux/lib, directory, 164
 /usr/doc, directory, 587
 /usr/home, directory, 218
 /usr/include/sys/signal.h, file, 154
 /usr/lib, directory, 137, 164, 597, 636
 /usr/lib/compat, directory, 637
 /usr/local, directory, 597
 /usr/local/bin, directory, 94, 137, 465, 638
 /usr/local/etc, directory, 548, 638
 /usr/local/etc/apache, directory, 455
 /usr/local/etc/apache/access.conf, file, 456,
 459
 /usr/local/etc/apache/group, file, 461
 /usr/local/etc/apache/httpd.conf, file, 456–457,
 460, 462
 /usr/local/etc/apache/srm.conf, file, 456
 /usr/local/etc/dhcpd.conf, file, 545
 /usr/local/etc/isc-dhcpd.conf, file, 303–304
 /usr/local/etc/Mutttrc, file, 481, 484
 /usr/local/etc/postfix, directory, 493, 500
 /usr/local/etc/postfix/access, file, 498, 500
 /usr/local/etc/postfix/access.db, file, 500–501
 /usr/local/etc/postfix/main.cf, file, 494,
 499–500, 505
 /usr/local/etc/postfix/sample-smtpd.cf, file,
 499
 /usr/local/etc/rc.d, directory, 304
 /usr/local/etc/rc.d/apache.sh, file, 462
 /usr/local/etc/rc.d/samba.sh, file, 466
 /usr/local/etc/rc.d/samba.sh.sample, file, 466
 /usr/local/etc/rc.d/squid.sh, file, 398
 /usr/local/etc/rsyncd.conf, file, 454
 /usr/local/etc/smb.conf, file, 465–466
 /usr/local/etc/squid/squid.conf, file, 397
 /usr/local/libexec/lpfilter, file, 268
 /usr/local/libexec/psfilter, file, 274
 /usr/local/majordomo/aliases.majordomo, file,
 505
 /usr/local/majordomo/majordomo.cf, file, 505
 /usr/local/man, directory, 129, 174, 465
 /usr/local/private/secrets.tdb, file, 469
 /usr/local/sbin, directory, 465
 /usr/local/squid/cache, file, 398
 /usr/local/squid/log, file, 398
 /usr/local/www/cgi-bin, directory, 456
 /usr/local/www/data, directory, 455, 458
 /usr/local/www/icons, directory, 456

/usr/local/www/proxy, directory, 462
 /usr/obj, directory, 122, 548, 585, 617
 /usr/ports, directory, 169, 172, 585, 587, 589
 /usr/ports/distfiles, directory, 173
 /usr/ports/editors/openoffice, directory, 165
 /usr/ports/emulators, 162
 directory, 162
 /usr/ports/emulators/linux_base, directory, 163
 /usr/ports/graphics/hpscan, directory, 169
 /usr/ports/INDEX, file, 168, 172
 /usr/ports/mail/majordomo, directory, 505
 /usr/ports/net/samba, directory, 465
 /usr/ports/print/hpijs, file, 275
 /usr/ports/security/sudo, directory, 147
 /usr/sbin/named-bootconf, file, 380
 /usr/share/doc, directory, 12
 /usr/share/doc/en/articles, directory, 12
 /usr/share/doc/en/books, directory, 12
 /usr/share/doc/en/books/faq/index.html, file, 12
 /usr/share/doc/en/books/fdp-primer/index.html, file, 12
 /usr/share/doc/en/books/handbook/index.html, file, 12
 /usr/share/doc/en/books/porters-handbook/index.html, file, 12
 /usr/share/doc/en/books/ppp-primer/index.html, file, 12
 /usr/share/doc/en/porters-handbook/index.html, file, 180
 /usr/share/examples/ppp, directory, 355
 /usr/share/locale, directory, 129
 /usr/share/man, directory, 129
 /usr/share/skel/dot.bashrc, file, 94
 /usr/share/syscons/fonts, directory, 562
 /usr/share/syscons/keymaps, directory, 562
 /usr/share/zoneinfo, directory, 96, 129, 155–156
 /usr/share/zoneinfo/Asia, directory, 97
 /usr/src, directory, 548, 585, 588–589, 591, 617
 /usr/src/Makefile, 583
 file, 583
 /usr/src/release/picobsd, directory, 549
 /usr/src/sys, directory, 188, 585, 594, 609
 /usr/src/sys/alpha/compile, directory, 609
 /usr/src/sys/alpha/conf, directory, 609
 /usr/src/sys/conf, directory, 161
 /usr/src/sys/conf/NOTES, file, 386, 574, 610
 /usr/src/sys/i386/compile, directory, 609

/usr/src/sys/i386/compile/FREEBIE/kernel.debug, file, 614
 /usr/src/sys/i386/conf, directory, 530, 609
 /usr/src/sys/i386/conf/FREEBIE/kernel, file, 622
 /usr/src/sys/i386/conf/FREEBIE/kernel.debug, file, 622
 /usr/src/sys/i386/conf/GENERIC, file, 159
 /usr/src/sys/i386/conf/GENERIC.hints, file, 598
 /usr/src/sys/i386/conf/NOTES, file, 534
 /usr/src/sys/kern, directory, 582
 /usr/src/sys/sparc64/compile, directory, 609
 /usr/src/sys/sparc64/conf, directory, 609
 /usr/src/UPDATING, file, 596, 638
 /usr/var, directory, 69
 /usr/X11R6/etc/system.fvwm2rc, file, 120
 /usr/X11R6/lib/X11/XF86Config, file, 103, 516
 /usr/X11R6/man, directory, 174
 UTC, time zone, 155
 UTP, 287
 UUCP, 277, 325

V

V.24, 328
 V.25, protocol, 333
 V.42, protocol, 331
 V.42bis, protocol, 331
 Van Gilluwe, Frank, 629
 /var, directory, 68–70, 72, 82, 188, 191, 237–238, 455, 547
 /var/crash, directory, 84, 538–539, 622
 /var/cron/log, file, 639
 /var/db/pkg, directory, 175–176
 /var/empty, directory, 601, 603
 variables, environment, 128
 /var/log, directory, 157, 572
 /var/log/cron, file, 639
 /var/log/ftpd, file, 452
 /var/log/lpd-errs, file, 274
 /var/log/mailllog, file, 124
 /var/log/messages, file, 375, 398, 432, 438, 618
 /var/log/ppp.log, file, 353
 /var/log/rsyncd.log, file, 454
 /var/mail, directory, 480, 493
 /var/mail/grog, file, 475, 480
 /var/run, directory, 538

/var/run/dmesg.boot, file, 248, 533, 565, 619
 /var/snapshot/snap1, file, 191
 /var/spool/clientmqueue, directory, 493
 /var/spool/ftp, directory, 87, 451
 /var/spool/mqueue, directory, 493
 /var/spool/output/colour, directory, 274
 /var/spool/output/freebie, directory, 266, 269
 /var/spool/postfix, directory, 493
 /var/tivo, directory, 455
 /var/tmp, directory, 188
 /var/tmp/temproot, directory, 599, 603
 /var/www, directory, 458
 /var/www/data, directory, 455
 Velte, Jack, xxxi, 137
 vi, command, 62, 93, 133, 139–140, 219, 446, 477
 Vickery, Thomas, xxxi
 video, blanking, 509
 composite, 511
 viewing with gv, 272
 vim, command, 93
 vinum, 35, 221, 565, 639, 642
 command, 158, 225–227, 241, 619
 concatenation, 222
 configuration database, 226
 create command, 238
 degraded mode, 223
 drive, 222
 dumpconfig command, 235
 mirroring, 223
 plex, 221
 reviving, 228
 saveconfig command, 231
 setstate command, 231
 striping, 222
 subdisk, 222
 volume, 221
 vinum_history, file, 158
 vinum/root, device, 239
 vipw, command, 137, 145, 568, 576
 virtual host, web, 457
 virtual terminal, 197
 vn, driver, 246
 vnode, driver, 245
 volume, vinum, 221
 volume manager, 221

W

wait.example.org, 294–295, 309
 web, browser, 418, 487
 caching, 462
 virtual host, 457
 web server, proxy, 462
 setting up, 455
 Wells, Bill, 629
 WEP, 293
 which cvsup server?, 587
 white space, 123
 wide SCSI, 32
 Wilde, Don, xxxi
 Williams, Nate, xxxi
 window manager, 41
 window size, TCP, 282
 wine, command, 165
 Wired Equivalent Privacy, 293
 wireless network, 802.11 DSSS, 292
 802.11 FHSS, 292
 802.11a, 292
 802.11b DSSS, 292
 802.11g, 292
 wireless networking, 285
 wiring down SCSI devices, 575
 Wirth, Niklaus, 114
 World Wide Web, 279, 418
 Wright, Gary R., 629
 wst0, device, 252
 wtmp, file, 158
 WWW, 279
 www.example.org, 370, 458

X

X, changing screen resolution, 120
 command, 516
 hardware, 41
 multiple monitors, 523, 525
 multiple servers, 523, 525
 networking, 524
 stopping, 525
 X-on/X-off, 330
 x11/x2x, daemon, 525
 X.25, 277
 .Xauthority, file, 425
 xdm, daemon, 108–109, 111, 113, 115, 119, 141, 525, 574
 xf86cfg, command, 102–106, 516
 XF86Config, Device section, 520

XF86Config (*continued*)

- file, 120, 507, 513, 516–518, 523
 - Files section, 517
 - InputDevice section, 519
 - Module section, 518
 - Monitor section, 519
 - Screen section, 521
 - ServerFlags section, 518
- XF86Config.1024x768, file, 523
- xfmail, command, 473
- XFree86.0.log, file, 157
- xhost, command, 524
- xianggang.china.example.org, 365, 377
- xinit, command, 522–523
- .xinitrc, file, 109, 119, 423, 523
- .xinitrc-gnome, file, 523
- .xinitrc-kde, file, 523
- xl0, device, 298, 347–348
- xntpd, daemon, 157, 638
- .xsession, file, 109, 119
- xset, command, 519
- xterm, command, 93, 114, 117, 119, 121, 129, 140, 153, 197, 419–420, 423, 425, 430–431, 474, 524
- xtset, command, 93
- xv, command, 93
- xvidtune, command, 107

Y

- yellow string, 287
- ypbind, daemon, 539
- ypserv, daemon, 539
- ypset, daemon, 539

Z

- zero, device, 197, 216
- zone, 364–365
 - DNS, 364
- zsh, command, xxix, 113, 133