

# Index

## A

- absolute links, 93–94**
- absolute measurement, frame size, 312**
- absolute positioning**
  - CSS and, 202
  - layers, 269
- absolute URLs, 344**
- accessibility, site launch preparation**
  - options, 510
  - overview, 508–509
  - priorities, 509–510
- Action field (Forms panel), forms creation, 344**
- Action property, buttons, 358**
- actions (Behaviors), 378 *see also* behaviors**
  - Call JavaScript, 423
  - Change Property, 423–424
  - image related, 404–409
  - layer related, 417–422
  - message related, 409–413
  - multimedia related, 413–417
  - navigation related, 389–404
  - overview, 389
- ActiveX controls, 446–447**
- admin pages, password protection, 801–803**
- Advanced Recordset window, 685**
- advanced styles, 168–173**
- alignment**
  - cells, 210–211, 226–228
  - flash movies, 437
  - layers, 282
  - paragraphs, 70–71
  - pasting and, 56
  - tables, 224
  - text, Block properties, 181
  - vertical, 181
- Allow multiple property, menus/lists, 354**
- Alt property, images, 118**
- Alt text, Find and Replace and, 630–633**
- alternative text, 118**
- anchors**
  - creating, 107–108
  - hiding/showing, 109
  - linking to, 108–109
- animated layers (Behaviors), 377**
- applets (Java), 444–446**
- application objects, Insert bar, 21**
- application servers, 323, 651**
- applying styles**
  - class styles, 155–156
  - layers, 274–275
- ASP (Active Server Pages), 653–654**
  - cookies, 789
  - dynamic content insertion, 785–786
  - record deletion, 749–750
  - session variables, 791
- ASP.NET, 654, 750–753**
- Asset panel**
  - templates, creating, 570
  - viewing, 477–478
- assets**
  - creating Favorites category of, 480–482
  - inserting, 478–479
  - overview, 477
- attachment, background properties, 178–179**
- attributes**
  - capitalization, Code view, 331–332
  - editable (templates), 567, 592–593
    - creating, 578–580
  - searching by, Find and Replace, 627–628
- attributes options (Open Browser Window action), 396–397**
- authentication tutorial, 797**
  - admin pages password protection, 801–803

display for logged-in users, 803–805  
login page, 797

**Autoclear Textfield snippet, 555**

**automation**

Find and Replace, 619–633  
History panel, 611–616  
Web Photo Album, 616–619

**Autostretch function, 214–215**

**B**

**background color**

cells (tables), 228–229  
editable regions (templates), changing, 573  
flash movies, 437  
layers, 283  
tables, 208

**background images, 178**

cells, 229–230  
layers, 283  
repeating, 178

**background properties, 177–180**

attachment, 178–179  
color, 178  
horizontal position, 179–180  
repeating images, 178  
vertical position, 179–180

**banner layer, CSS-based layout tutorial, 286–288**

**BBEdit keyboard shortcuts, 636**

**Behaviors. See also JavaScript; server**

**behaviors**

**actions**

image related, 404–409  
layer related actions, 417–422  
message related, 409–413  
multimedia related actions, 413–417  
navigation related, 389–404  
overview, 389  
adding custom, 389  
animated layers, 377  
attaching, 381–382  
example, 384–385  
multiple, 382–383  
Behaviors panel, 380–381  
browser compatibility issues, 384  
Call JavaScript action, 423  
Change Property, 423–424  
Check Browser action, 402–404  
Check Plug-in action, 415–417  
Code view and, 336–337  
component elements, 378  
Control Shockwave or Flash action, 413–414  
Drag Layers action, 419–422  
editing, 383  
events, 379–380

body events, 387–388  
browser compatibility issues, 384–386  
form events, 389  
frameset events, 387–388  
highlighting events, 388  
keyboard events, 387  
links, 379  
mouse events, 386–387  
selection events, 388

file size and, 378  
form validation, 361  
Go to URL action, 398  
Jump Menu action, 398–402  
Jump Menu Go action, 402  
library, creating for performance, 424–427  
overview, 377–378  
Play Sound action, 414–415  
Popup Message action, 409–410  
Preload Images action, 404–405  
server behaviors comparison, 698  
Set Text of Frame action, 412–413  
Set Text of Layer action, 412  
Set Text of Status Bar action, 410–411  
Set Text of Text Field action, 411–412  
Show and Hide Layers action, 417–419  
Swap Image action, 405–406  
Swap Image Restore action, 406–407  
types of, 381

**Bindings panel, 691**

dynamic content, formatting, 691–692  
editing recordsets, 689

**\_blank target, links, 316**

**Block Properties**

Display option, 181–182  
indented text, 181  
letter spacing, 180  
vertical alignment, 181  
whitespace, 181  
word spacing, 180

**block-level formatting, 66**

**<blockquote> tag, 71–72**

**body, 18**

<body> tag, 3

**body events, 387–388**

**bold text, 80–81**

type properties, 175

**bookmarks, frames and, 301**

**Border properties, 184**

color, 185  
styles, 185  
width, 185

**borders**

color, 122  
dynamic tables, 694  
frames, 303

- color, 315
  - editing, 307
  - framesets, 309–310
    - nested, 310
  - images, 122–123
  - tables, 225
    - Standard view, 219
    - width, Border properties, 185
  - borders option, menus, 394**
  - Box properties**
    - clear, 182
    - float, 182
    - height, 182
    - margins, 183
    - padding, 182–183
    - width, 182
  - brightness, images, 125**
  - Brightness/Contrast dialog box, 125**
  - browsers**
    - Behaviors compatibility issues, 384, 385–386
    - closing windows, 423
    - error highlighting, Code view, 327
    - frames, 305
    - testing support, 485–488
      - editing list of browsers to test, 488–489
  - built-in editing tools, 123–126**
  - Bullet Image option, List properties, 185**
  - bulleted lists, 72. See also lists**
    - bullet types, 75–77
    - creating, 73
    - editing format, 74–78
  - buttons in forms, 357–358**
- 
- C**
- caches, site management, 462**
  - Call JavaScript behavior, 423**
  - Call JavaScript property (Drag Layers action), 422**
  - capitalization**
    - attributes, Code view, 331–332
    - tags, 323
      - Code view, 331–332
  - cascading styles, 166–167. See also CSS (Cascading Style Sheets)**
  - case sensitivity in Behavior events (XHTML), 380**
  - cells (tables), 202**
    - alignment, 210–211
      - Standard view, 226–228
    - color, background, 228–229
    - columns, adding, 234
    - CSS and, 259–261
    - dimension setting, 230
    - images, background, 229–230
    - Layout Cells, drawing, 209–210
    - menu options, 393–394
    - merging, 236–238
    - No Wrap option, 228
    - padding, 208–209
      - dynamic tables, 694
    - selecting, 222
    - size, text and, 227
    - splitting, 236–238
    - table headers, 228
    - width, 232
      - spacer images and, 233–234
  - centering**
    - tags and, 332
    - text, 70
  - Change Property action, 423–424**
  - Char Width property**
    - File Field, 356
    - text fields, 348
  - character formatting, 79**
    - CSS, 88–89
    - fonts, 81–82
    - styles
      - applying, 89
      - editing, 90–91
      - removing, 90
      - text, styles, 80–81
  - character-level formatting, 67**
  - cheat sheets for keyboard shortcuts, 639**
  - Check Browser action, 402–404**
  - Check Form MX, 362**
  - Check Plug-in action, 415–417**
  - Check Spelling dialog box, 61**
  - checkboxes, forms, 350–351**
    - dynamic, 745–746
  - Checked Value property**
    - checkboxes, 351
    - radio buttons, 351
  - checking files in and out, 530–536**
  - child tags, 165**
  - class styles, 150**
    - applying, 155–156
    - contextual selectors and, 172
    - creating, 192–193
    - names, 151–152
    - removing, 156–158
    - renaming, 162–163
  - ClassID property (ActiveX controls), 447**
  - Clean Up HTML command (site launch preparation), 501–504**
  - clear option, Box properties, 182**
  - clicking, 7**
  - clipping**
    - layers, 273–274
    - regions, creating, 281

- cloaking files, site deployment and, 528–530
- close window button snippet, 554–555
- code. *See* HTML (Hypertext Markup Language)
- Code Hints, 328–329
- Code Rewriting Preferences window (Roundtrip HTML), 323–324
- Code view, 324–328
  - Behaviors and, 336–337
  - capitalization of tags, 331–332
  - color, 326, 328
  - Document toolbar, 18
  - formatting
    - indents, 329–330
    - text wrap, 330
  - highlighting, 326–327
  - JavaScript and, 336–337
  - Library items, 327
  - line breaks, 330–331
  - line numbers, 328
  - Word Wrap, 327
- ColdFusion, 654
  - cookies, 790
  - dynamic content insertion, 786
  - record deletion, 750–753
- collaborative development, file check in/out, 530–536
- collapsing layers, 279
- Colon delimited information, 241
- color
  - background, 178
    - layers, 283
    - tables, 228–229
  - borders, 122, 185
    - frames, 315
  - Code view, 326, 328
  - Flash text, 139
  - fonts, 87–88
  - tables
    - background, 208
    - formatting, 225
  - text, rollovers, 139
  - type properties, 177
- color box, 333
- color option, menus, 392
- columns (tables)
  - deleting, 235–236
  - inserting
    - multiple, 235
    - single, 234
  - manual setting, 232
  - selecting, Standard view, 221–222
  - tags, 226
  - width, 232
- columns, Web Photo Album thumbnails, 618
- Comma delimited information, 241
- commands
  - recording, 615–616
  - saving steps as, History panel, 614–615
  - Site Panel, 638
  - Site Window, 638
  - Undo, 63–65
- comments snippets, 554
- common objects, Insert bar, 20
- Community MX, Macromedia help, 812
- comparison operators
  - filters, 678–679
  - values, 679–684
- Configuration folder, extensions, 646
- connections to databases, 665–671
- content table, building, 256–259
- contextual selectors (CSS), 171–173
  - creating, tutorial, 196–198
- contrast, images, 125
- Contribute (Macromedia), 565
- Control Shockwave or Flash action, 413–414
- convergence of fonts, 83
- cookies, 788–790
- Copy command, 54–55
- copying, History panel and, 614
- Copyright notices, 632
- credit card numbers, text fields and, 349
- Crop tool, 124
- cropping images, 124
- CSS (Cascading Style Sheets). *See also* CSS-based layout; style sheets
  - advanced styles, 168–173
  - basics, 6
  - Class attribute, making editable, 579
  - class styles
    - applying, 155–156
    - creating, 192–193
    - removing, 156–158
    - renaming, 162–163
  - creating styles, 151–153
  - CSS Style Definition window, 153–154
  - CSS Styles panel, 151
  - defining styles, 153–154
  - deleting styles, 161–162
  - Design Time style sheets, 158
  - disappearing formatting, 157
  - duplicating styles, 163–164
  - editing styles, 158–159
    - Rule Inspector and, 160–161
    - saving, 159
    - tutorial, 190–192
  - further reading, 148
  - images, formatting tutorial, 193–196
  - inheritance, 164–165
  - introduction, 13

- names, 151–152
  - overview, 147–149
  - page layout, absolute positioning and, 202
  - pseudo-classes, 169–170
  - reasons to use, 148–149
  - Relevant CSS panel, 167–168
  - selectors, 168–169
    - contextual, 171–173, 196–198
    - descendent, 171–173
    - IDs, 170–171
  - style properties, 173–174
    - Background properties, 177–180
    - Block properties, 180–182
    - Border properties, 184–185
    - Box properties, 182–184
    - Extension properties, 186–187
    - List properties, 185
    - Positioning properties, 185
    - Type properties, 174–177
  - styles, layers, 267–269
  - tables
    - cells, 259–261
    - Layout mode, 254–256
  - tag styles, removing, 157
  - templates, page layout and, 573
  - tutorial
    - external style sheet creation, 187–190
    - forms, 370–373
  - type setup, 151–153
  - CSS-based layout**
    - basic steps, 267
    - introduction, 265–266
    - resources, 268
    - tutorial, 285–286
      - banner layer addition, 286–288
      - content position, 290–292
      - sidebar, 288–290
  - CSS-P (CSS-Positioning), 265–266, 276**
  - cursor, Extension properties, 186**
  - custom Behaviors, adding, 389**
  - custom commands, steps as, 615**
  - custom nested templates, 590**
  - custom site maps, 473–475**
  - custom styles.** *See class styles*
- ## D
- 
- Data Tree view (SQL), 686–687**
  - database servers, 651**
  - database-driven Web sites, 16**
  - databases.** *See also recordsets*
    - connections, 665–671
    - filters, 677–678
      - comparison operators, 678–679
      - comparison values, 679–684
    - form variables, 680–682
    - numbers, comparing, 679
    - primary keys, 682
    - queries, 673
    - records, 661–663
      - adding data, 729–736
      - deleting, 749–753
      - editing, 762–769
      - inserting, 734–736
      - updating, 736–742
    - relational databases, 663–664
    - tables, 661–663
      - text values, comparisons, 678–679
      - URL parameters, 682
  - Databases panel, 670–671**
  - date, inserting current, 53–54**
  - decoration option, type properties, 177**
  - default images folder, 461**
  - defining sites, 26**
  - defining styles, 153–154**
  - definition lists, 72, 78**
  - deleting**
    - columns, 235–236
    - dynamic content, 692
    - list items, 78–79
    - records, databases, 749–753
    - recordsets, 689
    - repeat regions, 696
    - rows, 235–236
    - styles, 161–162
  - delimited information, 240**
  - deployment**
    - overview, 513
    - remote site definition
      - FTP and, 514–518
      - local network and, 518–519
      - overview, 513–514
      - RDS (Remote Development Service) and, 519–520
      - SourceSafe and, 521–522
      - WebDAV and, 520–521
    - transferring files
      - cloaking files, 528–530
      - from server, 526–528
      - to server, 522–526
  - descendent selectors (CSS), 171–173**
  - design issues**
    - form element layout, 350
    - site architecture, 454–458
      - defining a site, 459–462
  - Design Notes**
    - adding information columns, 544–546
    - adding to files, 540–542
    - Files panel organization, 542–544
    - overview, 539
    - setup, 539–540

- viewing, 542
  - Design Time style sheets, 158**
  - Design view, Document toolbar, 18**
  - dictionaries, spell check, 61, 63**
  - disappearing formatting, 157**
  - Display, Block properties, 181–182**
  - <div> tag, templates and, 573**
  - DMX Zone, Macromedia help, 812**
  - DMXZone file upload utilities, 356**
  - document import, 58–59**
  - Document tabs, 18**
  - Document toolbar, 18**
  - document window, 17**
    - forms
      - adding elements, 347
      - creating, 343–346
    - title bar, 17
  - document-relative links, 94–95**
  - Download stats, 18**
  - downloads, extensions, 644–646**
  - Drag handle property (Drag Layers action), 421–422**
  - Drag Layers action, 419–422**
  - drag-and-drop images, 114**
  - drawing**
    - Layout Cells, 209–210
    - tables, Layout mode, 205–207
  - Dreamweaver MX 2004**
    - Dreamweaver FAQ and Resource Site, 812
    - Help system, 809–810
    - reasons to use, 14–15
    - what's new, 1–2
  - Dreamweaver 3 keyboard shortcuts, 636**
  - Drop target property (Drag Layers action), 420–421**
  - dropdown menu snippets, 555**
  - DSN (data source name), 665**
  - Duplicate CSS Style window, 163–164**
  - DWImages folder, rollover tutorial, 141**
  - dynamic content**
    - adding, 690–692
    - cookies, 788–790
    - deleting, 692
    - form variables, 787–788
    - formatting, 691–692
      - tutorial, 712–713
    - forms
      - checkboxes, 745–746
      - lists, 746–749
      - menus, 746–749
      - radio buttons, 744–745
      - text fields, 743–744
    - inserting
      - ASP, 785–786
      - ColdFusion, 786
      - JSP, 786–787
      - PHP, 786
        - tutorial, 753–774
    - Live Data view, 699–702
      - tutorial, 713–715
    - repeat regions, tutorial, 713–715
    - server variables, 792–793
    - session variables, 790–792
    - URL variables, 787
  - dynamic HTML, 652**
  - Dynamic HTML Timelines (Behaviors), 377**
  - Dynamic Table tool, 693–694**
  - Dynamic Table window, 694**
  - Dynamic Text window, 690**
  - Dynamic values property, menus/lists, 355**
  - dynamic Web pages, creating, 664–665**
  - dynamic Web sites, 14**
    - Dreamweaver setup, 656–661
- 
- ## E
- Easter Eggs, 122, 618**
  - editable regions (templates), 567**
    - adding, 572–575
    - defining, 570–571
    - highlighting preferences, 573
    - layers, adding, 592
    - optional, 582
    - renaming, 575
    - repeating regions and, 575
  - editable tag attributes, creating, 578–580**
  - editing**
    - Behaviors, 383
    - defined Web sites, 462–463
    - Flash buttons, 137
    - images, 123–129
      - backups, 124
      - external editors and, 126–127
      - Fireworks, 128–129
    - keyboard shortcuts, 637–639
    - library items, 559–560
    - optional regions, 587
    - records, databases, 762–769
    - recordsets, 689
      - links to detail page, 713–715
    - repeat regions, 696
    - styles, 158–159
      - Rule Inspector and, 160–161
      - saving, 159
      - tutorial, 190–192
    - tags, Quick Tag Editor, 332–334
    - text, Flash, 140
  - elements (forms)**
    - adding, 347
    - buttons, 357–358
    - checkboxes, 350–351

- <fieldset> tag, 359–360
  - File Field, 355–356
  - form objects, characteristics, 342
  - hidden field, 357
  - Image field, 358
  - <label> tag, 358–359
  - lists, 353–355
  - naming, 347
  - overview, 346
  - pull-down menus, 353–355
  - radio buttons, 351–352
  - radio groups, 352–353
  - text fields, 348–350
  - tutorial, 366–368
  - <em> tag, 81**
  - email**
    - address validation, 362
    - form information and, 359
    - links, 104–106
  - embed property (ActiveX controls), 447**
  - <embed> tag, Flash movies, 432**
  - embedding Web pages within Web pages, 301**
  - ems**
    - font size, 87
    - type properties, 175
  - encoding, Roundtrip HTML and, 323–324**
  - encoding type (forms), 345**
  - Enctype menu (forms), 345**
  - errors**
    - form encoding type and, 346
    - templates, 576
  - events**
    - Behaviors, 378, 379–380
    - body events, 387–388
    - browser compatibility issues, 384, 385–386
    - form events, 389
    - frameset events, 387–388
    - highlighting events, 388
    - keyboard events, 387
    - links, 379
    - mouse events, 386–387
    - selection events, 388
  - Excel**
    - documents, importing, 58–59
    - pasting spreadsheet information, 58
  - Expanded Table mode, 203, 222**
  - exporting**
    - data in tables, 244
    - defined Web sites, 463–464
    - template-based Web sites, 599–600
  - expressions, option regions and, 584–587**
  - Extension Manager, 644–646**
  - Extension properties**
    - Cursor, 186–187
    - Filter, 186–187
    - Page Break, 186
  - extensions**
    - cookies, 790
    - creating, 646
      - resources, 812
    - deleting, 646
    - downloading, 644–646
    - Exchanges, 640–642
    - introduction, 640
    - PHP Server Formats, 692
  - external editors, images, 126–127**
  - external links, listing, 497–498**
  - external style sheets, 149–150**
    - attaching, 199–200
    - creating, 187–190
    - CSS Styles panel, 151
    - linking to, 154–155
- 
- F**
- Favorites**
    - Insert bar, 22
    - objects, adding, 106
    - site assets and, 480–482
  - favorites, frames and, 301**
  - <fieldset> tag, forms, 359–360**
  - file:/// , 105**
  - file extensions**
    - programming languages, 345
    - templates, 569
    - Windows compared to Macintosh, 458
  - File field**
    - Flash, 433
    - forms, 355–356
  - file formats**
    - GIF, 112
    - JPEG, 112
    - PNG, 112
  - files**
    - browsing for, links, 98–100
    - checking in/out, 530–536
    - naming, site architecture planning, 456–457
    - site management considerations, 465–466
      - deleting files, 470–471
      - moving files, 468–469
      - renaming files, 469–470
    - size
      - Behaviors and, 378
      - Web pages, 70
    - synchronizing, 536–538
    - uploading, 355–356
  - Files panel, Design Notes organization, 542–546**
  - filters**
    - databases, 677–678
    - comparison operators, 678–679

- comparison values, 679–684
  - number comparisons, 679
- default value setting, 681
- Extension properties, 186–187
- variables, SQL, 687–688

**Find and Replace, 619**

- advanced searches, 625–628
- Alt text, 630–633
- Find All option, 624–625
- Find Next option, 624
- HTML searches, 620–625
- Ignore Whitespace Differences option, 623–624
- Match Case option, 622
- Match Whole Word option, 622–623
- regular expressions, 623
- Remove Attribute option, 630
- Remove Tag and Contents option, 629
- Replace All option, 625
- Replace Contents Only option, 629
- Replace option, 625
- Replace Tag & Contents option, 629
- replacement text, 622
- search criteria, 621–622
- search scope, 621
- searching by attributes, 627–628
- searching by tags, 626–627
- starting search, 619–620
- Strip Tag option, 629
- text searches, 620–625

**Fireworks**

- image editing and, 128–129
- Optimize Image dialog box, 129

**Flash**

- buttons, 134–137
- Flash Elements, 437–438
- Image Viewer, 439–442
- inserting movies, 431–432
- links, 434
- overview, 430–431
- properties, 432–437
- text, 138–141
  - adding to Web pages, 138–140
  - color, 139
  - editing, 140
  - font size, 139
  - links, 140
  - resizing, 141
  - targets, 140
- vectors, 138

**Flash elements, Insert bar, 21–22****flexibility of layouts, 212–215****float option, Box properties, 182****floats, CSS-P, 276****focus, images, 125–126****folders**

- default images folder, 461
- local root folder, 461
- local site, 25
- remote site, 25
- root folder, 25
- site architecture planning, 454–458
- site management considerations
  - adding folders, 468
  - deleting folders, 470–471
  - moving folders, 468–469
  - renaming folders, 469–470
- Templates, 572

**font options, menus, 392****fonts, 81–82. See also text**

- color, 87–88
- convergence, 83
- custom, 83–85
- Flash buttons, 136
- Flash text, 139
- formatting, 82–83
- Linux users and, 83
- sans-serif, 82
- serif, 82
- size, 85–87
  - ems, 87
  - pixels, 87
- TrueType, Flash text and, 138
- type properties, 174–175
- types, 82
- Unix users and, 83

**form events, 389****form objects**

- buttons, 357–358
- checkboxes, 350–351
- elements
  - adding, 347
  - characteristics of, 342
  - naming, 347
  - overview, 346
- <fieldset> tag, 359–360
- File Field, 355–356
- hidden field, 357
- Image field, 358
- Insert bar, 21
- inserting in document window, 343–344
- <label> tag, 358–359
- lists, 353–355
- pull-down menus, 353–355
- radio buttons, 351–352
- radio groups, 352–353
- text fields, 348–350

**<form> tag, 342**

- elements, adding to forms, 347

**formatting**

- block-level, 66
- character-level, 67
- code, indents, 329–330
- CSS, 88–89
- disappearing, 157
- dynamic content, 691–692
  - tutorial, 712–713
- fonts, 82–83
- images, tutorial, 193–196
- tables, 222–224
  - alignment, 224
  - color, 225
  - height values, 224–225
  - resizing, 225–226
  - width values, 224–225
- text
  - as list, 73–74
  - alignment, 70–71
  - character formatting, 79–91
  - headlines, 68
  - indented paragraphs, 71–72
  - Insert bar and, 74
  - lists, 72–79
  - paragraph formatting, 65–66
  - preformatted text, 69–70
- text wrap, Code view, 330

**forms**

- checkboxes, dynamic, 745–746
- coding, overview, 342–343
- creating, 343–346
- emailing form submissions, 359
- errors, encoding type and, 346
- layout considerations, 350
- lists, dynamic, 746–749
- menus, dynamic, 746–749
- naming, 344–345
- radio buttons, dynamic, 744–745
- records, inserting, 730–734
- text fields, dynamic, 743–744
- tutorial
  - creating, 364–365
  - labels and elements, adding, 366–368
  - layout, 370–373
  - menus, 368–370
  - overview, 363–364
  - Submit button, 368–370
  - validation, 373–375
- usefulness of, 341
- validation, 360–363, 733
- variables
  - databases, 680–682
  - dynamic content and, 787–788

**Forms panel (Insert bar), 343–346**

**FPO (For Placement Only) images, 114–115**

**<frame> tag, 301**

**frames, 299**

- absolute measurement, 312
- bookmarks and, 301
- borders, 303
  - color, 315
  - editing, 307
- color, borders, 315
- columns
  - height, 311
  - width, 311
- creating, 303–306
- drawbacks, 301
- favorites and, 301
- forms, target option, 345
- links, targets, 315–316
- margins, 315
- Navigation bars, 316–320
- properties, 308
  - name, 313
  - Scroll, 314
  - Src (source), 313–314
- relative measurement, 312
- removing, 305
- resizing, 314–315
- Row/Column option, 311
- saving, 308–309
- selecting, 306–308
- size, 311–313
- units, 312

**frameset events, 387–388**

**<frameset> tag, 301**

- tag selector and, 308

**framesets, 299**

- borders, 309–310
- frameset page, 299–302
- nested, 305–306
- saving, 308–309
- selecting, 306–308

**FTP, remote site setup, 514–518**

**G**

**GET method, forms, creating, 345**

**GIF (Graphics Interchange Format) files, 112**

**Go to Detail Page server behavior, 706–707, 713–715**

**Go to Related Page server behavior, 707–709**

**Go to URL action, 398**

**graphics, 111. See also images**

- as buttons, 358
- pasting, 56
- pop-up menus, 390
- Web Photo Album, 617–618

**grid, layers, converting to table, 277**

**H**

- <h1> tag**, 67
- hand coding, WYSIWYG editors and**, 13
- handicap-accessible Web sites**, 116, 508–510
- Head content**, 3, 18, 19
- headers, tables**, 228
- Heading styles**, 56
- Heading tags**, 67
- headlines, formatting**, 68
- height**
  - Box properties, 182
  - columns, frames, 311
  - Positioning properties, layers, 270
  - tables, 207–208
    - clearing values, 224–225
- Height property, 118–120**
  - menus/lists, 354
- Help**
  - Dreamweaver FAQ and Resource Site, 812
  - Dreamweaver Help system
    - Getting Started and Tutorials, 809
    - Using Dreamweaver reference, 809–810
  - Macromedia
    - DMX Zone, 812
    - email, 810
    - newsgroups, 811
    - paid support, 810
    - quick reference guide, 811
    - Web site, 811
- hexadecimal numbers, font color**, 87–88
- hidden field, forms**, 357
- hide menu checkbox option, menus**, 394–395
- hiding/showing**
  - anchors, 109
  - optional regions (templates), 594
  - tracing images, 217
  - Visual Aids, 207
  - windows, 24
- highlighting**
  - Code view, 326–327
  - events, 388
  - preferences, template editable regions, 573
- History panel, 64, 611**
  - copying/pasting and, 614
  - recording commands, 615–616
  - replaying steps, 612–613
  - saving steps as commands, 614–615
- HomeSite keyboard shortcuts**, 637
- horizontal position, background properties**, 179–180
- hotspots**
  - properties, editing, 131
  - Target property, 131
- HTML (Hypertext Markup Language)**. *See also*

**Roundtrip HTML**

- basics, 3–4
- capitalization, 323
- code
  - changing, 321–322
  - cleaning up (site launch preparation), 501–504
  - forms, overview, 342–343
  - speed tips, 328–329
  - template parameters, 586
- <html> tag**, 3
- pasting, 55
- searches, Find and Replace, 620–625
- tag styles, 150
- HTML objects, Insert bar**, 21
- Hyperlink dialog box**, 103–104
- Hyperlink object**, 102–104

**I**

- ID property**, 117
- ID selectors (CSS)**, 170–171
- ID styles**, 268
- <iframe> tag**, 301
- iframes**, 301
- Image field, forms**, 358
- image maps**, 129–131
- image options, flash**, 440–442
- Image Placeholder button**, 114–115
- image related Behaviors**, 404–409
- Image Viewer (flash movies)**, 439–442
- imageLinks (flash property)**, 441
- imageLinkTarget (flash property)**, 441–442
- images**. *See also* graphics
  - alignment, 120–121
  - Alt property, 118
  - background, 178
    - layers, 283
    - repeating, 178
  - brightness, 125
  - cells, background, 229–230
  - contrast, 125
  - cropping, 124
  - distortion, 120
  - drag-and-drop, 114
  - editing, 123–129
    - backups, 124
    - built-in tools, 123–126
    - external editors and, 126–127
    - Fireworks and, 128–129
  - focus, 125–126
  - formatting, tutorial, 193–196
  - FPO, 114–115
  - hotspots, 129–130
  - inserting, 36–42, 112–115
  - links, hotspots, 129–130

- margins, borders, 122–123
- naming, 115–118
- optimization, Fireworks and, 129
- placeholders, 114–115
- properties, 112
- resampling, 124–125
- resize handles, 119
- rollovers, 132–134
- sharpening, 125–126
- sizing, 118–120
- spacer images, 214–215
  - cell width and, 233–234
- text description, 118
- tracing images, 216–217
  - hiding/showing, 217
  - moving, 217
  - tables tutorial and, 248–249
- images folder (default), 461**
- imageURLs (flash property), 440–441**
- <img> tag, 112**
- Import Table Data dialog box, 240–241**
- importing**
  - data to tables, 240–242
  - defined Web sites, 463–464
  - documents
    - Excel, 58–59
    - Word, 58–59
- indentation**
  - code formatting, 329–330
  - outdents, 71–72
  - paragraphs, 71–72
  - text, Block properties, 181
- InDesign, compared to Dreamweaver, 206**
- index.html files, 457**
- inheritance, styles and, 164–165**
- Init Val property, text fields, 349**
- Initial State property, checkboxes, 351**
- Insert bar, 18, 20–22**
  - Favorites, 22
  - Flash elements, 21–22
  - Forms panel, 343–346
  - Layout Table tool, 205
  - objects
    - application objects, 21
    - common objects, 20
    - form objects, 21
    - HTML objects, 21
    - layout objects, 21
    - text objects, 21
  - text formatting, 74
- Insert menu, 20**
- Insert Project page tutorial, 754–759**
- Insert Record server behavior, 734–736**
- Insert Rollover Image dialog box, 133**
- Insert Update Record Form wizard, 736–739**

- interface, 16, 18**
- internal style sheets, 149–151**
- Initial State property, radio buttons, 352**
- italic text, 80–81**
  - type properties, 175

---

## J

- Java applets**
  - overview, 444–445
  - properties, 445–446
- JavaScript. *See also* Behaviors**
  - Code view and, 336–337
  - cookies, 790
- JPEG (Joint Photographic Experts Group) files, 112**
- JSP (Java Server Pages), 654**
  - dynamic content insertion, 786–787
  - record deletion, 749–750
- Jump Menu action, 398–402**
- Jump Menu Go action, 402**
- justified text, 70**

---

## K

- keyboard, replaying actions, 613**
- keyboard events, 387**
- keyboard shortcuts, 635–637**
  - basics, 7
  - cheat sheet, 639
  - creating set, 637
  - editing, 637–639
  - sharing, 639
- keywords, 19**
  - meta tags, 19

---

## L

- Label property, buttons, 357**
- <label> tag, forms, 358–359**
- labels, forms tutorial, 366–368**
- Layer property (Drag Layers action), 420**
- layer related actions, 417–422**
- Layer tool, 276–278**
- layers**
  - alignment, 282
  - banner layer, CSS-based layout tutorial, 286–288
  - clipping regions, creating, 281
  - collapsing, 279
  - CSS styles
    - creating, 267–269
    - properties, 269
  - CSS-p, 266
    - floats, 276
  - definition, 267
  - editable regions (templates), adding, 592
  - grid, converting to table, 277

- moving, 280–282
  - names, 278
  - nesting, 283–284
  - outline, 276
  - overlapping, tables, 276
  - Positioning properties, 270
    - absolute positioning, 269
    - clipping, 273–274
    - overflow, 271–272
    - placement, 272–273
    - relative positioning, 270
    - types, 269–270
    - visibility, 270
    - width, 270
    - Z-Index, 271
  - properties, 279–279
    - aligning layers, 282
    - background, 283
    - moving layers, 280–282
    - nesting layers, 283–284
    - resizing layers, 280
  - Property Inspector, layer position and, 282
  - resizing, 280
  - selection handles, 276
  - styles, applying, 274–275
- Layers panel**
- layer name, 278
  - visibility, 278
  - Z-Index, 278–279
- layout.** *See also templates*
- CSS
    - absolute positioning and, 202
    - basic steps, 267
    - introduction, 265–266
  - dedicated software *versus* Dreamweaver, 206
  - Expanded Table mode, 203
  - flexibility, 212–215
  - images
    - spacer images, 214–215
    - tracing images, 216–217
  - Layout mode, 203–204
  - Standard view, 203–204
  - table-based, 201
  - tables and cascading style sheets, 201
  - templates, tables and CSS, 573
- Layout Cells**
- drawing, 209–210
  - moving, 212
  - properties, 210–211
  - resizing, 212
- layout (forms)**
- design considerations, 350
  - tutorial, 370–373
- Layout mode, 203–204**
- CSS and, 254–256
  - layout flexibility, 212–215
  - tables
    - drawing, 205–207
    - tutorial, 249–253
- layout objects, Insert bar, 21**
- Layout Table tool, 205**
- Layout Tables**
- color, background, 208
  - dimensions, 207–208
  - moving, 212
  - properties, 207–209
  - resizing, 212
- left aligned text, 70**
- letter spacing, 181**
- libraries**
- adding items to Web pages, 557–558
  - creating items, 556–557
  - deleting items, 560–561
  - editing items, 559–560
  - overview, 555–556
  - renaming items, 560
  - tutorial, 561–563
- Library items, Code view, 327**
- line breaks**
- Code view, 330–331
  - inserting, 51
  - <td> tag, 332
- line numbers, Code view, 328**
- Linux, fonts and, 83**
- links**
- absolute links, 93–94
  - anchors, 107–109
  - Behaviors, 379
  - changing links throughout site, 500–501
  - document-relative, 94–95
  - editing, 110
  - email links, 104–106
  - external style sheets, 154–155
  - file:/// , 105
  - finding broken, 494–496
  - fixing broken, 497
  - Flash buttons, 136
  - flash movies and, 433
  - Flash text, 140
  - hiding from site maps, 475
  - Home page to subscribe page, 96–97
  - Hyperlink object, 102–104
  - image maps, 129–131
  - images, hotspots, 129–130
  - inserting, browsing for files, 98–100
  - listing external, 497–498
  - mailto: link, 105
  - master pages, 705–709
  - orphaned files and, 498–499
  - path, typing in, 101–101

- Point-to-File icon and, 100–101
- QuickLink, 102
- removing, 110
- root-relative, 95–96
- slashes, 105
- targets, frames, 315–316
- templates
  - troubleshooting, 570
  - turning off, 591
  - unlinking from Web pages, 599
- URL parameters and, 682–683
- URLs, 94
  - typing, 101–101
  - within Web page, 107–109
- List properties, 185**
  - Bullet Image, 185
  - position, 185
  - type, 185
- List Values property, menus/lists, 354**
- lists**
  - adding items, 75
  - bulleted, 72
    - editing format, 74–78
  - definition, 72, 78
  - deleting items, 78–79
  - formatting, text as, 73–74
  - forms, 353–355
    - dynamic, 746–749
  - nested, 78
  - numbered, 72
    - editing format, 74–78
  - ordered, 72
  - removing items, 78
  - unordered, 72
- Live Data view, 699–702**
  - tutorial, 713–715
- local networks, remote site setup, 518–519**
- local root folder, 461**
- local site folder, 25**
- locked regions (templates), 567, 582**
- Log Out User server behavior, 781–783**
- login page**
  - tutorial, 797
  - Web page password protection, 779–781
- Longdesc property, 116**

## M

---

**Mac OS X, PHP and, 655**

### Macromedia

- Community MX, 812
- help via email, 810
- newsgroups, 811
- paid support, 810
- quick reference guide, 811
- Web site, 811

**Macromedia Contribute, 565**

**Macromedia Exchange Web site, 640–642**

**Macromedia Standard keyboard shortcuts, 636**

**mailto: link, 105**

**management. See site management**

### margins

- Box properties, 183
- flash movies, 435
- frames, 315
- images, borders, 122–123

**Master Detail Page Set, 702–709**

**master templates, 587**

**Max Char property, File Field, 356**

**Max Chars property, text fields, 348**

**menu delay option, menus, 394**

**menu items, creating, 391–392**

### menus

- forms
  - dynamic, 746–749
  - tutorial, 368–370
- Insert menu, 20
- Site, creating templates, 569
- submenu, display control options, 395

**merging cells in tables, 236–238**

**message related Behaviors, 409–413**

**meta tags, 19**

**Method menu (Forms panel), 345**

**<mmtemplate:if> tag, editing optional**

**regions, 587**

**mouse events, 386–387**

**Movement property (Drag Layers action), 420**

**movie size property (flash), 433**

### movies

- Flash
  - Image Viewer, 439–442
  - inserting movies, 431–432
  - overview, 430–431
  - properties, 432–437
- Flash Elements, 437–438
- Shockwave
  - overview, 442–443
  - properties, 444

**multi-line fields, text fields, 348**

### multimedia

- ActiveX controls
  - overview, 446
  - properties, 446–447
- applets (Java)
  - overview, 444–445
  - properties, 445–446
- Flash
  - Image Viewer, 439–442
  - inserting movies, 431–432
  - overview, 430–431
  - properties, 432–437

- Flash Elements, 437–438
- overview, 429–430
- plug-ins
  - overview, 448–449
  - properties, 449–450
- Shockwave
  - overview, 442–443
  - properties, 444

**multimedia related actions, 413–417**  
**MX 2004, overview, 13–14**

---

## N

**Name property, 117**  
**names, form elements, 342**  
**name/value pairs, forms, 342**  
**naming**

- editable regions, 575
- files, site architecture planning, 456–457
- flash movies, 432
- form elements, 347
- forms, 344–345
- frames, 313
- images, 115–118
- layers, 278
- optional editable regions, 582
- renaming folders, 469–470
- repeating regions (templates), 576
- Web sites, 460–461

**National Exasperater, dynamic Web page tutorial, 657–658**  
**Navigation bars, frames, 316–320**  
**navigation behaviors**

- Open Browser Window, 395–398
- overview, 389–390
- Show Pop-up Menu, 390–395

**Navigation Page, Web Photo Album, 619**  
**nesting**

- framesets, 305–306
  - borders, 310
- layers, 283–284
- lists, 78
- tables, 206
  - Standard view, 238–240
- templates
  - creating, 588–589
  - customizing, 590
  - implementing, 590–591
  - overview, 587–588

**.NET, 654**  
**New CSS Style window, 267–268**  
**<noframes> tag, 305**  
**non-breaking spaces, 51–53**  
**Num Line property, text fields, 348**  
**numbered lists, 72. See also lists**  
 creating, 73

- editing format, 74–78
- numbering type, 75–77
- pasting and, 56

## numbers

- comparing, database filters, 679
- range validation (form submissions), 362

---

## O

**<object> tag, Flash movies, 432**  
**objects**

- Flash Button, 136
- Hyperlink object, 102–104
- Insert bar, 20
  - application objects, 21
  - common objects, 20
  - form objects, 21
  - HTML objects, 21
  - layout objects, 21
  - text objects, 21
- Repeat Region, 694–696
- Table object, 261–264

**ODBC (Open Database Connectivity), 665**  
**Open Browser Window action, 395–398**  
**optimization, Fireworks images, 129**  
**Optimize Image dialog box (Fireworks), 129**  
**optional regions (templates), 567–568**

- adding, 580–582
- advanced, 582–587
- editable, 582
- hiding/showing, 594
- locking, 582
- repeating, 582

**ORDER BY keyword (SQL), 686**  
**ordered lists, 72. See also numbered lists**  
**orientation option, menus, 392**  
**orphaned files, testing Web sites and, 498–499**  
**outdents, 71–72**  
**outline, layers, 276**  
**overflow, layers, 271–272**  
**overlapping tables, 206**  
 layers, 276  
**overlapping tags, 322**

---

## P

**<p> tags, 65–66, 67**  
**padding cells in tables, 208–209**  
**padding option, Box properties, 182–183**  
**page breaks, Extension properties, 186**  
**page layout. See layout**  
**PageMaker compared to Dreamweaver, 206**  
**paging recordsets, 793–795**  
**panel groups, 18**

- renaming, 24
- snippets and, 23
- Web References and, 23

**panels**

- Bindings, 691
- CSS Styles, 151
- Databases, 670–671
- History, 611
  - copying/pasting, 614
  - replaying steps, 612–613
  - saving steps as commands, 614–615
- Reference panel, 335–336
- Relevant CSS, 167–168
- Server Behaviors, 688–689

**paragraph formatting, 65–66****paragraphs**

- HTML tags, 67
- indented, 71–72
- pasting and, 56

**parameters**

- template parameters, 586
- URLs
  - databases, 682
  - links and, 682–683

**parent tags, 165****\_parent target, links, 316****Password fields**

- credit card numbers and, 349
- text fields, 348

**password protection**

- admin pages, 801–803
- Web pages, 775–776
  - individual pages, 783–785
  - login page, 779–781
  - registration form, 777–779
  - users table, 776

**Paste command, 55–57****pasting**

- alignment, 56
- graphics, 56
- History panel and, 614
- numbered lists, 56
- paragraphs, 56
- spreadsheet information (Excel), 58
- text, 55–58

**paths, links, 101–101****performance**

- Behaviors library, creating, 424–427
- testing site characteristics, 511–512

**photo albums. *See* Web Photo Album****PHP (PHP Hypertext Preprocessor), 655**

- cookies, 790
- dynamic content insertion, 786
- Mac OS X and, 655
- record deletion, 750–753

**PHP Server Formats extension, 692****PHP Upload Extension, 356****pixel location option, menus, 394–395****pixels**

- font size, 87
- 1-pixel tables, 233
- type properties, 175

**placeholders, images, 114–115****planning site architecture, 454–458****play options (flash), 435****Play Sound action, 414–415****playback options, flash, 442****plug-ins**

- overview, 448–449
- properties, 449–450

**PNG (Portable Network Graphics) files, 112****Point-to-File icon, link insertion, 100–101****pop-up menus, window size, 19****Popup Message action, 409–410****position, List properties, 185****positioning options, menus, 394****Positioning properties, 185**

- absolute, 269–270
- height, 270
- layers
  - clipping, 273–274
  - overflow, 271–272
  - placement, 272–273
  - types, 269–270
  - visibility, 270
  - Z-Index, 271
- relative, 270
- width, 270

**POST method, forms creation, 345****preferences**

- external editors, 126–127
- tutorial, 29–30

**preformatted text, 69–70****Preload Images action, 404–405****previewing**

- Flash buttons, 137
- Web page, 42–44

**primary keys, databases, 682****programming languages, file extensions, 345****programming tools, forms, 343****properties**

- accessibility options, 510
- ActiveX controls, 446–447
- Alt property, images, 118
- applets (Java), 445–446
- Block properties, 180–182
- Border properties, 184–185
- Box properties, 182–184
- buttons, 357–358
- cells, alignment, 226–228
- Change Properties action, 424
- Check Plug-in action, 416
- checkboxes, 351

- Clean Up HTML command, 502–504
- Drag Layer action, 420–422
- editing, hotspots, 131
- File Field, 356
- flash, 432–437
- frames, 308
  - name, 313
  - Scroll, 314
  - Src (source), 313–314
- Height, 118–120
- hotspots, editing, 131
- ID, 117
- Image Viewer (flash movies), 439–442
- images, 112
- layers, 279–279
  - aligning layers, 282
  - background, 283
  - moving layers, 280–282
  - nesting layers, 283–284
  - resizing layers, 280
- Layout Cells, 210–211
- Layout Tables, 207–209
- List properties, 185
- Longdesc, 116
- menus/lists, 354–355
- Name, 117
- Open Browser Window action, 396–397
- plug-ins, 449–450
- pop-up menus, 392–395
- Positioning properties, 185
- radio buttons, 351–352
- Shockwave, 444
- source property, 112
- style properties, 173–174
  - background properties, 177–180
  - type properties, 174–177
- text fields, 348–350
- Width, 118–120
- Property Inspector, 18**
  - Border field, images, 122–123
  - form elements, naming, 347
  - frames, Row/Column option, 311
  - hidden, 24
  - HTML tags, 23
  - layer position, 282
  - merging cells, 237
  - opening, 22
  - tables
    - formatting, 222–226
    - resizing, 212
- protocols, URLs, 94**
- pseudo-classes (CSS), 169–170**
- pull-down menus, forms, 353–355**
- Pure Upload, 356**
- PWS (Personal Web Server), 653–654**

---

**Q**


---

- quality settings (flash), 435–436**
- QuarkXpress, compared to Dreamweaver, 206**
- queries (databases), 673**
  - SQL, creating, 685–686
- Quick Tag Editor, 332–334**
- QuickLink, 102**

---

**R**


---

- radio buttons, forms, 351–352**
  - dynamic, 744–745
- radio groups, forms, 352–353**
- RDS (Remote Development Service), remote site setup, 519–520**
- Record Insertion Form wizard, 730–734**
- recording commands, 615–616**
- records (databases), 661–663**
  - adding data, 729–736
  - deleting
    - ASP, 749–750
    - ASP.NET, 750–753
    - ColdFusion, 750–753
    - JSP, 749–750
    - PHP, 750–753
  - editing, update page links, 762–764
  - inserting, 730–734
    - Insert Record server behavior, 734–736
  - updating
    - Insert Update Record Form wizard, 736–739
    - Update Record server behavior, 739–742
- Recordset Paging server behaviors, 793–795**
- recordsets**
  - creating, 674–677
    - tutorial, 709–711
  - deleting, 689
  - editing, 689
    - links to detail page, 713–715
  - paging, 793–795
  - Recordset Navigation bar, 697–699
  - Recordset Navigation Status tool, 699
  - repeat regions, 694–696
  - results, Dynamic Table tool, 693–694
  - Results page, 683–684
  - reuse, 688–689
  - SQL and, 684–688
- Reference panel, 335–336**
- registration form, Web page password protection, 777–779**
- regular expressions, searches and, 623**
- relational databases, 663–664**
- relative font sizes, Flash text, 139**
- relative measurement, frame size, 312**
- relative positioning, layers, 270**

**Relevant CSS panel, 167–168**

**remote site folder, 25**

**remote site setup, 513–522**

**Rename Style window, 162**

**renaming**

class styles, 162–163

panel groups, 24

**repeat regions**

creating, 694–696

editing, 696

removing, 696

templates

adding, 575–578

editable regions and, 575

optional, 582

Web page creation, 592–593

tutorial, 713–715

**repeating**

background images, 178

regions, templates, 567

tables, 693–694

templates, adding, 576–578

**replacement text, Find and Replace, 622**

**replaying steps**

History panel, 612–613

keyboard, 613

**Resample tool, 124–125**

**resampling images, 124–125**

**resize handles, 119**

tables, 231

**resizing. See sizing**

frames, 314–315

layers, 280

**resources**

extension creation, 812

Macromedia

Community MX, 812

DMX Zone, 812

email, 810

newsgroups, 811

paid support, 810

quick reference guide, 811

Web site, 811

**Restrict Access to Page server behavior, 783**

**Results page, recordsets and, 683–684**

**right aligned text, 70**

**rollover images, 132–134**

Flash text color, 139

tutorial, 141–144

**root folder, 25**

Web site creation, 26

**root-relative links, 95–96**

**Roundtrip HTML, 321**

Code Rewriting Preferences window, 323–324

tags, overlapping, 322

Web application servers, 323

**Row/Column option, frames, 311**

**rows (tables)**

deleting, 235–236

inserting

multiple, 235

single, 234

selecting, Standard view, 221–222

**Rule Inspector, editing styles, 160–161**

## S

**sans-serif fonts, 82**

**scaling Flash movies, 436**

**scripts, inserting, 336–337**

**scrolling frames, 314**

**searches**

attributes, 626–627

Find and Replace

advanced, 625–628

advanced tag searches, 629–630

HTML, 620–625

scope, 621

search criteria, 621–622

settings, 622–624

starting, 619–620

text, 620–625

regular expressions, 623

tags and, 626–627

**SELECT keyword (SQL), 686**

**selecting**

frames, 306–308

framesets, 306–308

tables

cells, 222

columns, 221–222

rows, 221–222

Standard view, 221

text, 59–60

**selection events, 388**

**selection handles, layers, 276**

**selectors (CSS), 168–169**

contextual, 171–173

creating, 196–198

descendent, 171–173

IDs, 170–171

**\_self target, links, 316**

**Semicolon delimited information, 241**

**serif fonts, 82**

**server behaviors, 698**

advanced, 793–797

Go to Detail Page, 706–707

Go to Related Page, 707–709

Insert Record, 734–736

Log Out User, 781–783

Recordset Paging, 793–795

- Restrict Access to Page, 783
- Show Region, 795–797
- Update Record, 739–742
- User Authentication, 775–776
- Server Behaviors panel**
  - editing recordsets, 689
  - recordset reuse, 688–689
- server models, 653**
  - selection options, 655–656
- servers**
  - application servers, 651
  - ASP.NET, 654
  - ColdFusion application, 654
  - database servers, 651
  - JSP, 654
  - .NET, 654
  - PWS (Personal Web Server), 653–654
  - testing servers, 656
    - setup, 657
  - variables, dynamic content, 792–793
  - Web application servers, 323
- session variables, dynamic content, 790–792**
- Set Navigation Bar Image action, 407–409**
- Set Text of Frame action, 412–413**
- Set Text of Layer action, 412**
- Set Text of Status Bar action, 410–411**
- Set Text of Text Field action, 411–412**
- shapes, hotspots, 131**
- Sharpen tool, 125–126**
- sharpening images, 125–126**
- Shockwave**
  - overview, 442–443
  - properties, 444
- shortcuts, keyboard shortcuts, 635–637**
  - cheat sheet, 639
  - creating set, 637
  - editing, 637–639
  - sharing, 639
- Show and Hide Layers action, 417–419**
- Show Pop-up Menu action, 390–395**
- Show Region server behaviors, 795–797**
- showControls (flash property), 442**
- sidebar, CSS-based layout, 288–290**
- site launch checklist, 483–485**
- site management**
  - assets
    - creating Favorites category of, 480–482
    - inserting, 478–479
    - overview, 477
  - defining a site, 459–462
    - editing/removing, 462–463
    - exporting/importing, 463–464
  - file organization considerations, 465–471
  - overview, 453
  - site architecture, 454–458
  - site maps
    - creating, 472–473
    - customizing, 473–475
    - overview, 471–472
    - renaming pages, 476
  - tools, 16
- site maps**
  - creating, 472–473
  - customizing, 473–475
  - overview, 471–472
  - renaming pages, 476
- Site menu, templates, creating, 569**
- Site Panel commands, 638**
- Site Reports feature, site launch preparation, 504–508**
- Site Window commands, 638**
- sizing**
  - cells
    - setting, 230
    - text and, 227
  - frames, 311–313
  - images, 118–120
  - Layout Cells, 212
  - Layout Tables, 212
  - tables, 207–208, 225–226
  - text, Flash, 141
  - thumbnails, Web Photo Album, 618
- slashes in links, 105**
- slideAutoPlay (Flash property), 442**
- slideDelay (Flash property), 442**
- slideLoop (Flash property), 442**
- Snap if within property (Drag Layers action), 421**
- Snippets**
  - built-in, 554–555
  - creating, 551–553
  - implementing, 550–551
  - organizing, 553–554
  - overview, 549–550
- Sort Table dialog box, 242–244**
- sorting, data in tables, 242–244**
- source property, 112**
- SourceSafe, remote site setup, 521–522**
- spacer images, 214–215**
  - cell width and, 233–234
- spacing**
  - cells, 208–209
  - letter spacing, 181
  - word spacing, 180
- special characters**
  - line breaks, 51
  - non-breaking spaces, 51–53
  - Roundtrip HTML and, 323–324
- spell checking, 60–62**
- Split view, 324–325**

**splitting cells in tables, 236–238**  
**spreadsheets, pasting information, Excel, 58**  
**SQL (Structured Query Language)**

- Data Tree view, 686–687
- ORDER BY keyword, 686
- queries, creating, 685–686
- recordsets and, 684–688
- SELECT keyword, 686
- variables, creating, 687–688

**Src (source) property**

- ActiveX controls, 447
- Flash, 433
- frames, 313–314

**Standard toolbar, 18–19**

**Standard view (layout), 203–204**

- cells, alignment, 226–228
- tables
  - inserting, 218–220
  - nesting, 238–240
  - selecting, 221

**static Web pages, 649**

**Status bar, 18, 20**

**Stored Procedures option, Databases panel, 670**

**<strong> tag, 81**

- searches and, 629

**style properties**

- Background properties, 177–180
- Block properties, 180–182
- Border properties, 184–185
- Box properties, 182–184
- Extension properties, 186–187
- List properties, 185
- Positioning properties, 185
- Type properties, 174–177

**style sheets**

- attaching, 154–155
- Design Time style sheets, 158
- external, 149–150
  - attaching, 199–200
  - creating, 187–190
  - linking to, 154–155
- internal, 149–150

**styles**

- advanced, 168–173
- applying, 89
- Border properties, 185
- cascading, 166–167
- class styles, 150
  - applying, 155–156
  - creating, 192–193
  - removing, 156–158
  - renaming, 162–163
- creating, 151–153
- defining, 153–154

- deleting, 161–162
- duplicating, 163–164
- editing, 90–91, 158

- Rule Inspector and, 160–161
- saving, 159
- tutorial, 190–192

Flash buttons, 136

ID

- applying, 268
- creating, 268

inheritance, 164–165

layers

- applying, 274–275
- creating, 267–269

properties, 173–174

- background properties, 177–180
- type properties, 174–177

removing, 90

tag styles, 150

- removing, 157

**submenus, display control options, 395**

**Submit button, forms tutorial, 368–370**

**Swap Image action, 405–406**

**Swap Image Restore action, 406–407**

**synchronizing files, 536–538**

## T

**Tab delimited information, 241**

**Table object, 261–264**

**table-based layouts, 201**

**tables**

- alignment, 224

- borders, 225

- cells, 202

- alignment, 210–211

- CSS and, 259–261

- dimension setting, 230

- drawing, 209–210

- merging, 236–238

- padding, 208–209

- selecting, 222

- spacer images and, 233–234

- splitting, 236–238

- width, 232

- color

- background, 208

- formatting, 225

- columns

- deleting, 235–236

- inserting single, 234

- multiple, 235

- selecting, 221–222

- setting manually, 232

- width, 232

- content, 231

- data
  - exporting, 244
  - imports, 240–242
  - sorting, 242–244
- databases, 661–663
- Databases panel, 670
- drawing, Layout mode, 205–207
- Expanded Table mode, 203
- formatting, 222–224
  - borders, 225
  - resizing, 225–226
- headers, 228
- height, clearing values, 224–225
- inserting, Standard view, 218–220
- layer grid, converting from, 277
- Layout mode, 203–204
  - drawing, 205–207
- Layout Tables
  - dimensions, 207–208
  - properties, 207–209
- nesting, 206
  - Standard view, 238–240
- overlapping, 206
  - layers, 276
- pixels, 233
- repeating tables, 693–694
  - templates and, 567
- resizing handles, 231
- rows
  - deleting, 235–236
  - inserting single, 234
  - multiple, 235
  - selecting, 221–222
- Standard view, 203–204
  - borders, 219
  - selecting, 221
- templates, page layout and, 573
- tutorials, 244–246
  - content table, 256–259
  - CSS, 254–256
  - CSS to control cells, 259–261
  - Layout mode, 249–253
  - Table object, 261–264
  - tracing images, 248–249
  - Web page creation, 246–248
- users table, password protecting Web page, 776
- width
  - clearing values, 224–225
  - flexible, 213–214
- tabular data**
  - exporting, 244
  - importing to tables, 240–242
  - sorting tables, 242–244
- tag hints (Quick Tag Editor), 334**
- Tag Inspector, 334–335**
- tag selector, 18, 20**
  - <frameset> tag, 308
- tag styles, 150**
  - removing, 157
- tags**
  - attributes, making editable, 578–580
  - Behaviors and, 378
  - <blockquote>, 71–72
  - capitalization, Code view, 331–332
  - centering and, 332
  - child tags, 165
  - Code Hints, 329
  - contextual selectors and, 172
  - defined, 3
  - editable attributes (templates), 567, 592–593
  - <form>, 342
  - <frame>, 301
  - <frameset>, 301
  - <iframe>, 301
  - inserting, 332
  - <noframes>, 305
  - overlapping, Roundtrip HTML and, 322
  - <p>, 65–66, 67
  - paragraph, 65–66
  - parent tags, 165
  - pasting, 55
  - Property Inspector, 23
  - Quick Tag Editor, 332–334
  - searches and
    - advanced searches, 629–630
    - Find and Replace, 626–627
  - <style>, 153
  - <td>, line break after, 332
  - wrapping, 332
- target option, form frames, 345**
- Target property**
  - Flash buttons, 136
  - hotspots, 131
- targets**
  - Flash text, 140
  - links, frames, 315–316
- <td> tag, line break after, 332**
- templates. See also layout**
  - applying to Web pages, 594–596
  - creating
    - from scratch, 570
    - from Web pages, 568–569
  - editable regions
    - adding, 572–575
    - adding layers, 592
    - defining, 570–571
  - errors, 576
  - links
    - troubleshooting, 570

- turning off, 591
- nested
  - creating, 588–589
  - customizing, 590
  - implementing, 590–591
  - overview, 587–588
  - updating, 598–599
- optional regions, adding, 580–582
- overview, 565–568
- repeating regions, adding, 575–578
- repeating tables, adding, 576–578
- tables, page layout and, 573
- template parameters, 586
- tutorial
  - creating templates, 601–604
  - creating Web pages, 604–608
  - updating templates, 608–610
- unlinking from Web pages, 599
- updating, 596–598
- updating from early versions, 568
- Web page creation
  - editable tag attributes, changing
    - properties, 593–594
  - optional regions, hiding and showing, 594
  - overview, 591–592
  - repeating regions, 592–593
- Web sites, exporting, 599–600
- Templates folder, 572**
- testing**
  - accessibility
    - options, 510
    - overview, 508–509
    - priorities, 509–510
  - browser support, 485–489
  - links
    - changing links throughout site, 500–501
    - finding broken, 494–496
    - fixing broken, 497
    - listing external, 497–498
    - orphaned files and, 498–499
  - performance characteristics, 511–512
  - site launch checklist, 483–485
  - Site Reports feature and, 504–508
  - validating
    - implementing validation, 491–494
    - overview, 489–490
    - preferences, 490–491
- testing servers, 656**
  - setup, 657
- text.** *See also dynamic content; fonts*
  - alignment, 70
    - Block properties, 181
  - alternative text, 118
  - blockquotes, 71–72
  - bold, 80–81
    - cells, size and, 227
    - color, rollovers, 139
  - Copy command, 54–55
  - databases, text value comparisons, 678–679
  - date, inserting current, 53–54
  - Dynamic Text window, 690
  - Flash, 138–141
    - adding to Web pages, 138–140
    - editing, 140
    - links, 140
    - resizing, 141
  - Flash buttons, 136
  - formatting
    - as list, 73–74
    - alignment, 70–71
    - block-level formatting, 66
    - character formatting, 79–89
    - character-level, 67
    - headlines, 68
    - indented paragraphs, 71–72
    - Insert bar and, 74
    - lists, 72–79
    - outdents, 71–72
    - paragraph formatting, 65–71
    - preformatted text, 69–70
  - images, 118
  - indenting, Block properties, 181
  - inserting, 36–42
  - italic, 80–81
  - line breaks, 51
  - non-breaking spaces, 51–53
  - Paste command, 55–57
  - pasting, Word formatting and, 58
  - preformatted, 69–70
  - replacement, Find and Replace, 622
  - searches, Find and Replace, 620–625
  - selecting, 59–60
  - special characters, 49–53
    - line breaks, 51
    - non-breaking spaces, 51–53
  - styles, 80–81
  - wrapping, code formatting, 330
- text fields, forms, 348–350**
  - dynamic, 743–744
- text indent option, menus, 394**
- text labels, radio buttons, 352**
- text objects, Insert bar, 21**
- thumbnails, Web Photo Album graphics, 618**
- title bar, document window, 17**
- toolbars**
  - Document toolbar, 18
  - Standard, 18–19
- tools**
  - Crop, 124
  - Dynamic Table, 693–694

- file upload functionality, 356
  - form programming, 343
  - form validation, 362
  - Layer tool, 276–278
  - Resample, 124–125
  - Sharpen, 125–126
  - \_top target, links, 316**
  - tracing images, 216–217**
    - hiding/showing, 217
    - moving, 217
    - tables tutorial and, 248–249
  - transitionsType (flash property), 442**
  - troubleshooting**
    - form errors, encoding type and, 346
    - templates, links, 570
  - TrueType fonts, Flash text and, 138**
  - tutorials, 24–25**
    - authentication, 797
      - admin pages password protection, 801–803
      - display for logged-in users, 803–805
      - login page, 798–801
    - CSS
      - class style creation, 192–193
      - contextual selector creation, 196–198
      - editing styles, 190–192
      - external style sheet attachment, 199–200
      - external style sheet creation, 187–190
      - image formatting, 193–196
    - CSS-based layout, 285
      - banner layer addition, 286–288
      - content position, 290–292
      - sidebar, 288–290
    - dynamic content
      - formatting, 712–713
      - Go to Detail Page server behavior, 713–715
      - Live Data view, 713–715
      - repeat regions, 713–715
    - finalizing Web pages, 44–47
    - forms
      - creating, 364–365
      - labels and elements, adding, 366–368
      - layout, 370–373
      - menus, 368–370
      - overview, 363–364
      - Submit button, 368–370
      - validation, 373–375
    - image insertion, 36–42
    - Insert Product Page, 754–759
    - inserting dynamic data, 753–774
    - libraries, 561–563
    - preference setting, 29–30
    - previewing Web pages, 42–44
    - recordsets
      - creating, 709–711
      - editing, 713–715
      - rollovers, 141–144
      - saving Web pages, 30–36
      - tables, 244–246
        - content table, 256–259
        - CSS, 254–256
        - CSS to control cells, 259–261
        - Layout mode, 249–253
        - Table object, 261–264
        - tracing images, 248–249
        - Web page creation, 246–248
    - templates
      - creating, 601–604
      - creating Web pages, 604–608
      - updating, 608–610
    - text insertion, 36–42
    - Web sites, 26–29
  - Type option, List properties, 185**
  - type properties (styles), 174–177**
  - Type property**
    - menus/lists, 354
    - text fields, 348
- 
- ## U
- Undo command, 63–65**
  - units of measurement, frames, 312**
  - Unix, fonts and, 83**
  - unordered lists, 72. *See also* bulleted lists**
  - Update Record server behavior, 739–742**
  - updating records in databases**
    - Insert Update Record Form wizard, 736–739
    - tutorial, 753–774
    - Update Record server behavior, 739–742
  - updating templates, 596–598**
    - from early versions, 568
    - nested, 598–599
    - tutorial, 608–610
  - uploading files, 355–356**
  - URL parameters**
    - databases, 682
    - links and, 682–683
  - URL to display option (Open Browser Window action), 396–397**
  - URL variables, dynamic content, 787**
  - URLs (Uniform Resource Locators)**
    - absolute, 94, 344
    - parts, 94
    - site management, 462
    - typing in for link, 101–101
  - User Authentication server behavior, 775–776**
  - users table, Web page password protection, 776**
- 
- ## V
- validation**
    - forms, 360–363, 733

- tutorial, 373–375
  - implementing, 491–494
  - overview, 489–490
  - preferences, 490–491
  - values, form elements, 342**
  - variables**
    - forms, dynamic content and, 787–788
    - server variables, dynamic content, 792–793
    - session variables, dynamic content, 790–792
    - SQL, creating, 687–688
    - URL variables, dynamic content, 787
  - variant option, type properties, 176**
  - vectors, Flash, 138**
  - vertical alignment, 181**
  - vertical position, background properties, 179–180**
  - views**
    - Behaviors panel, 380–381
    - Code view, 324–328
    - Databases panel, 670
    - Split view, 324–325
  - viruses, uploading files, 355–356**
  - visibility**
    - layers, 270
    - Layers panel, 278
  - Visual Aids, hiding/showing, 207**
- 
- W**
- Web application servers, 323**
  - Web pages**
    - creating
      - tables tutorial, 246–248
      - template tutorial, 604–608
    - dynamic, creating, 664–665
    - embedding within Web pages, 301
    - file size, 70
    - finalizing, 44–47
    - Flash buttons, adding, 135–137
    - identifying for site maps, 474
    - images, inserting, 36–42
    - links
      - anchor creation, 107–108
      - linking to anchors, 108–109
      - within page, 107–109
    - password protection, 775–776
      - individual pages, 783–785
      - login page, 779–781
      - registration form, 777–779
      - users table, 776
    - renaming in site maps, 476
    - saving, 30–36
    - static, 649
    - templates
      - applying, 594–596
      - creating from, 568–569
      - editable tag attributes, changing properties, 593–594
      - optional regions, hiding and showing, 594
      - overview, 591–592
      - repeating regions, 592–593
      - unlinking, 599
    - text
      - Flash text, 138–140
      - inserting, 36–42
  - Web Photo Album**
    - creating, 616–619
    - Easter eggs, 618
    - graphics, 617–618
    - Navigation Page, 619
  - Web sites**
    - collaborative development, file check in/out, 530–536
    - creating, tutorial, 26–29
    - defining sites, 26
    - deployment
      - cloaking files, 528–530
      - overview, 513
      - remote site definition, 513–522
      - transferring files from server, 526–528
      - transferring files to server, 522–526
    - dynamic, 14
    - handicap accessible, 116, 508–510
    - naming, 460–461
    - preferences, setting, 29–30
    - synchronizing files, 536–538
    - template-based, exporting, 599–600
    - testing
      - browser support, 485–489
      - site launch checklist, 483–485
    - validation
      - implementation of, 491–494
      - overview, 489–490
      - preferences, 490–491
  - WebDAV, remote site setup, 520–521**
  - weight, type properties, 175**
  - what's new in Dreamweaver MX 2004, 1–2**
  - While dragging property (Drag Layers action), 422**
  - whitespace, Block properties, 181**
  - width**
    - Box properties, 182
    - cells, 232
      - spacer images and, 233–234
    - columns, 232
      - frames, 311
    - Positioning properties, layers, 270
    - tables, 207–208
      - clearing values, 224–225
      - flexible, 213–214
      - Standard view, 219

**Width property**, 118–120

**Window height option (Open Browser Window action)**, 396–397

**Window name textbox (Open Browser Window action)**, 396–397

**Window size indicator**, 18

**Window width option (Open Browser Window action)**, 396–397

#### **windows**

document window, 17

hiding, 24

size, pop-up menu, 19

**wizards, Record Insertion Form**, 730–734

#### **Word**

documents, importing, 58–59

formatting, pasting text and, 58

**word spacing**, 180

**Word Wrap, Code view**, 327

**Wrap property, text fields**, 349

**wrapping text, Code view**, 330

**WWWebconcepts ASP.NET Upload**, 356

**WYSIWYG editors, hand coding and**, 13

---

## **X**

### **XHTML**

basics, 5–6, 31

event case sensitivity, 380

---

## **Z**

### **Z-Index**

layers, 271



Layers panel, 278–279

---

## **Colophon**

This book was written and edited in Microsoft Word X on various Macs.

The desktop-software screenshots were captured with Ambrosia Software's Snapz Pro X ([www.ambrosiasw.com](http://www.ambrosiasw.com)) for the Mac, and TechSmith's SnagIt for Windows ([www.techsmith.com](http://www.techsmith.com)). Adobe Photoshop 7 and Macromedia Freehand were called in as required for touching them up.

The book was designed and laid out in Adobe InDesign 3.0 on a PowerBook G3, Power Mac G4, and Power Mac G5. The fonts used include Formata (as the sans-serif family) and Minion (as the serif body face). To provide the  and  symbols, custom fonts were created using Macromedia Fontographer.

The book was then generated as an Adobe Acrobat PDF file for proofreading, indexing, and final transmission to the printing plant.