

Index

Symbols

16-bit editing, 133
9X Media, 18

A

additive color, 230
Add Noise filter, 327, 395
adjustment layers, 134
 blending modes, 148–151
 color tinting, 168
 dodging and burning with empty
 adjustment layers and
 blending modes, 179–183
 layer masks, 176–178
 controlling visibility with black,
 white, and gray, 176
 feathering mask edges with
 Gaussian Blur, 177
 Invert command, 177
 Levels and Curves, 8
 Photo Filter, 258–259
 reticulation, 337
Adobe Camera Raw, 8
Adobe Gamma utility, 28
Adobe Photoshop Lightroom, 8
Adobe RGB (1998), 29
Advanced Controls, 35
aperture theory, 54
Append File Extension, 23
Apple 30-inch Cinema Display, 18
Apple RGB, 29
architectural perspective, 111
Ask Before Saving Layered TIFF
 Files, 24
atmosphere, 12
Automatically Launch Bridge, 21

B

Background layer, 146
backgrounds
 adjusting depth of field, 368–371
 blurring, 373–375
 blurring and darkening, 375–379
 darkening, 364–368
 depth of field effects, 371–373
 improving, 362–382
 removing unwanted elements,
 362–364
 tinting, darkening, and blurring,
 379–382
back ups, 19
barrel distortion, 109
batch renaming, 56
Beckelman, Mark, 298
Bicubic Sharper, 21
Bicubic Smoother, 21
black-and-white conversion, 151–159
 Camera Raw, 153–156
 saving grayscale settings with
 your image files, 154
 saving presets, 155
 Grayscale Mixer, 153
 Photoshop, 156–159
 Black and White adjustment
 layer, 156
 Channel Mixer, 158
 Photoshop Lightroom, 151–153
 raw files, 151–156
 Targeted Adjustment Tool, 152
black-and-white film photography
 Zone System, 130
black-and-white infrared, 328–332
 black-and-white adjustment
 for initial infrared
 conversion, 329
 customizing contrast with
 curves, 331
 glowing highlights, 330
 grain layer, 331
 Photoshop infrared vs. real
 infrared, 332
black-and-white photographs
 accenting with color, 166–171
 blending original image colors
 with black and white, 167
 color tinting, 168
Black and White adjustment
 dialog, 328
black and white point, 8
Black Point compensation, 35
Blacks slider, 73
Blend If sliders, 193–197
blending modes, 146–151, 192–194
 adjustment layers, 148–151
 darkening and building density
 with Multiply, 148
 increasing contrast with Overlay
 or Soft Light, 150
 lightening with Screen, 149
 Color Dodge mode, 147
 darkening, 146
 Darken mode, 146
 Darker Color mode, 147
 dodging and burning with empty
 adjustment layers and
 blending modes, 179–183

blending modes (continued)

- empty adjustment layers and
 - contrast-enhancing blending modes, 192
 - enhancing contrast, 148
 - fading images, 342
 - Hard Light mode, 148
 - lightening, 147
 - Lighten mode, 147
 - Lighter Color mode, 147
 - Linear Dodge mode, 147
 - modifying contrast, 195
 - Multiply mode, 147, 148
 - Overlay mode, 148, 150
 - overview, 146–148
 - Screen mode, 147, 149
 - Soft Light mode, 148, 150
 - targeted adjustments with blending modes, 193
- (*see also* mode blending)

blown-out highlights, 53

blurring, 12

- fading images, 342

Bridge, 20

- automatically launching, 21
- Camera Raw (*see* Camera Raw)
- initial adjustments to raw files, 59
- keywords, 57
- label and star system, 57

brightness, 230

- (*see also* luminosity)

Brightness slider, 74

Brightness slider (Levels), 138

budgeting, 16

burning, 11, 174

- adding emphasis through selective burning, 187–189
- edges, 189–224
 - irregular or painted edge burn, 191

- (*see also* dodging and burning)

bus speed, 17

C

Cache Levels, 26

calibration, 28

Camera Raw, 20, 62–68

- adjusting white balance, 69
- Auto Adjustments
 - how they impact previews in Bridge, 68
- Auto adjustments, 66
- black-and-white conversion, 153–156
 - saving grayscale settings with your image files, 154
 - saving presets, 155
- Blacks slider, 73
- Brightness slider, 74
- Camera Calibration tab, 84
- chromatic aberration, 83
- Clarity control, 74
- clipping warning, 65
- Color Noise Reduction slider, 81, 93
- color temperature, 304
- contrast
 - strategies for adjusting, 78
- Contrast slider, 74
- Crop tool, 63
- curves, 78
 - controlling, 78
 - saving, 79
- Darks slider, 76
- Defringe command, 83
- Exposure controls, 70
- Fill Light slider, 72
- highlight recovery, 71
- Highlights slider, 76
- histogram and settings menus, 66
- HSL/Grayscale tab, 81–82
- Image Adjustments, 66
 - Basic, 66
 - Camera Calibration, 66
 - Detail, 66
 - HSL/Grayscale, 66
 - Lens, 66
 - Split Toning, 66
 - Tone Curve, 66

Image Adjustments tabs, 68–87

- Basic, 69–72
 - Camera Calibration, 84
 - HSL/Grayscale, 81–82
 - Lens Correction, 82
 - Presets panel, 84
 - Split Toning, 82
 - Tone Curve, 76–79
 - input sharpening, 107
 - Detail slider, 108
 - Masking, 108
 - interface, 62–66
 - Lens Correction tab, 82
 - Lights slider, 76
 - Luminance Smoothing slider, 80, 93
 - noise reduction, 80
 - opening JPG files in, 23
 - Parametric curve, 76
 - Point Curve, 77
 - Presets panel, 84
 - Preview, 63
 - Recovery slider, 71
 - Saturation slider, 76
 - setting Exposure/White Point with bright highlight, 72
 - setting Exposure/White Point without bright highlight, 73
 - Shadows slider, 76
 - sharpening, 80
 - split toning, 163
 - Split Toning tab, 82
 - Straighten tool, 63
 - Temperature slider, 69
 - Tint slider, 69
 - Tone Curve tab, 71, 76–79
 - tools, preview and clipping displays, 63
 - Vibrance control, 76
 - vignetting, 83
 - White Balance tool, 69
 - Workflow Options, 66
- ## camera raw files, 8
- ProPhoto RGB, 30
- ## cameras (*see* digital cameras)
- ## Channel Mixer, 158

- channels, 93
- chromatic aberration, 9, 83, 109, 123
 - concealing, 124–125
- Clarity control, 74
- cleaning images, 10, 360–362
- Clear History command, 25
- clipping, 53
- Clone Stamp tool, 360–366, 379
- Clone tool, 117, 119
- CMY, 231
- CMYK working spaces, 32
- color
 - blending (*see* mode blending)
 - components, 229–232
 - converting to black-and-white (*see* black-and-white conversion)
 - enhancing, 10
 - hue (*see* hue)
 - luminance (*see* luminance)
 - saturation (*see* saturation)
 - selective improvement, 12
 - subjectivity of, 229
 - what color is, 288
 - working with, 11
- Color blending mode, 262
- color casts
 - color fill layers to neutralize color casts, 262–263
 - correcting with no neutral guide, 244
 - manually neutralizing midtone color cast, 243
- Color Channels in Color, 22
- color correction
 - big picture, 232
 - color enhancements (*see* color enhancements)
 - correcting with no neutral guide, 244
 - Curves (*see* Curves, global color correction; local color correction)
 - existing neutrals, 235
 - global, 232–246
 - Lab color (*see* Lab color)
- Levels, 236–240
 - identifying the brightest and darkest points, 238
 - midtone color casts, 242–246
 - neutralizing highlight and shadow points, 239
 - preparing workspace, 237
 - setting eyedropper target values, 237
- local, 259–277
 - changing color, 263–278
 - Curves, 260–263
 - Match Color command (*see* Match Color command)
 - Replace Color command, 267–268
 - Replace Color command with Color Range, 269–270
- manually neutralizing midtone color cast, 243
- neutral color, 232–234
- setting neutral highlights with Curves, 241
- target neutrals, 234
- with neutrals, 235
- Color Dodge mode, 147
- color enhancements, 251–259
 - Hue/Saturation command (*see* Hue/Saturation command)
- color fringing, 9
- color ingredients, 230–232
 - additive color, 230
 - complementary colors, 231
 - component colors, 232
 - subtractive color, 231
- color management, 27–29
 - monitor calibration and profiling, 28
 - profiles, 28
 - three key principles to a profiles functionality, 28
 - working spaces, 28
- (*see also* Color Settings dialog box, Color Management Policies)
- ColorMatch RGB, 30
- color noise, 8
 - concealing, 95
- Color Noise Reduction slider, 81, 93
- Color Picker, 21
- Color Range, 269–270
- color reference targets, 54
- color settings, 27–29
 - saving, 36
- Color Settings Comment dialog box, 36
- Color Settings dialog box, 29
 - Color Management Policies, 33–35
 - Convert to Working RGB, 33
 - Off, 33
 - Preserve Embedded Profiles, 33
 - Profile Mismatches and Missing Profiles, 34
- color tags, 28
- color temperature, 301–313
 - creative raw processing, 304
 - adjusting white balance, 306
 - false color temperature, 304
 - multiples of raw, 310–313
 - not-neutral white balance, 308
 - variations on image, 309
 - neutral, 303
- color tints, 168, 291
 - adjustment layers and layer masks, 168
 - combining, 296–298
 - painting on empty layer, 170
- Column Size, 27
- complementary colors, 231
- component colors, 232
- contact sheets, 5
- continuous tone devices, 44
 - compared to inkjet printers, 45
 - scanning resolution, 47
- contone devices, 44
- contrast, 11, 131–132
 - controlling in Curves (*see* Curves, controlling contrast)
 - enhancing, 10
 - with blending modes, 148
 - increasing with Overlay or Soft Light, 150
 - strategies for adjusting, 78
 - (*see also* contrast and exposure control)

- contrast and exposure control**
 - blending modes (*see* blending modes)
 - fill flash techniques, 203
 - High Pass contrast enhancement, 196–198
 - luminance masks, 203–205
 - Shadows/Highlights command (*see* Shadows/Highlights command)
 - Contrast slider, 74**
 - Cooling Filter (80), 294, 297**
 - Cooling Filter (82), 259**
 - cooling filters, 259**
 - cooling images, 294–295**
 - selectively, 294
 - CPU speed, 17**
 - .CR2 format, 60**
 - cropping and cleaning up files, 9, 113–117**
 - recomposing images, 114
 - straightening and correcting perspective, 114
 - Crop tool, 21, 27, 110–112, 113–116**
 - Crop tool (Camera Raw), 63**
 - cross-processing effects, 316–319**
 - Cursors, 26**
 - Curves, 10, 134, 140–146, 246–251**
 - adjustment layer, 11
 - anatomy of, 140–141
 - comparable to Levels, 141
 - controlling contrast, 143–146
 - precise control with lockdown points, 144
 - reverse S-curve, 143
 - S-curve, 143
 - finding tones and working with control points, 142
 - global color correction
 - automatic correction, 249–251
 - Enhance Monochromatic Contrast (Auto Contrast), 250
 - Enhance Per Channel Contrast (Auto Levels), 250
 - example 1: Cleaning the pond, 246–248
 - example 2: Backyard witch, 248–250
 - Find Dark and Light Colors (Auto Color), 250
 - target colors and clipping, 251
 - gray point eyedropper, 242
 - histogram, 140
 - Lab color (*see* Lab color, Curves)
 - local color correction, 260–263
 - altering color, 263–265
 - color fill layers to neutralize color casts, 262–263
 - layer masks, 260–261
 - layer masks, fine tuning, 261
 - selective color, 265–267
 - Photoshop CS3, 140
 - setting neutral highlights, 241
 - Solarize filter, 332
 - under the hood, 246–249
 - curves, 78**
 - controlling, 78
 - saving, 79
 - Custom filter, 384, 389**
 - Cymbolic Sciences LightJet printers, 45**
- D**
- darkening to create mood, 186–189**
 - adding emphasis through selective burning, 187–189
 - Darken mode, 146**
 - Darker Color mode, 147**
 - darkroom**
 - digital (*see* digital darkroom)
 - traditional (*see* traditional darkroom)
 - darkroom special effects, 332–337**
 - creative accidents, 332
 - solarization, 332–335
 - Darks slider, 76**
 - Defringe command, 83**
 - Delkin, 19**
 - depth of field**
 - adjusting, 368–371
 - effects, 371–373
 - dFine, 101**
 - Diffuse Glow filter, 324–325, 330**
 - diffusion and soft focus, 322–325**
 - Diffuse Glow filter, 324–325
 - Gaussian Blur filter, 322–323
 - Surface Blur filter, 323–324
 - digital cameras, 20, 49–62**
 - file formats, 50–51
 - (*see also* JPEG files; TIF files; raw files)
 - high-bit data, 51
 - resolution, 49–50
 - how many pixels do you need, 49
 - viewfinder, 49
 - sensors, 53
 - digital darkroom**
 - biggest advantage, 6
 - building, 16
 - furniture, 16
 - most important aspect of working in, 6
 - physical location, 16
 - workflow, 7
 - digital images**
 - good original, 42
 - highest quality, 8
 - processing, two general approaches, 6
 - (*see also* images)
 - digital sensors, 53**
 - digital wallets, 56**
 - digital zone system, 130**
 - direct digital printers, 44**
 - Display Calibrator Assistant, 28**
 - Distort control, 9**
 - distortion**
 - correcting, 9
 - distractions, removing, 360–382**
 - essential cleanup, 360–362
 - improving backgrounds, 362–382
 - adjusting depth of field, 368–371
 - blurring and darkening, 375–379
 - blurring backgrounds, 373–375
 - darkening, 364–368
 - depth of field effects, 371–373
 - removing unwanted elements, 362
 - tinting, darkening, and blurring, 379–382

distressed effects, 339–348
 faded black-and-white photos,
 341–343
 fading to dark with blur layers
 and blend modes, 342–343
 faded color photos, 339
 matching a modern image to
 vintage print, 343
 color and contrast, 344
 focus, 345
 texture, 345
DNG Converter, 62
DNG files, 60
 advantages, 60
 conversion, 56, 60–62
 multiple files, 61
 Photoshop Lightroom, 61
 disadvantages, 60
dodging, 11, 174
(see also dodging and burning)
dodging and burning
 empty adjustment layers and
 blending modes, 179–183
 automating with an action,
 181–183
DoubleSight, 18
downloaded images, multiple copies,
 56
downsampling, 21
duplication of images, 6
dustbusting images, 10
dust spotting, 118
DxO Optics Pro, 8
dynamic range, 208–214
 combining multiple exposures with
 layer masks, 212–215
 multiple raw processing of a single
 exposure, 208–212

E

edge burning, 9
edge effects, 350–355
 filed-out negative carrier, 351
 hand-painted emulsion edges, 353
 simple black stroke, 350
edge mask, 102–104
edges and corners, refining, 9
edit and select process, 6

editing, non-destructive, 133–134,
 174–224
 16-bit editing, 133
 adjustment layers, 134
 dodging and burning (*see dodging*
 and burning)
 layer masks (*see layer masks*)
 neutral fill layer, 174–175
 Smart Filters (*see Smart Filters*)
 starting with raw file, 133
effects, 322–357
 black-and-white infrared (*see*
 black-and-white infrared)
 creative edge (*see creative edge*
 effects)
 cross-processing, 316–319
 darkroom special effects (*see*
 darkroom special effects)
 diffusion and soft focus (*see*
 diffusion and soft focus)
 distressed (*see distressed effects*)
 film grain (*see film grain*)
 filters (*see filters*)
 reticulation (*see reticulation*)
 sepiaesque diffusion toning,
 325–327
 textures (*see textures*)
EIZO ColorEdge CG220, 18
Elliptical Marquee tool, 184, 190, 275
Enable Large Document Format
 (.psb), 24
enhancing overall tone, contrast, and
color, 10
Eraser tool, 362, 364
Ergotron, 18
evaluating images, 4
EXIF metadata
 sRGB color profile in, 23
Export Clipboard, 21
exposure, 52–54
 JPEG files, 54
 raw files, 54
 what digital exposure is all about,
 54
(see also contrast and exposure
control)
Exposure controls, 70
Extensis Portfolio
 keywords, 57

F

file duplication, 6
file formats
 digital cameras, 50–51
(see also JPEG files; TIF files;
raw files)
file navigation, 36
file organization, 55–62
 batch renaming (*see batch*
renaming)
 DNG files (*see DNG files,*
converting to)
 importing (*see importing)*
 keywords (*see keywords*)
 labels (*see labels*), 56
 ratings (*see ratings*)
 raw files (*see raw files, initial*
adjustments)
file preparation, 8–10, 93–127
 chromatic aberration (*see chromatic*
aberration)
 cropping (*see cropping*)
 noise reduction (*see noise*
reduction)
 optical and perspective distortion
(see optical and perspective
distortion)
 sharpening (*see sharpening*), 93
 spotting and cleanup (*see spotting*
and cleanup)
fill flash techniques, 203
 Fill Light control, 203
Fill Light control, 203
Fill Light slider, 72
film grain, 327–328
 Add Noise filter, 327
 creating softer grain to mimic an
 enlarged negative, 328
film recorders, 44
film scanners, 19
filters
 Add Noise, 327
 cooling, 259
 Custom (*see Custom filter*)
 Diffuse Glow, 324–325, 330

filters (continued)

- Gaussian Blur (*see* Gaussian Blur filter)
 - High Pass (*see* High Pass filter)
 - Lens Blur (*see* Lens Blur filter)
 - sharpening (*see* sharpening, filters)
 - Smart Blur (*see* Smart Blur filter)
 - Solarize, 332
 - Surface Blur, 323–324
 - Texturizer, 338
 - warming, 259
- flare, 121**
removing, 125
- flatbed scanners, 19**
- focus, 12**
- Free Transform command, 9**
- fringing, color, 9**
- Fuji Pictography printers, 45**
- Full Screen Mode, 36**
- Full Screen Mode with Menu Bar, 36**

G

- Gamma slider (Levels), 138
- Gamut Warning, 27
- Gaussian Blur filter, 300, 322–323, 370, 380, 383, 387, 388, 397
 - feathering mask edges with, 177
- global corrections, 134–151
 - Curves (*see* Curves)
 - Levels (*see* Levels)
- global enhancements, 10
- Gorman, Greg, 160
- gradation masking, 11
- Gradient tool, 122, 177, 207, 296, 300, 301, 316, 370, 373
- gray, significance of, 232
- gray point eyedropper
 - neutralizing image, 242
- grayscale images, 134
- Grayscale Mixer, 153, 163
- Gray working spaces, 32
- Greene, Jeff, 366
- Gretag Macbeth, 28
- Gretag Macbeth Eye One
 - Display 2, 18
- guide print, 28
- Guides, Grids, and Measure tool, 114

H

- Hand tool, 36–38
- hard drives, 17
- Hard Light mode, 148
- hardware considerations
 - back ups, 19
 - bus speed, 17
 - CPU speed, 17
 - digital cameras, 20
 - hard drives, 17
 - monitors, 18
 - calibration, 18
 - second, 18
 - mouse and mouse pad, 19
 - pressure-sensitive tablet, 19
 - printers, 20
 - RAID, 17
 - RAM, 17
 - scanners, 19
- HDR
 - accessing Merge to HDR, 216
 - Equalize Histogram, 219
 - Exposure and Gamma, 218
 - Highlight Compression, 219
 - Local Adaptation, 219
 - adjusting Local Adaptation curve, 220
 - combining multiple bracketed exposures with Merge to HDR, 215–224
 - combining multiple HDR images, 223
 - Merge to HDR pre-flight check, 216
 - photographic considerations for HDR photography, 215
- Healing Brush tool, 360, 364, 379
- healthy work habits, 17
- high-bit files, 50
 - hardware requirements, 51
- high-quality lenses, 9
- highest quality images, 8
- highlight recovery, 71
- highlights, 11, 93
- Highlights slider, 76
- High Pass filter, 367, 382, 384, 385, 389
 - contrast enhancement, 196–198

- histogram (Curves), 140
- histograms, 11, 52–54
 - three areas of concern, 53
- History & Cache, 25
- History feature, 391–394
- History Log, 21
- hue, 230, 288–301
 - color tints, 291
 - combining, 296–298
 - cooling images, 294–295
 - selectively, 294
 - enhancing natural colors, 295
 - neutral density and color blens, 298–314
 - warming images, 293–294
 - selectively, 293
- Hue/Saturation, 10, 11
 - adjusting individual colors, 254–255
 - adjustment layer
 - monochromatic toning, 159
 - enhancing color with, 251–257
 - fine-tuning specific color adjustments, 255–260
 - Lightness slider, 253
 - creative uses for, 253
 - Saturation slider, 252
 - vibrance versus saturation, 257–258

I

- ICC (International Color Consortium) profiles, 28
- Ignore EXIF sRGB Tag, 23
- Image Interpolation, 21
- Imagenomic, 101
- Image Previews, 23
- images
 - cleaning, 10
 - cropping, 9
 - digital (*see* digital images)
 - dustbusting, 10
 - evaluating, 4
 - misaligned, 9
 - spotting, 10
 - straightening, 9
 - (*see also* digital images)

importing, 56
infrared (*see* black-and-white infrared)
inkjet printers, 43
 calculating optimal scan size, 44
 compared to continuous tone devices, 45
 scanning resolution, 47
Input highlight slider, 136
Input shadow slider, 135
input sharpening, 106
 with Adobe Camera Raw, 107
interpolation, 21
Invert command, 177
Iridient digital, 102
iView MediaPro, 57

J

JPEG files, 50
 exposure considerations, 54
 opening in Camera Raw, 23

K

keystoning, 109
keywords, 56, 57–59
Kodak Professional Durst Lambda printer, 45

L

Lab Color mode, 100–101, 277–284
 basics, 278
 Curves, 279–282
 building custom correction filter, 283
 center point, 279
 controlling brightness and contrast with the L channel, 280
 removing a color cast with the a and b channels
 Removing a color cast with the a and b channels, 281
 when to use, 284
labels, 56–58

Ladybug, 18
large format photographic prints, 45
laser-based photo printers, 44
Lasso tool, 169, 260, 261, 269, 385
layer masks, 175–178
 adjustment layers, 176–178
 controlling visibility with black, white, and gray, 176
 feathering mask edges with Gaussian Blur, 177
 Invert command, 177
 color tinting, 168
 mode blending, 315–319
Lens Blur filter, 367–377, 383
Lens Correction filter, 9, 110–113
 Chromatic Aberration, 110
 Edge, 111
 missing control, 112
 Remove Distortion, 110
 Set Lens Default, 111
 Transform, 111
 Vignette, 111
lenses
 distortion, 111
 high-quality, 9
 lower quality, 9
 quality, 93
levelness of image, 109
Levels, 10, 134–140
 auto correction options, 139
 color correction (*see* color correction, Levels)
 comparable to Curves, 141
 eyedroppers, 139
 gray point eyedropper, 242
 Input Levels, 135–138
 Brightness slider, 138
 clipping display, 137
 Gamma slider, 138
 Input highlight slider, 136
 Input shadow slider, 135
 Midtone slider, 138
 setting the black point, 135
 setting the white point, 136
 Output Levels, 138–139
Levels and Curves adjustment layers, 8

light
 blending (*see* mode blending)
 enhancing image with, 183–186
 object and observation, 228–229
Lighten mode, 147
Lighter Color mode, 147
light falloff, 9
Lights slider, 76
Linear Dodge mode, 147
lithographic film, 46
lower-quality lenses, 9
luminance masks, 203–205
luminance noise, 8
 concealing, 95
Luminance Smoothing slider, 80, 93
luminosity, 230
 (*see also* brightness)

M

Magic Wand tool, 195, 353
MAM-A, 19
Marquee tool, 363, 367, 380
masking, 102–105
 edge mask, 102–104
 gradation, 11
 tonal masking, 104–105
Mass Engineered Design, 18
Match Color command, 270–279
 fine-tuning with Curves, 276
 Image Options, 272
 with selections, 273, 275
Maximized Screen Mode, 36
Maximize PSD and PSB File Compatibility, 24
Memory Usage, 25
menu bar, hiding, 36
Microsoft Expression Media
 keywords, 57
midtone, 11
Midtone slider (Levels), 138
misaligned images, 9
mode blending, 314–316
 color and light, 314–315
 layer masks, 315–319
Monaco Optix XR, 18
monitors, 18
 calibration, 18, 28
 second, 18

monochromatic toning, 159–162
Greg Gorman's warm-tone process,
160–162
Hue/Saturation adjustment
layer, 159
More Options button, 35
mouse and mouse pad, 19
Move Grid tool, 110
Multiply mode, 147, 148, 364, 376,
379, 380, 388

N

naming files, copies, 6
NEC SpectraView Reference 21, 18
needs, identifying, 16
.NEF format, 60
neutral color, 232–234
existing neutrals
color correction, 235
natural and target, 233
target neutrals
color correction, 234
neutral density and color blends,
298–314
neutral fill layer, 174–175
Nikon 5000 series scanner, 20
Nikon 9000 series scanner, 20
Nikon Capture, 8
Nikon Coolscan 4000, 47
Nik Software, 101
noise, 93
avoiding before pressing
shutter, 105
valuable, 394–399
(*see also* color noise; luminance
noise), 95
Noise Ninja, 101
noise reduction, 8, 93–106
in Camera Raw, 80
masking (*see* masking)
stronger, 96
third-party, 101
noise reduction solutions, 53
Noiseware, 101

O

observational exercise, 4
offset printing, 46
determining scanning
resolution, 46
scanning resolution, 47
optical and perspective distortion,
109–117
architectural perspective, 111
barrel distortion, 109
chromatic aberration, 109
image levelness, 109
keystoning, 109
Lens Correction filter (*see* Lens
Correction filter)
lens distortion, 111
perspective cropping, 115
pincushion distortion, 109
vignetting, 109
optical distortion, correcting, 9
original quality, 43
over-exposed highlights, 93
Overlay mode, 148, 150

P

Painting Cursors, 26
Parametric curve, 76
Patch tool, 361
Pen tool, 261
perspective
correcting, 9
cropping, 115
straightening and correcting, 114
(*see also* optical and perspective
distortion)
Perspective Crop tool, 9
PhaseOne Capture One, 8
Photo Filter, 11
adjustment layers, 258–285
photographer, being a better, 4
Photoshop CS3, 20
black-and-white conversion,
156–159
Black and White adjustment
layer, 156
Channel Mixer, 158
Camera Raw (*see* Camera Raw)
Color settings (*see* color settings)
Curves, 140
Interface preferences
Append File Extension, 23
Ask Before Saving Layered TIFF
Files, 24
Color Channels in Color, 22
Enable Large Document Format
(.psb), 24
Ignore EXIF sRGB Tag, 23
Image Previews, 23
Maximize PSD and PSB File
Compatibility, 24
Prefer Adobe Camera Raw or
JPEG files, 23
Show Menu Colors, 22
Show Tool Tips, 22
Performance preferences
Cache Levels, 26
Cursors, 26
History & Cache, 25
Memory Usage, 25
Other Cursors, 26
Painting Cursors, 26
Scratch Disks, 25
Plug-ins settings, 27
Preferences, 20–22
Automatically Launch Bridge, 21
Color Picker, 21
Export Clipboard, 21
History Log, 21
Image Interpolation, 21
Show Clipping option, 141
spotting, 119
Transparency & Gamut preferences
Gamut Warning, 27
Transparency Settings, 26
Units & Rulers settings
Column Size, 27
Units, 27

Photoshop Lightroom, 20
 black-and-white conversion,
 151–153
 color temperature, 304
 DNG conversion in, 61
 initial adjustments to raw files, 59
 keywords, 57
 label and star system, 57
 split toning, 163

PictureCode, 101

pincushion distortion, 109

plug-ins, 20, 27

Point Curve, 77

Prefer Adobe Camera Raw or JPEG files, 23

pressure-sensitive tablet, 19

printers, 20, 43–47
 inkjet (*see* inkjet printers)
 offset printing (*see* offset printing)
 printer resolution versus image
 resolution, 44
 (*see also* continuous tone devices)

printer technology, 43

printing digital files, 43

print size, 43

prioritizing equipment purchases, 16

processing digital images, 6

professional digital labs, 45

profiles (color management), 28
 missing
 Assign Profile option, 35
 Assign Working RGB option, 35
 Leave As Is (Don't Color
 Manage) option, 35
 three key principles to a profiles
 functionality, 28
 warnings, 34
 Convert Document's Colors to
 the Working Space option, 34
 Discard the Embedded Profile
 (Don't Color Manage)
 option, 35
 profile mismatch, 34
 Use the Embedded Profile
 option, 34

ProPhoto RGB
 advantages for raw files, 30
 disadvantages, 31

PSB files, 24
 compatibility with PSD files, 24

PSD files
 compatibility with PSB files, 24

**purchasing better equipment than
 you currently need, 16**

Q

quality
 judging, 92
 of original, 43
 requirements, 43

Quick Mask button, 36

**Quick Selection tool, 184, 186, 210,
 211, 273, 294, 385**

R

**RAID (Redundant Array of
 Independent Disks), 17**

RAM, 17

ratings, 7, 56–58

RAW Developer, 102

raw files, 50
 black-and-white conversion,
 151–156
 color temperature, 304
 false, 304
 multiples of raw, 310–313
 not-neutral white balance, 308
 variations on image, 309
 white balance, 306
 exposure considerations, 53
 high-bit data, 51
 initial adjustments, 56, 59
 new formats, 60
 noise reduction, 93
 spotting, 118
 underexposed, 54

raw processors, 8

recomposing images, 114

Recovery slider, 71

**Rectangular Marquee tool, 184, 188,
 344, 349, 351**

Reduce Noise filter
 Advanced mode, 99
 Basic mode, 98
 Preserve Details filter, 98
 Reduce Color Noise slider, 99
 Remove JPEG artifacts, 99
 Save Settings, 99
 Sharpen Details slider, 99
 Strength slider, 98

Relative Colorimetric, 35

renaming files, 7
 batch (*see* batch renaming)

Replace Color command, 11, 267–268

researching equipment, 16

resolution
 printer resolution versus image
 resolution, 44

reticulation, 335–337
 with adjustment layers, 337

Retouch tool, 118

RGB, 230

RGB files, 277

RGB working spaces, 29
 Adobe RGB (1998), 29
 Apple RGB, 29
 ColorMatch RGB, 30
 Gray working spaces, 32
 ProPhoto RGB
 advantages for raw files, 30
 disadvantages, 31
 sRGB, 30

Ruler tool, 115

S

Sabatier, Armand, 332

Sabatier effect, 332

saturation, 230
 versus vibrance, 258

Saturation slider, 76

scanners, 19

- scanning, 8
 - before, 43
 - calculating optimal scan size for inkjet printers, 44
 - determining resolution for offset printing, 46
 - film original, 42
 - once for different purposes, 47
 - resolution summary, 46
 - Scratch Disks, 25
 - Screen mode, 147, 149
 - screen modes, 36
 - seeing, the art of, 4
 - Selective Color, 10
 - Selective Color adjustment layer, 11
 - selective enhancements, 11
 - sepiaesque diffusion toning, 325–327
 - service providers
 - sending images to, 44
 - shadow point, 11
 - shadows, 93
 - Shadows/Highlights command, 199–200
 - Amount, 200
 - Black Clip, White Clip, 202
 - Color Correction, 201
 - in practice, 202
 - Midtone Contrast, 201
 - Radius, 201
 - Tonal Width, 200
 - under the hood, 199–200
 - Shadows slider, 76
 - Sharpen Edges filter, 383
 - Sharpen filter, 383
 - sharpening, 9, 11, 12, 106–109, 382–394
 - creative or interpretive sharpening, 106
 - filters
 - Custom, 384, 389
 - High Pass, 384
 - Sharpen, 383
 - Sharpen Edges, 383
 - Sharpen More, 383
 - Smart Sharpen, 383
 - Unsharp Mask, 383
 - in Camera Raw, 80
 - input or capture sharpening, 106
 - input sharpening, 106
 - input sharpening with Adobe Camera Raw, 107
 - minimizing unwanted effects, 382
 - output or print sharpening, 106
 - selective, 385
 - soften then sharpen, 389
 - uneven, 9
 - Sharpen More filter, 383
 - Show Menu Colors, 22
 - Show Tool Tips, 22
 - Skew control, 9
 - Smart Blur filter, 375
 - Smart Filter layers, 323
 - Smart Filters, 95, 199
 - Smart Sharpen filter, 383
 - Advanced Mode, 383
 - Fade Amount, 383
 - Radius, 383
 - Tonal Width, 383
 - Amount, 383
 - More Accurate, 383
 - Radius, 383
 - Remove, 383
 - soft focus (*see* diffusion and soft focus)
 - Soft Light mode, 148, 150
 - software considerations
 - consumables, plug-ins, and education, 20
 - solarization, 332–335
 - custom solarization with Curves, 334
 - solarization curves with color photos, 334
 - Solarize filter, 332
 - Solarize filter, 332
 - sparkle and sheen, 385–387
 - soften then sharpen, 389
 - split toning, 162–166
 - Camera Raw, 163
 - highlight and shadow masks, 163
 - irregular toning by painting in layer masks, 165
 - Photoshop Lightroom, 163
 - Spot Healing Brush, 119
 - spotting and cleanup, 117–126
 - chromatic aberration, 123
 - dust spotting, 118
 - editorial cleanup, 120
 - flare, 121
 - Photoshop, 119
 - spotting in raw files, 118
 - vignetting, 121
 - spotting images, 10
 - Spot Working Space, 33
 - sRGB color profile in EXIF metadata, 23
 - Standard Screen Mode, 36
 - straightening and correcting perspective, 114
 - straightening images, 9
 - Straighten tool, 110
 - Straighten tool (Camera Raw), 63
 - subtractive color, 231
 - Surface Blur filter, 96, 323–324
 - refining noise reduction, 97
 - refining smoothing effect, 97
 - Threshold slider, 97
- T**
- tablets, 19
 - Targeted Adjustment Tool, 152
 - target neutrals, 234
 - color correction, 234
 - temperature (*see* color temperature)
 - Temperature slider, 69
 - textures, 12, 337–339
 - blending into skies, 348–349
 - classic, 337
 - combining photos with art paper, 347
 - creating for use in Photoshop, 346–347
 - custom textures with Texturizer filter, 338
 - watercolor paper, 338
 - Texturizer filter, 338
 - thermal printers, 44

TIFF files, 24, 50
tinting, 168

- adjustment layers and layer masks, 168

Tint slider, 69
tonal changes, interpreting image through, 174
tonal information, 42
tonality, 10, 93
tonal masking, 104–105
tone, 130–131

- capturing good tonal detail, 53
- enhancing, 10
- highlights (*see* highlights)
- midtone (*see* midtones)
- shadows (*see* shadows)

toning and split toning effects, 159

- accenting black-and-white
 - photographs with color (*see* black-and-white photographs, accenting with color), 166–171
- monochromatic toning, 159–162
- split toning, 162–166

traditional darkroom

- contact sheets, 5

transformation commands, 21
transitions, 93
Transparency Settings, 26

U

U.S. Web Coated (SWOP)v2, 32
underexposed images, 92
uneven sharpness, 9
Unsharp Mask filter, 383, 397, 399
unwanted artifacts, 93
upsampling, 21
Use Dither for 8-bit images, 35

V

vertically, thinking, 4
vibrance

- versus saturation, 258

Vibrance control, 76
viewfinder, 49
vignetting, 83, 109, 117
visual components, identifying, 183
visual story, enhancing, 356

W

Wacom's Cintiq 21UX, 19
Warming Filter (81), 293
Warming Filter (LBA), 296
warming filters, 259
warming images, 293–294
Warp control, 9
watercolor paper texture, 338
white balance

- adjusting in Camera Raw, 69
- color temperature, 306

White Balance tool, 69, 233–236, 304, 306, 308
workflow, digital darkroom, 7
working environment, 16–17
working spaces, 28

- CMYK, 32
- Gray, 32
- RGB (*see* RGB working spaces)

X

X-Rite, 28
XMP files, 60

Z

Zenview, 18
Zone System, 130
zone system, digital, 130
zoom ratios, 37
Zoom tool, 37, 38, 261