

Index

Numbers

- 802.11 wireless networks, 32, 3
- 35mm film SLRs
 - versus DSLRs, 5
 - focal lengths versus digital zoom lens, 35

A

- AA alkaline batteries, 17
- accessories (hardware), 4
- action photography
 - basic settings (table), 192–193
 - Burst/Continuous shutter mode, 40, 47
 - example, 103
 - camera modes, 176
 - guidelines, 102–104
 - Intelligent ISO, 24
 - manual exposure mode, 64
 - Movie mode, 64–66
 - shutter priority mode, 54
 - sports, 109, 111
 - example, 110
 - swiveling viewfinders, 25
 - timed value mode, 76–77
- Adams, Ansel, 96
- Adobe Bridge, 147
 - and Adobe Camera Raw, 160
 - features, 159, 161
 - versus other software (table), 165–167
- Adobe Camera Raw, 141–142
 - and Adobe Bridge, 160
- Adobe DNG format, 56
- Adobe Lightroom, 48
 - converting color to B&W, 153
 - features, 161–162
 - versus other software (table), 165–167
 - renaming files, 146
- Adobe Premiere Elements for Windows, 148
- Adobe RGB color space, 18
- Advanced Photo System (APS)
 - image sensors, 9–10
- AEB (Auto Exposure Bracketing), 48–49
 - example, 49
- Alien Skin's Exposure 2, 154
- alkaline AA batteries, 17
- Aperture. *See* Apple Aperture
- Aperture Priority exposure mode, 176
- aperture priority exposure mode, 54
- Apple Aperture, 48
 - features, 163–165
 - versus other software (table), 165–167
 - renaming files, 146
- Apple H.264 movie format, 67
- Apple iPhone, 16
- Apple iPhoto, 147
 - converting color to B&W, 153
 - features, 155–157
 - versus other software (table), 165–167
 - photo management, 137
- APS (Advanced Photo System)
 - image sensors, 9–10
- aquarium photography. *See* water photography, aquarium

architecture photography. *See also*
 outdoor photography
 example, 107
 guidelines, 106–107
 single shot shutter mode, 47
 archiving digital images, 144–146
 astrophotography exposures settings (table), 191
 Audio Video Interleaved (AVI) format,
 17, 66, 176
 “auto everything” exposure mode, 69
 Auto Exposure Bracketing (AEB), 48–49
 example, 49
 auto flash mode, 57
 auto white balance mode, 79, 189
 Av (aperture value) mode, 176
 backgrounds, 38, 40
 AVI (Audio Video Interleaved) format,
 17, 66, 176

B

backgrounds
 aperture priority mode, 54
 aperture value mode, 38, 40
 busy backgrounds, 43, 89
 composition, 43
 passport photos, 92–93
 situations/flash mode recommended settings
 (table), 188
 softening, 89
 manual exposure mode, 64
 portraits, 54
 portraits, example, 39, 89
 backups of digital media, 144–146
 guidelines (table), 145
 batteries, 17–18
 conserving power, LCD display off, 19
 external flashes, 20
 spares, 98
 beach photography. *See* outdoor photography
 blackboard photo effect, 68
 Bluetooth wireless options, 15
 Boinx Software’s FotoMagico, 136
 bracketed exposures, 48–49
 Bridge. *See* Adobe Bridge
 Burst/continuous shooting mode, 40, 47
 action photography, 103
 action photography (example), 103
 jog dial button, 28
 portraits (example), 41
 RAM buffers, 30

B&W photography
 B&W photo effect, 68
 example, 75
 converting from color, 114, 152–154
 grayscale chart (table), 153
 previewing color in grayscale, 119
 example, 121

C

calibration for photo printing, 174
 monitors, 183–185
 Camera Raw. *See* Adobe Camera Raw
 cameraphones, 14–15
 hybrid cameras, 5
 transfer options, 15–16
 visual note-taking, 127–128
 Canon
 CMOS sensors, 9, 22
 compact cameras
 EPS 4-D, 8
 G9, 4
 G9, LCD monitors, 26
 PowerShotA650 IS, vari-angle viewfinder, 25
 SD950 IS, 6
 40D
 focal lengths, 34
 Live View, 25
 white balance, 80
 Digital Elph, 124
 Digital Rebel XTi, 39, 116
 Direct Print standard, 19
 EOS 40D DSLR interchangeable lenses, 8
 EOS SD DSLR zoom lens focal length, 34
 G1 with Hoya R72 filter, 113, 114
 IS (Image Stabilization), 22
 lenses
 EF 70-200mm f/4 L IS zoom, 23
 IS 17mm–85mm, 11
 My Colors photo effects, 68
 TS-E 24mm f/3.5L lens, 106
 Casio
 digital image stabilization, 23
 H.264 movie format, 67
 CCDs (charge-coupled devices) image
 sensors, 9, 22
 center-weighted exposure metering, 19
 table, 189
 CF (CompactFlash) memory cards, 26
 chargeable lithium ion batteries, 17–18

charge-coupled devices (CCDs) image sensors, 9, 22

close-ups, 40, 43

with angles, 86

examples, 42, 87, 94, 100

jog dial button, 28

optical viewfinder lenses, 29

single shot shutter mode, 47

Cloudy white balance setting, 79, 80, 189

CMOS (complementary metal-oxide-semiconductor) image sensors, 9, 22

codecs, video (compressor/decompressor), 65

color photos

converting to B&W, 114, 152–154

previewing in B&W, 119–120

example, 121

color space, 18

color temperature, degrees Kelvin, 80

table, 194

compact digital cameras

cost, 5, 7

lenses, 7

megapixels, 5

pros and cons, 2, 6–7

RAW mode, 5

removable lenses, 4

video features, 6–7

viewing/sharing photos, 6

CompactFlash (CF) memory cards, 26

complementary metal-oxide-semiconductor (CMOS) image sensors, 9, 22

compression and image quality, 45–46

compressor/decompressor (codecs) for video, 65

computers

connections for photo transfers, 18

USB Mass Storage devices, 32

video out connections, 32

erasing camera memory card images, 47–48

condensation prevention, 118

confirmation buttons, 31

confirmation lights, 18

continuous shooting mode. *See* Burst/continuous shooting mode

Continuous stabilizer mode, 60

converging lines, 106

Cooper, Ruth, 42

cost

compact digital cameras, 5, 7, 14

DSLRs, 5, 14

D

darker skin photo effect, 68

Davenport, Brian C., 116

Daylight white balance setting, 79, 189

degrees Kelvin color temperature settings, 80
table, 194

depth-of-field settings

aperture values and backgrounds, 38, 40

camera modes, 176

close-ups, 43

scene modes (table), 193

desktop photo printers, 180–182

recommendations (table), 182

digital camcorders, hybrid cameras, 5

digital cameras

audio/video formats, 17

compact, 4–5

DSLRs, 2

hybrids, 2, 5

pros and cons

compact, 2, 6–7

comparison (table), 14

DSLRs, 7–14

digital image stabilization, 23–24

Digital Negative specification. *See* DNG

Digital Single Lens Reflex cameras. *See* DSLR cameras

digital zoom, 46–47

diopter adjustments, 19

Direct Print standard, 19

direct printing, 170–172

DNG (Digital Negative) format, 56

Drive Mode menus/buttons, 47

DSLR cameras, 2

cost, 5, 14

electronic flashes, 12–14

image sensors, 8–11

lenses, 5, 7–8, 11–12

versus compact digital cameras, 4

versus 35mm film SLRs, 5

pros and cons, 7–8

dynamic range, 122

Photoshop's Merge to HDR (High Dynamic Range) option, 122, 150–152

E

- electronic flashes, 20. *See also* lighting
 - batteries, 20
 - DSLRs, 12–14
 - flash compensation, 57
 - flash cords, 21
 - flash modes, 57–59
 - hotshoes, 21
 - museum regulations, 104
- Elements. *See* Photoshop Elements
- email
 - cameraphone transfer options, 16
 - sharing photos, 130–133
 - attachment size recommendations (table), 133
- Epson, Direct Print standard, 19
- Erase All command, 59
 - Protect Images command, 72
- Erase All (images) command, 47–48
- evaluative metering mode, 19, 29
 - table, 189
- EXIF (Exchangeable Image File) format, 55
- ExpoDisc, 108, 117
- exposure
 - aperture and shutter speed combination modes, 53–54
 - “auto everything” exposure mode, 69
 - bracketing, 48–49, 122
 - exposure compensation, 49–51, 69
 - examples, 50
 - reference guide (table), 187
 - scale, 51
 - locking, 51–53, 69
 - example, 52
 - manual mode, 64
 - metering, 19–20, 53
 - exposure metering mode, 29
 - programmed automatic exposure mode, 53, 54, 69
 - Programmed (P) exposure mode, 69
- Exposure 2 (Alien Skin), 154
- external electronic flashes. *See* electronic flashes

F

- face detection, 20, 54–55
 - example, 55
 - versus flash compensation, 57
 - versus focus lock, 59

- fill flash mode, 58
 - examples, 61, 85
 - situations/recommended settings (table), 188
 - white balance settings (table), 189
- film speed. *See* ISO settings
- fireworks photography. *See* outdoor photography, fireworks
- flash cords, 21
- flash modes
 - jog dial button, 29
 - on mode, 58
 - example, 61
 - off mode, 58
 - fireworks, 115
 - scene modes (table), 192
 - situations/recommended settings (table), 188
- flashes. *See* electronic flashes
- Flickr, 134
- Fluorescent/Fluorescent H white balance settings, 79, 116, 189
- focus, infinity lock, 62, 103
- focus assist lights, 20
- focus locks, 59
- Format Card command, 48, 59
 - Protect Images command, 72
- FotoMagico (Boinx Software), 136
- four-thirds image sensors, 10
- Foveon X3 image sensors, 9
- f-stops and depth-of-field settings (table), 38
- Fuji
 - Direct Print standard, 19
 - four-thirds image sensors, 10
 - picture stabilization, 24
- function buttons, 21

G

- graduated density filters, 122
- Green, Paige, 94, 100
- group photography, 90, 92
 - cloudy skies, 86
 - example, 91
 - self-timers, 29, 47, 73
 - weddings, 100, 101
- gyrosensors, 22, 23

H

- H.264 movie format, 67
- Hasselblad, DNG (Adobe) format, 56
- HD (High Definition) video, 65

HDR (High Dynamic Range) options,
122, 150–152
 histogram camera setting, 19
 hotshoes, 21
 hotspots, 33
 Hoya R72 filter, 113, 114
 HP (Hewlett-Packard) Direct Print standard, 19
 hybrid digital cameras, 2, 5
 Movie mode, 66

I
 IBM MicroDrive memory cards, 26
 image composition, 43–45
 image effects. *See* photo effects
 Image Rescue (Lexar Media), 143
 image sensors, 22
 DSLR cameras, 8–11
 versus megapixels, 22
 rule of thumb, 9
 image stabilization
 action photography, 104, 111
 digital, 23–24
 Movie mode, 66
 OISs, 22
 example, 60
 sensor, 23
 stabilizer modes, 59–60, 62
 underwater portraits, 123–124
 images, quality and compression, 45–46
 iMovie (Apple), 148
 indoor photography
 basic settings (table), 192–193
 camera modes, 176
 flash off mode, 58
 in museums, guidelines, 104–106
 red eye reduction, 101
 situations/flash mode recommended settings
 (table), 188
 white balance settings (table), 189
 infinity lock focus, 62
 action photography, 103
 infrared. *See* IR
 Intelligent ISO (light sensitivity setting), 24
 Internet, sharing photos, 134–135
 iPhone (Apple), 16
 iPhoto (Apple), 147
 converting color to B&W, 153
 features, 155–157
 versus other software (table), 165–167
 photo management, 137

IR 87 filter, 113
 IR (infrared)
 cameraphone transfer options, 16
 sensors for remote control, 24
 shooting guidelines, 113–114
 example, 113
 ISO settings, 62–63, 192
 action photography, 103
 sports, 110, 111
 fireworks, 115
 museum shoots, 104
 portraits, 109

J
 jog dial buttons, 28–29
 JPEG (Joint Photographic Experts Group)
 format, 55, 56
 compression and image quality, 45
 RAW+JPEG format, 57, 121, 142
 sharing photos via email, 133

K
 Kelvin color temperature settings, 80
 table, 194
 kids and pets photography
 basic settings (table), 192–193
 example, 94
 guidelines, 93
 timed value mode, 76
 Kodak, four-thirds image sensors, 10
 Kodak Gallery, 135
 Kodak TRI-X 400 photo effect, 154

L
 landscape photography. *See also* panorama
 photography
 aperture priority mode, 54
 aperture value mode, 40
 basic settings (table), 192–193
 camera modes, 176
 cloudy skies, 86
 composition, 44
 examples, 44, 70–71, 95
 guidelines, 94–97
 infinity lock, 62
 magic light, 94
 single shot shutter mode, 47

LCD monitors, 24
 composing images, 25
 guidelines, 43–45
 conserving battery power, 19
 fixed versus swivel viewfinders, 25–26
 versus optical viewfinder lenses, 29
 reviewing images, 25–26

Leica, DNG (Adobe) format, 56

lens flare, 96

lenses
 compact digital cameras, 7
 DSLR cameras, 5, 7–8, 11–12
 versus compact digital cameras, 4
 picture-taking lens, 30
 tilt shift lenses, 106
 zoom lenses, 33–35
 recommendations, 34–35

Lexar Media's Image Rescue, 143

lighter skin photo effect, 68

lighting. *See also* electronic flashes
 degrees Kelvin color temperature (table), 194
 exposure compensation (table), 187
 flash mode settings (table), 188
 white balance settings (table), 189

Lightroom. *See* Adobe Lightroom

lithium-ion batteries, 17–18

live histogram camera setting, 19

low sharpening photo effect, 68

M

M (manual) exposure mode, 54, 64, 176
 fireworks, 115
 situations/recommended flash modes
 (table), 188

macro photography, 40, 43
 macro mode jog dial button, 28

magic light, 94

megapixels, 10
 compact digital cameras, 5
 file formats, 56
 versus image sensors, 22
 megapixels-to-print-size (table), 191
 memory cards, 26
 to print size (table), 191

memory card readers, 18

memory cards, 26–27
 Burst/continuous shooting mode, 40
 Movie mode, 64–66
 RAM buffers, 30

recovering erased data, 143–144
 size in MB/GB and picture capacity
 (table), 195
 spares, 98

Memory Stick (MS), Sony, 26

menu buttons, 27
 multifunctional jog dials, 28–29

Merge to HDR (High Dynamic Range) option,
 Photoshop, 122, 150–152

metering modes, 10–20
 jog dial button, 29
 table, 189

microphones
 ports, 27, 66
 voice overs for movies, 139

Microsoft Expression Media, 163
 versus other software (table), 165–167

MMC (MultimediaCard) memory cards, 26

MMS (Multimedia Messaging Service),
 cameraphone transfer options, 16

mobile phones. *See* cameraphones

mode dials for photo-taking and -reviewing,
 27–28

Motion Picture Experts Group (MPEG) format,
 17, 176
 MPEG-4, 66–67

MOV (QuickTime movie) format, 17, 66, 176
 QuickTime Player, 65

Movie mode, 64–66, 176. *See also* video
 RAM buffers, 30

MPEG (Motion Picture Experts Group) format,
 17, 176
 MPEG-4, 66–77

multifunctional jog dials, 28–29

Multimedia Messaging Service (MMS),
 cameraphone transfer options, 16

MultimediaCard (MMC) memory card, 26

museums, shooting in. *See* outdoor
 photography, in museums

N

nickel-metal hydride (NiMH) batteries, 17

night scene photography
 basic settings (table), 192–193
 nighttime camera mode, 176
 nighttime (slow-synchro) flash mode, 58
 self-timers, 29
 example, 78
 situations/flash mode recommended settings
 (table), 188

Nikon

- CMOS sensors, 9, 22
- Coolpix S51c, Wi-Fi technology, 33
- D40X DSLR, 4
 - lithium-ion battery pack EN-EL9, 17
 - mode dial, 28
 - remote release, 31
- external flashes
 - hotshoe for Coolpix P5100, 21
 - Speedlight SB-800, 13
- lenses
 - AF-S Nikor 18mm–135mm f/3.5–f/5.6 ED, 11
 - AI-S Nikor 28mm f/3.5 PC, 106
 - VR 24mm–120mm, 11
 - VR (Vibration Reduction), 22
- NiMH (nickel-metal hydride) batteries, 17
- non-destructive photo-editing software, 49

O

- OISs (optical image stabilizers), 22
- Olympus
 - digital image stabilization, 23
 - Direct Print standard, 19
 - four-thirds image sensors, 10
 - sensor image stabilization, 23
 - E-510 DSLR, 23
 - Stylus 750 compact camera, 23
- optical image stabilizers (OISs), 22
- optical viewfinders, 29
 - composing images, 43–45
 - diopter adjustments, 19
 - versus LCD monitors, 29
- optics. *See* lenses
- outdoor photography. *See also* architecture photography
 - auto flash mode, 58
 - basic settings (table), 192–193
 - camera modes, 176
 - cloudy skies, 86
 - exposures, sunsets and astrophotography (table), 191
 - fireworks, 115–116
 - example, 116
 - manual exposure mode, 64
 - shutter speeds, 103
 - situations/flash mode recommended settings (table), 188
 - timed value mode, 76–77
 - white balance settings, 79–80
 - table, 189

P

- Palm Treo 680 cameraphone, 15
- Panasonic
 - four-thirds image sensors, 10
 - High-Angle View Mode, 26
 - Intelligent ISO, 24
 - Lumix LX2
 - with Leica picture-taking lens, 30
 - in Movie mode (example), 65
 - Mega O.I.S. (Optical Image Stabilizer), 22
 - example, 60
- panning
 - action photography, 103
 - Panning stabilizer mode, 60
- panorama photography
 - example, 70–71
 - Panorama mode, 67, 68, 176
- pantyhose diffusion filter, 124–126
- example, 125
- paper surfaces (table), 176
- partial metering, 76
- passport photos, 92–93
- Pentax, K100D DSLR, Shake Reduction image stabilization, 23
- pets photography. *See* kids and pets photography
- phones. *See* cameraphones
- photo effects, 68–69
- examples, 74–75
- photo sharing
 - converting still images into movies, 137–141
 - slide shows, 135–137
 - via email, 130–133
 - on the web, 134–135
- photo transfer from camera to computers
 - memory card readers, 18
 - USB connections, 18
- photo/media management, 146–147
- software
 - Adobe Bridge, 159, 161
 - Apple Aperture, 163–165
 - iPhoto (Apple), 155–157
 - Microsoft Expression Media, 163
 - non-destructive, 49
 - Photoshop Elements, 157–158
 - Photoshop Lightroom, 161–162
 - solutions (table), 147

- Photoshop
 - CS3
 - color to B&W, 152
 - Photomerge function, 70–71
 - exposure compensation, 51
 - Merge to HDR (High Dynamic Range)
 - option, 122, 150–152
 - raw format, 141
 - RAW+JPEG format, 142
 - Photoshop Elements
 - converting color to B&W, 114
 - features, 157–158
 - versus other software (table), 165–167
 - Panorama mode, 67
 - photo management, 137
 - photosites, 10–11
 - PictBridge printing, 29
 - picture elements. *See* pixels
 - pixels
 - megapixels, 10
 - resolution, 72–73
 - polarizing filters, 96
 - sunglasses, 115
 - portrait photography
 - aperture priority exposure mode, 54, 69
 - basic settings (table), 192–193
 - Burst mode, 47
 - example, 41
 - close-ups, 87
 - cloudy skies, 86
 - composition, 43, 84–88
 - existing light, 108–109
 - example, 108
 - facial lighting, 87
 - flash modes
 - fill flash, 108
 - fill flash, examples, 61, 85
 - flash off, 58
 - flash on, 58
 - situations/recommended settings (table), 188
 - slow-synchro, 58, 92
 - manual exposure mode, 64
 - pantyhose diffusion filter, 124–126
 - example, 125
 - passport photos, 92–93
 - photo effects
 - darker skin, 68
 - low sharpening, 68
 - portrait-shooting mode (example), 39
 - red eye reduction, 101, 114
 - self-timers, 73
 - soft background, examples, 39, 87
 - timed value mode, 76
 - underwater, 123–124
 - example, 124
 - white balance settings (table), 189
 - zoom/magnify controls, 80
 - positive film photo effect, 68
 - power (batteries) conservation, 20
 - printer profiles, 178–179
 - printing
 - calibration, 174
 - monitors, 183–185
 - dedicated photo printers, 176–180
 - desktop photo printers, 180–182
 - recommendations (table), 182
 - direct printing, 170–172
 - megapixels-to-print-size (table), 191
 - paper surfaces (table), 176
 - PictBridge, 29
 - printer profiles, 178–179
 - protocols, Direct Print standard, 19
 - resolution settings, 72–73, 174–175
 - table, 174
 - product photography, 111
 - examples, 112
 - programmed automatic exposure mode, 53, 54, 69, 176
 - Programmed (P) exposure mode, 176
 - Protect Images command, 72
- ## Q
- QuickTime (MOV) movie format, 17, 66, 176
 - QuickTime Player, 65
 - downloading latest version, 67
 - H.264 movie format, 67
 - QuickTime Pro
 - still images into movies, 134–141
 - time-lapse movies, 120
 - video clips into short movies, 148–149
- ## R
- RAM buffers, 30
 - Burst/continuous shooting mode, 40
 - raw format, 56, 141–143
 - DSLRs, 5
 - RAW+JPEG format, 57, 121, 142
 - rechargeable NiMH (nickel-metal hydride) batteries, 17–18

red eye reduction, 12
 blinking people, 114
 flash modes, 58
 situations/recommended settings
 (table), 188
 focus assist lights, 20
 indoor photography, 101
 reflection prevention, 105–106
 reflectors
 car windshield covers, 126
 portraits, 85
 product photography, 111
 remote controls, IR sensors, 24
 remote releases, 30–31
 self-timer alternatives, 73
 resolution
 action photography, 103
 fireworks, 116
 landscapes, 96
 pixel dimensions, 72–73
 time-lapse movies, 120
 resolution settings, 72–73
 printing photos, 174–175
 table, 174
 rim lighting, 90
 Rowell, Galen, 84
 Rule of Thirds, 43

S

S (shutter priority) exposure mode, 54, 176
 SD (Secure Digital) memory cards, 26
 SD (Standard Definition) video, 65
 SDHC (Secure Digital High Capacity) memory
 cards, 26
 Secure Digital (SD) memory cards, 26
 self-timers, 73
 focus assist lights, 20
 jog dial button, 29
 product photography, 111
 shutter mode, 47
 example, 78
 sensor image stabilization, 23, 60
 sepia tone photo effect, 68
 example, 75
 set buttons, 31
 Shade white balance setting, 79
 Shoot Only stabilizer mode, 60
 shooting video, guidelines, 66

shutter buttons, 31–32
 drive modes, 47
 shutter lag, 40
 infinity lock, focus, 62
 shutter priority exposure mode. *See* Tv (timed
 value) mode
 shutter priority (S) exposure mode, 54
 shutter speeds
 action photography, 103
 sports, 111
 manual exposure mode, 64
 scene mode settings (table), 193
 Shutterfly, 135
 Sigma OS (Optical Stabilizer), 22
 single erase (images) option, 48
 Single Lens Reflex (SLR) film cameras versus
 DSLRs, 5
 single shot shutter mode, 47
 slide shows, 135–137
 hardware (table), 136
 slow-synchro flash mode, 58
 situations/recommended settings (table), 188
 SLR (Single Lens Reflex) film cameras, versus
 DSLRs, 5
 SM (SmartMedia) cards, 26
 snow photography. *See* outdoor photography
 Sony
 A100 Alpha DSLR, Super SteadyShot image
 stabilization, 23
 Direct Print standard, 19
 Ericsson K1850i hybrid digital camera, 4
 Memory Stick (MS), 26
 special effects. *See* photo effects
 sports photography. *See* action photography
 spot metering mode, 19, 29, 69, 76
 table, 189
 sRGB color space, 18
 standard color mode versus image effects, 74
 Standard Definition (SD) video, 65
 sunsets. *See* outdoor photography
 swivel viewfinders, 25–26

T

Tagged Image File Format (TIFF), 56
 telephones. *See* cameraphones
 TIFF (Tagged Image File Format), 56
 tilt shift lenses, 106
 Time Machine, 146
 timed value (Tv) mode, 76–77, 176
 example, 81

- time-lapse movies, 119–120
- trash buttons, 32
- travel photography
 - examples, 98, 99
 - guidelines, 97–99
- tripods
 - camera modes, 176
 - close-ups, 42
 - falling water, 77
 - fireworks, 115
 - landscapes, 96
 - product photography, 111
 - self-timer shutter mode, 47
 - tennis balls for steadiness, 126
 - time-lapse movies, 120
 - tripod sockets, 32
 - video shooting, 66
- Tungsten white balance setting, 79, 116, 189
- Tv (timed value) mode, 54, 76–77, 176
 - example, 81

U

- underwater photography. *See* water photography, underwater
- USB 2.0 computer connections, 18
- USB Mass Storage devices, 32

V

- video. *See also* Movie mode
 - camera modes, 176
 - AVI format, 17, 66
 - MOV format, 17, 66
 - Movie mode, 64–66
 - MPEG format, 17
 - MPEG-4 format, 66
 - codecs (compressor/decompressor), 65
 - compact digital cameras, 6–7
 - digital camera video
 - archiving, 144–146
 - converting still images into, 137–141
 - managing, 146–147
 - shooting, guidelines, 66
 - stitching into movies, 147–150
 - time-lapse movies, 119–120
 - HD and SD, 65
 - QuickTime Player, 65
 - RAM buffers, 30
 - video out connections, 32

- viewfinders. *See* LCD monitors; optical viewfinders
- vivid color photo effect, 68

W

- water photography
 - aquariums
 - basic settings (table), 192–193
 - example, 105
 - running water, 54, 76, 77, 176
 - example, 81
 - underwater
 - basic settings (table), 192–193
 - camera modes, 176
 - portraits, 123–124
 - portraits, example, 124
- web photo sharing, 134–135
- wedding photography
 - example, 100
 - guidelines, 99–101
 - RAW+JPEG format, 121
 - red eye prevention, 101
 - situations/flash mode recommended settings (table), 188
- white balance, 77, 79–80
 - Fluorescent/Fluorescent H settings, 79, 116, 189
 - guidelines, 116–117
 - museum shoots, 104
 - product photography, 111
 - scene modes (table), 192
 - settings (table), 189
 - Tungsten setting, 79, 116, 189
- whiteboard photo effect, 68
- Wi-Fi image transfers, 32–33
 - DSLRs, 5
 - transmitters, 33
- wireless external flashes, 5

X

- xD-Picture Card memory cards, 26

Z

- zoom lenses, 33–35
 - compact digital cameras, 4
 - versus digital zoom, 46–47
 - DSLR cameras, 4, 5
 - recommendations, 34–35
- zoom/magnify controls, 35, 80, 82